

INDEX

SECTIONS 90, 93 and 94 - FUEL TANK, FUEL PUMP, MANIFOLD and RELATED PARTS

PART NAME	GROUP NUMBER	PART NAME	GROUP NUMBER
Adapter (fuel pump pressure balance hose)	9A520	Gauge assy. (fuel & temperature)	9307
Arm assy. (fuel pump rocker)	9376	Gauge assy. (fuel)-instrument panel unit	9305
Bail assy. (fuel pump filter bowl)	9387		9280
Base plate (carburetor air cleaner)	9D600	Gauge assy. (fuel)-tank unit	9275
Bezel (fuel & temperature gauge)	9B314	Gauge assy. (oil pressure)-engine unit	9278
Bezel (fuel gauge)	9A283	Gauge (oil pressure-instrument panel unit)	9B308
Bezel (roof lamp selector switch)	9A389	Grommet (fuel tank filler to quarter panel)-round	9080
Body & plugs assy. (fuel pump)-upper	9343	Grommet (fuel tank overflow hose)	9A130
Body (pulsator)	9372	Grommet (fuel tank vent pipe)	9069
Bolt (fuel tank strap)	9A010	Guide (fuel pump push rod)	9379
Bowl (fuel pump filter)-glass	9355	Hose (fuel block to carburetor)	9D281
Bracket (exhaust air supply)-rear	9B463	Hose (fuel tank overflow)	9A129
Bracket (fuel filter)	9180	Hose (fuel tank to filler pipe)	9047
Bracket (fuel filter tube support)	9180	Hose (fuel tank vent pipe)-rubber	9170
Bracket (fuel gauge mounting)	9D336	Hose (fuel tube connector)	9324
Bracket (fuel tank front support)	9068	Hose (supercharger air intake)	9630
Bracket (fuel tank rear support)	9048	Hose (supercharger discharge)	9652
Bushing (exhaust thermostat control valve)	9462	Kit-drive element (supercharger)	9655
Bushing (fuel pump rocker arm)	9389	Kit (fuel tank filler cap assortment)	9030
Bushing (fuel tank filter)	9030	Lens assy. (fuel & temperature gauge)	9B313
Cap assy. (fuel tank filler hose)	8287	Lens (fuel level gauge)	9B315
Clamp (fuel tank vent hose)	9171	Line assy. (fuel filter to carburetor)	9A274
Clamp (fuel tank vent pipe hose)	2342	Line assy. (fuel pump to fuel tank line)-flexible	9288
Clamp (intake & exhaust manifold to cylinder block)	9443	Link (fuel pump rocker arm)	9381
Clamp (intake manifold to cylinder head)	9446	Link (vacuum pump rocker arm)	9310
Clip (fuel filter bracket)	9B281	Magnet assy. (fuel pump filter)	9360
Clip (fuel line)	9A317	Manifold & thermostat assy. (exhaust)	9426
	14197	Manifold (exhaust)	9428
	9031		9430-31
Clip (fuel tank vent tube)	9031	Manifold (intake)	9424-25
Connector (vacuum pump outlet tube)	9A395	Mask (fuel & temperature gauge)	9281
Cover (carburetor air cleaner)	9B600		9313
Cover (fuel pump diaphragm pulsator)	9A359	Member (fuel tank support)	9064
Diaphragm assy. (fuel pump)	9398	Pin (fuel pump rocker arm)	9378
Diaphragm assy. (vacuum pump)	9314	Pipe assy. (fuel tank filler)	9034
Diaphragm (fuel pump pulsator)	9A358	Plate (fuel gauge back)	9302
Dome (fuel pump air)	9414	Plate (fuel pump valve)	9361
Element (supercharger air cleaner)	9601	Plate (temperature gauge back)	9304
Enclosure assy. (carburetor-supercharger)	9632	Plug (fuel pump rocker arm pin hole)	9A360
Ferrule (fuel line)	9242	Plug (intake manifold)	9A450
Filter assy. (fuel)	9155	Plug (rocker arm pin)	9379
Filter (fuel level indicator light)	9E301	Pump assv. (fuel)	9350
Fitting (fuel pump inlet)	9241	Repair kit (fuel pump)	9349
Fitting (intake manifold carb. spacer connection)	9A455	Retainer (fuel pump cam lever spring)	9B354
Fitting (oil pressure gauge to engine)	9B339	Retainer (fuel pump oil seal)	9A392
Flange (fuel tank filler)-outer	9039		9468
Float (fuel tank sender)	9202	Retainer (fuel tank filler pipe)	9008
Flasher assv. (oil temperature indicator)	9E296	Retainer (fuel tank sender wire)	9A131
Fuel filter line chart	9156	Ring (fuel tank sender retainer locking)	9277
Fuel line chart	9282		9A307
Gasket (carburetor)	9447	Rod assy. (fuel pump push)	9400
Gasket (carburetor fuel inlet adaptor)	9229	Screen (fuel pump)	9368
Gasket (carburetor to spacer)	9447	Seal (fuel pump oil)	9A393
Gasket (diaphragm pull rod oil seal)	9408	Seal (fuel tank filler pipe)-lower	9072
Gasket (exhaust manifold)	9448	Seal (fuel tank filler pipe)-upper	9076
Gasket (exhaust manifold to muffler inlet pipe)	9450	Seal (intake manifold to cylinder block)	9A424-25
Gasket (filter bowl strainer)	9366	Seat (fuel pump diaphragm spring)	9317
Gasket (fuel gauge)-tank unit	9276	Seat (vacuum pump diaphragm spring)	9302
Gasket (fuel pump filter bowl)	9364	Shield (brake & fuel lines)	9C291
Gasket (fuel pump mounting)	9417	Shield (exhaust manifold automatic choke splash)	9A456
Gasket (fuel tank filler cap)	9035	Sleeve (fuel tank vent tube)	9A034
Gasket (fuel tank filler to quarter panel)	9076	Sleeve (intake manifold to cylinder block)	9471
Gasket (fuel tank gauge wiring retainer)	9E298	Spacer (exhaust manifold to muffler inlet pipe)	9A435
Gasket (intake manifold to cylinder block)	9461	Spacer (link & spring retainer)	9382
Gasket (intake manifold to cylinder head)	9439-41	Spring assy. (exhaust thermostat control valve)	9449
Gasket set (manifold)	9433	Spring (exhaust thermostat control valve coil)	9467
Gasket (vacuum pump cover plate)	9367	Spring (fuel indicator lens retainer)	9E292
Gasket (windshield wiper silencer to intake man.)	2149	Spring (fuel pump diaphragm)	9396
		Spring (fuel pump valve)	9360

SECTIONS 90, 93 and 94 - FUEL TANK, FUEL PUMP, MANIFOLD and RELATED PARTS - continued

PART NAME	GROUP NUMBER	PART NAME	GROUP NUMBER
Spring (rocker arm return)	9380	Tube assy. (fuel tank vent)	9A086
Spring (vacuum pump diaphragm)	9315	Tube assy. (fuel tank vent)-lower	9282
Strainer assy. (fuel pump filter)	9365	Tube assy. (oil pressure indicator)	9B278
Strap assy. (fuel tank support)	9092	Tube assy. (vacuum pump)	9413
Strap assy. (fuel tank support)-rear	9057	Valve assy.	9352
Tab (exhaust manifold mounting bolt locking)	9A447	Valve assy. (exhaust thermostat control)	9A427
Tank assy. (fuel)	9002	Valve assy. (vacuum pump check)	9460
Tube assy. (air cleaner)	9D601	Valve (fuel pump)	9328
Tube assy. (carburetor fuel)	9D280	Washer (rocker arm pin)	9358
Tube assy. (carburetor fuel manifold)	9D303	Wire assy. (fuel level warning relay feed)	9418
Tube assy. (fuel filter to fuel pump)	9B273	Wiring assy. (oil temperature indicator)	9F283
Tube assy. (fuel pump to carburetor)	9369		9E295
SECTIONS 95 THRU 97 CARBURETOR & ACCELERATOR LINKAGE			
Accelerator assy.	9725	Clamp (nozzle bar)	9928
Actuator assy. (speed control)	9A825	Clamp (thermostatic choke housing)	9842
Adaptor (carburetor fuel inlet)	9A520	Cleaner ass'y. (carburetor air)	9600
Adaptor Kit (carburetor)	9C545	Clip (accel. shaft to trans. control shaft rod assy.)	9B776
Adaptor (thermostatic choke control-inlet tube)	9C786	Clip (carburetor fast idle rod)	9565
Arm (speed control servo to throttle pivot)	9C751	Clip (rod end)	9825-26
Arm (throttle shaft)-inner	9A535	Clip (throttle cable)	9792
Arm (throttle shaft)-outer	9A537	Clip (throttle shaft control)	9718
Baffle (carburetor equalizer passage)	9A517	Compensator assy. (carburetor hot idle)	9B532
Baffle plate (float body)	9553	Connector (air cleaner to thermostatic choke control inlet tube)	9C704
Ball (accelerator pump check)	9576	Connector (carb. to manifold spacer tube)	9C525
Bellcrank (accelerator)	9724	Connector (idle speed up valve tube)	9B761
	9732	Connector (speed control servo to bellcrank)	9D763
Bellcrank (fast idle)	9A535	Connector (trans. vacuum to fast idle diaphragm)	9B761
Bezel (carburetor choke control)	18598	Control ass'y. (carburetor choke)	9700
Bezel (speed control actuator)	9A847	Control ass'y. (thermostatic choke)	9850
Body & plugs assy. (carburetor main metering)	9A511	Control (carburetor throttle-locking type)	9775
Body & plugs (carb. main metering secondary)	9A513	Cover (accelerator pump)	9528
Body & shaft ass'y. (throttle)	9518	Cover & plugs assy. (main body)	9524
Body ass'y. (main)	9512	Cover (economizer valve)	9930
Bowl & plugs assy. (carburetor float)	9A507	Cover (secondary throttle diaphragm)	9507
	9A508	Cover (thermostatic choke heat supply)	9A705
Brace (air cleaner)	9663	Cup (carburetor pump piston)	9572
Bracket (accel. bellcrank to intake manifold)	9A726	Dashpot ass'y.	9B549
Bracket (accelerator to retracting spring)	9741	Dial assy. (speed control actuator)	9C767
Bracket (carburetor choke control mounting)	9A700	Diaphragm & tube assy. (carburetor idle speed up)	9B756
Bracket (carburetor throttle control shaft)	9782	Diaphragm assy. (carburetor accelerator pump)	9B559
Bracket (choke control)	9595	Diaphragm ass'y. (secondary throttle)	9503
	9796	Disc (accelerator pump check valve)	9578
Bracket (dashpot mounting)	9B550	Duct & valve assy. (carburetor air cleaner)	9A626
Bracket (idle speed up valve)	9B759	Element (air cleaner)	9601
Bracket (speed control actuator mounting)	9A892	End (carburetor throttle synchronizer rod)	9767
Bracket (speed control metering valve)	9C729	Filter assy. (thermostatic choke air)	9C791
Bracket (speed control pump)	9C732	Flasher assy. (oil temperature indicator)	9E296
Bracket (speed control relay)	9C788	Float ass'y.	9550
Bracket (speed control release switch mounting)	9A838	Gasket (air cleaner)	9673
Bracket (speed control servo)	9C736	Gasket (air cleaner oil seal)	9364
Bracket (speed control solenoid)	9C788	Gasket (air cleaner to carburetor)	9364
Bracket (throttle control mounting)	9677		9654
Bushing (accelerator shaft)	9A763	Gasket (carburetor air cleaner element)-lower	9B608
Bushing (accelerator shaft to bellcrank rod)	9A856	Gasket (carburetor economizer)	9A588
Bushing (carburetor secondary throttle shaft)	9B508	Gasket (carburetor float valve seat)	9569
Bushing (carburetor throttle control lever)	9C781	Gasket (carburetor hot idle compensator)	9B567
Bushing (fast idle cam)	9B508	Gasket (carburetor spacer water inlet)	9D650
Button assy. (speed control actuator push)	9C741	Gasket (carburetor valve seat lock screw)	9A522
Cable assy. (speed control actuator)	9A826	Gasket (float bowl)	9561
Cage (pump intake check ball)	9A541	Gasket (float bowl retainer)	9561
Cam (accelerator pump diaphragm operating)	9526	Gasket (float bowl screw)	9592
Cam ass'y. (fast idle)	9597	Gasket (fuel filter to carburetor)	9A588
Cap (carburetor air cleaner adaptor)	9C639	Gasket (fuel inlet fitting)	9827
Cap (speed control pump intake)	9C743	Gasket (fuel inlet needle seat)	9569
Carburetor ass'y.	9509-10	Gasket (fuel level plug)	9569
Chamber assy. (thermostatic choke heat)	9890	Gasket (main body cover plate)	9561
Clamp (air cleaner to carburetor)	9628	Gasket (main jet plug)	9563
Clamp assy. (supercharger hose)	8287	Gasket (main metering body)	9A518
Clamp (carburetor air vent push rod)	9565	Gasket (power jet and main well spacer)	9A588
Clamp (choke cable)	9792	Gasket (pump discharge nozzle)	9580
Clamp (choke control bracket)	9792		

SECTIONS 95 THRU 97 CARBURETOR & ACCELERATOR LINKAGE - continued

PART NAME	GROUP NUMBER	PART NAME	GROUP NUMBER
Gasket (secondary throttle diaphragm housing)	9853	Nut (carburetor choke control)	9D564
Gasket set (carburetor)	9502	"O" ring (secondary venturi tube)	9609
Gasket (thermostatic choke heat supply cover)	9903	Pad assy. (accelerator pedal)	9735
Gasket (thermostatic choke housing)	9853	Pedal ass'y. (accelerator)	9735
Gasket (throttle body to main body)	9516	Pin (accelerator bellcrank)	9B721
Gasket (venturi)	9A536	Pin (air valve dampener)	9H584
Horn ass'y. (carburetor air)	9524	Pin (choke plate distributor)	9551
Hose (carburetor spacer to heater return line)	9E522	Pin (fast idle adjusting lever)	9579
Hose (speed control metering valve to pump)	9C745	Pin (float hinge)	9558
Hose (speed control metering valve to servo)	9C746	Piston & rod assy. (air valve dampener)	9H578
Hose (speed control solenoid to metering valve)	9C747 9C748	Piston assv. (carburetor automatic choke)	9840
Housing & plugs ass'y. (choke)	9849	Piston assy. (carburetor vacuum)	9B513
Housing & plugs ass'y. (secondary throttle)	9501	Piston assy. (power valve)	9G553
Housing assy. (speed control actuator)	9C761	Piston (automatic choke)	9840
Insert (thermostatic choke control-air intake)	9A714	Piston (carburetor accelerator pump)	9B544
Insulating (thermostatic choke control outlet tube)	9865	Piston lever & link ass'y. (carb.thermostatic choke)	9A796
Insulator (accelerator shaft)	9B720	Plate (accelerator shaft equalizer bracket)	9A853
Insulator (accelerator shaft to dash)	9B862	Plate ass'y. (choke)	9549
Insulator (fuel level indicator)	9E308	Plate (carburetor float bowl baffle)-secondary	9A517
Jet & main well assy.	9594	Plate (carburetor main metering)	9514
Jet ass'y. (idling)	9542	Plate (carburetor secondary throttle lock-out)	9C506
Jet ass'y. (power)	9594	Plate (choke)-R. H.	9545
Jet (main metering)	9533	Plate (throttle)	9585
Jet (main)-secondary	9A528	Plug (float needle seat)	9944
Kit (accelerator control)-Cobra	9B843	Plug (fuel inlet strainer)	9522
Kit (carburetor)-piston & lever thermostatic choke	9A796	Plug (main body)-lead	9523
Kit (carburetor tune up)	9A586	Plug (main jet)	9562
Kit-fuel pump (supercharger)	9350	Plunger (carburetor dashpot)	9800
Kit (ram air intake)	9C654	Plunger (choke lever)	9537
Kit (throttle control)	9B742	Pump assy. (speed control)	9C731
Knob assy. (carburetor choke control)	9B739	Relay assy. (speed control)	9C733
Knob assy. (speed control actuator)	9A832	Relay assy. (speed control thermal hold)	9C733
Lever (accelerator bellcrank to speed control rod)	9C708	Repair kit (carburetor)	9590
Lever (accelerator pump)	9D591	Repair kit (idle speed up diaphragm)	9B863
Lever (accelerator pump operating)	9A506	Retainer (accelerator pump check ball)	9575
Lever (accelerator pump operator)	9583	Retainer (accelerator pump check valve)	9575
Lever (accelerator shaft)	9761	Retainer (air valve spring housing)	9H558
Lever & bushing (carburetor thermostatic choke)	9A757	Retainer assy. (air cleaner to carburetor)	9B672
Lever & shaft assy. (carb. secondary throttle plate)	9A592	Retainer (carburetor accelerator pump spring)	9599
Lever & shaft assy. (primary throttle)	9581	Retainer (carburetor accelerator pump spring upper)	9599
Lever & swivel assy. (choke)	9A514	Retainer (carburetor choke shaft)	9B527
Lever (carburetor accelerator pump over travel)	9919	Retainer (carburetor float spring)	9552
Lever (carburetor accelerator pump piston)	9583	Retainer (carb.thermostatic choke control insert)	9A715
Lever (carburetor choke control)	9D541	Retainer (fast idle rod seal)	9575
Lever (carburetor fast idle cam)	9F577	Retainer (float bowl)	9808
Lever (carburetor thermostatic choke lever bushing)	9A756	Retainer (float lever shaft)	9599
Lever (choke counter shaft operating)	9A514	Retainer (pump link)	9599
Lever (choke housing)	9D541	Retainer (pump operating lever)	9568
Lever (choke plate operating)	9548	Retainer (pump operating rod)	9565
Lever (dashpot operating)	9802	Retainer (speed control switch wiring)	9D753
Lever (dashpot operating)-inner	9835	Retainer (vacuum dist. ball check valve spring)	9575
Lever (dashpot operating)-outer	9836	Rivet (carburetor throttle & choke plate)	9586
Lever (fast idle adjusting)	9538	Rod (accelerator pump piston operating)	9531
Lever (idle speed up valve)	9B864	Rod (accelerator pump to overtravel lever)	9B542
Lever (secondary throttle stop)	9583	Rod (accelerator shaft to bellcrank)	9A702
Lever (throttle shaft)-auxiliary	9583 9A537	Rod (accelerator shaft to speed control shaft)	9B705
Liner (carburetor thermostatic choke lever bushing)	9A756	Rod (accelerator to pedal)	9727
Link (accelerator bellcrank to carburetor)	9A716	Rod ass'y. (accelerator)	9747
Link (air valve dampener)	9H583	Rod ass'y. (accelerator to trans. control shaft)	9784
Link & lever assy. (carburetor choke bracket)	9B547	Rod assy. (bellcrank to carburetor)	9772
Link assy. (choke plate)	9B547	Rod (carb. accelerator pump link to throttle lever)	9B542
Link assy. (speed control)	9C762	Rod (carburetor air vent push)	9A515
Link (carburetor accelerator pump)	9529	Rod (carburetor choke control)	9A599
Magnet assy. (carburetor choke plate)	9E585	Rod (carburetor fast idle)	9598
Moulding (speed control switch)	9C780	Rod (carburetor fast idle cam)	9D530
Needle (idle adjusting)	9541	Rod (carburetor pump operating)	9531
Nozzle ass'y. (pump discharge)	9577	Rod (carburetor secondary throttle control)	9C504
Nut (accelerator shaft to bellcrank rod)	9A857	Rod (carburetor throttle-front)	9B841
		Rod (carburetor throttle-rear)	9B842
		Rod (dashpot connecting)	9A527
		Rod (metering)	9A526

SECTIONS 95 THRU 97 CARBURETOR & ACCELERATOR LINKAGE - continued

PART NAME	GROUP NUMBER	PART NAME	GROUP NUMBER
Rod (secondary diaphragm control)	9596	Spring (carburetor thermostatic choke)	9A590
Rod (speed control pivot arm to carburetor)	9C740	Spring (choke lever plunger)	9587
Rod (speed control pivot arm to servo)	9C739	Spring (choke shaft)	9539
Screen assy. (filter)	9938	Spring (dashpot plunger return)	9589
Screen (carburetor nozzle bar)	9942	Spring (filter screen retainer)	9937
Screw (carburetor dashpot & throttle lever adjusting)	9B502	Spring (fuel indicator lens retainer)	9E292
Screw (carburetor discharge nozzle)	9574	Spring (fuel valve seat)	9959
Screw (carburetor pump discharge nozzle)	9577	Spring (idle adjusting)	9578
Screw (choke plate)	9586	Spring (idle air by-pass screw)	9578
Screw (dashpot & throttle lever adjusting)	9801	Spring (idle cam lever)	9B569
Screw (fuel level inspection)	9974	Spring (pump lever adjusting screw)	9571
Screw (throttle plate)	9586	Spring (pump operating lever)	9624
Seal (air horn)	9C527	Spring (pump piston operating rod) upper	9636
Seal (carburetor air horn)	9998	Spring (secondary throttle diaphragm return)	9B504
Seal (carburetor fast idle rod)	9B501	Spring (secondary throttle return)	9A538
Seal (carburetor throttle shaft)	9535	Spring (secondary throttle venturi)	9A538
Seal (idle adjusting needle)	9634	Spring (throttle adjusting)	9578
Seal (pedal rod)	9793	Spring (throttle control return)	9A538
Seat (pump intake check ball)	9567	Spring (throttle shaft return)	9A538
Selector (float bowl vent)	9557	Spring (throttle tension)	9A538
Shaft (air valve)	9581	Stop (throttle control wire)	9A713
Shaft & lever ass'y. (choke)	9546	Stud (accelerator pump piston rod link)	9988
Shaft & lever (carburetor choke housing)	9A753	Support assy. (carburetor booster venturi)	9A523
Shaft & lever (secondary throttle)	9581	Switch assy. (speed control release actuator)	9A837
Shaft (choke)	9547	Swivel (carburetor choke plate adjusting)	9D563
Shaft (float lever)	9558	Swivel (supercharger)	9805
Shaft, valve & weight assy. (carb. auxiliary throttle)	9A534	Tee (speed control vacuum hose)	9C744
Shield (brake & fuel lines)	9C291	Thermostat assy. (carburetor air cleaner)	9B650
Shield (choke thermostatic)	9861	Trunnion (carburetor throttle lever)	9C760
Shield (thermostatic choke heat tube inlet)	9A745	Tube (anti-backfire valve vacuum)	9H533
Shroud and tube assy. (carb. air cleaner air duct)	9A803		9H563
Sleeve (pump push rod)	9934	Tube assy. (anti-backfire valve inlet)	9H559
Solenoid assy. (carb. throttle emission control)	9D856	Tube ass'y. (main well)	9991
Solenoid assy. (speed control)	9C728	Tube assy. (P/S pump to idle speedup valve)	9B758
Spacer (carburetor thermostatic choke shaft)	9812	Tube assy. (speed control vacuum supply)	9C764
Spacer (carburetor to intake manifold)	9A589	Tube (carburetor balance)	9A501
Spacer (fast idle lever)	9812	Tube (carburetor secondary balance)	9A501
Spacer (intake manifold bolt)	9C489	Tube (carburetor secondary venturi metering)	9A528
Spacer (main body to throttle body)	9515	Tube (carburetor spacer to water pump)	9C524
Spacer (secondary throttle plate control lever)	9812	Tube (carburetor to manifold spacer outlet)	9C524
Spacer (speed control servo)	9C763	Tube (float bowl connection)	9534
Spring (accelerator bellcrank to carb. lever tension)	9736	Tube (secondary throttle control vacuum)	9997
Spring (accelerator pump diaphragm return)	9936	Tube (secondary venturi fuel supply)	9616-17
Spring (accelerator pump lever return)	9636	Tube (thermostatic choke control)-inlet	9820
Spring (accelerator pump-lower)	9636	Tube (thermostatic choke control)-outlet	9819
Spring (accelerator pump overtravel)	9A538	Valve & seat (fuel inlet)	9564
Spring (accelerator pump piston return)	9636	Valve assy. (carburetor power)	9C551
Spring (accelerator pump rod plunger)	9935	Valve assy. (carburetor spark control)	9B572
Spring (accelerator pump rod retaining)	9560	Valve assy. (float bowl vent)	9557
Spring (accelerator pump rod seal)	9976	Valve assy. (idle speed up)	9B756
	9986	Valve assy. (speed control metering)	9C727
Spring (accelerator retracting)	9737	Valve (carb. accelerator pump discharge needle)	9A516
Spring (air valve)	9H556	Valve (carburetor air)	9H555
Spring (carburetor accelerator pump)	9D598	Valve (speed control solenoid)	9D776
Spring (carburetor accelerator pump-upper)	9D598	Valve (vacuum distributor ball check)	9576
Spring (carb. air cleaner air duct intake valve plate)	9B684	Venturi assy. (carburetor)	9A523
Spring (carburetor choke lever)	9C513	Washer (accelerator pump piston rod)-felt	9535
Spring (carburetor dashpot operating lever)	9803	Washer (air bleed screw)	9811
Spring (carburetor fast idle cam)	9C526	Washer (throttle shaft seal retainer)	9566
Spring (carburetor filter)	9938	Weight (carburetor pump discharge ball)	9B511
Spring (carburetor float)	9A519	Wire assy. (speed control)	9A840
Spring (carb. idle speed up control activator)	9C531	Wire assy. (speed control feed)	9A839
Spring (carburetor metering rod tension)	9D820	Wire (carburetor fast idle speed up solenoid feed)	9D552
Spring (carburetor pump)	9636	Wire (carburetor fast idle speed up solenoid ground)	9D562
Spring (carburetor secondary throttle override)	9B561	Wiring assy. (carb. idle speed up control)	9H568
Spring (carburetor secondary vacuum control valve)	9578	Wiring assy. (oil temperature indicator)	9E295

FORD CAR PARTS

SECTION 90

435

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
9002 TANK ASSY. - FUEL				
60	A (except S/W)	20 gallon capacity	1	C0AA 9002-Z
60	A(S/W)	20 gallon capacity	1	C0AA 9002-V
61	A (except S/W)	20 gallon capacity	1	C1AA 9002-E
62	A (except S/W)	20 gallon capacity	1	C2AZ 9002-A
61/62	A(S/W)	20 gallon capacity	1	C2AZ 9002-B
63	A(except S/W)	20 gallon capacity	1	C3AZ 9002-B
64	A(except S/W)	20 gallon capacity	1	C4AZ 9002-A
63/64	A(S/W)	20 gallon capacity	1	C3AZ 9002-A
62/	B(except S/W)	16 gallon capacity	1	C2OZ 9002-A
63	B(S/W)	"Before 11/1/62" 16 gallon capacity-kit (fuel tank installation)-use with 2.00" diam. filler pipe -consists of (1) C3OZ 9002-B tank, (1)C3OZ 9047-B hose, (1) 8A 8287 clamp	1	C3OZ 9002-A
63/	B(S/W)	"From 11/1/62" 16 gallon capacity-use with 2.25" diam. filler pipe	1	C3OZ 9002-B
60	S	20 gallon capacity	1	B9S 9002-A
62/ 63	S	20 gallon capacity	1	C2SZ 9002-A
61	S	"Before 7/1/61" Use with (1) C1SZ 9034-C filler pipe, (1) C1VY 9072-A seal "O" ring and (2) C2SZ 9092-A straps	1	
61	S	"From 7/1/61" Use with (2) C2SZ 9092-A straps	1	
64/	S	Service pkg. includes (2) C4SZ 9031-A clip, (1) C4SZ 9A086-A tube assy.,(1) C4SZ 9170-A hose	1	C4SZ 9002-B
60/64	X (except S/D, S/W, 66)	14 gallon capacity	1	C4DZ 9002-A
60/63	K (S/D, S/W, 66A)	14 gallon capacity	1	C1DZ 9002-B
64	X (S/W)(6 cyl. only)	14 gallon capacity	1	C4DZ 9002-C
64	X (S/D, 66)	20 gallon capacity	1	C4DZ 9002-D
64	X (S/W)(8 cyl. only)		1	
60/	A, B, S, X	Plug (tank drain)-1/4"-18 x 3/4"-extended head	1	353055-S7(PP29)
60	X	Bolt (attach fuel tank to underbody)-5/16"-24 x 3/4" -hex. head-self tapping	11	*41210-S8
60	X	Washer-5/16"-flat	11	356184-S(XX113)
64/	X(except S/D, S/W, 66)	Screw (fuel tank to underbody)-No. 14-10 x 3/4" hex, washer head	11	42143-S8(U255)
9008 RETAINER - FUEL TANK FILLER PIPE				
63/64	A(S/W)	Seal-lower	1	C3AZ 9008-A
63/	B(S/W)	Grommet	1	C3OZ 9008-A
63/64	A(S/W)	Screw (retainer to quarter panel)-No. 10-12 x 1/2"- hex. washer head self tapping	4	42127-S8(U248C)
9A010 BOLT - FUEL TANK STRAP				
60/64	A (except S/D, S/W, 66)		2	B8AZ 9A010-A
60/64	A(S/W), X(S/D, S/W, 66), B	3/8"-16 x 3.79" long including loop	2	C0AA 9A010-B
61/63	S		2	
60	S(with S/T)(8 cyl. with 352)	Use as clutch pedal retracting spring retainer	1	
64/	S	3/8"-16 x 4.50" long including loop	2	C4SZ 9A010-A
60	S		2	
60/63	A, S, X	Nut-3/8"-16	2	376575-S7-8 (MM173H)
		Washer-3/8"-flat	2	44727-S8(X24)
64/	S	Nut-lock-3/8"-16-hex.	2	34394-S7-8(M93A)
61/63	S	Nut-extension lock-3/8"-16	2	374972-S7(MM181)
61/63	S	Washer (fuel tank bolt)-5/8" flat-.94" O. D. -.675" I. D. -.090" thick	2	373314-S(XX221-A)
62/64	B	Nut-3/8"-16 hex, washer-lock	2	373403-68(MM173J)
63/	X(S/D, S/W, 66)		2	
9030 CAP ASSY. - FUEL TANK FILLER				
60	A(S/W)	"From 9/21/59" Vented	1	C6GY 9030-A
60	S		1	(FC-30)
60/62	X (except S/D, S/W, 66A)	Non-vented-3.76" diameter	1	C0DD 9030-B
63	K(54A, 62A)		1	

* When using 1964 tank on 1960 models-relocate filler pipe and redrill flange holes, cut off and reposition vent pipe and cut floor mat

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER	
9030 CAP ASSY. - FUEL TANK FILLER - continued					
63/	B(S/W)	Vented-anti-surge-chrome finish	1	C0DZ 9030-D	
60/63	X		1	(FC-24)	
64/	X (except S/W)		1		
61/63	S	Non-vented	1	C1VV 9030-B	
62/	B(except S/W)	Vented	1	C2OZ 9030-B (FC-36)	
62/63	X (S/W)	Non-vented-4.06" diameter-wood grain finish	1	C2DZ 9030-A	
63	X(S/W)-Deluxe	Non-vented-4.06" diameter	1	C3DZ 9030-A	
63	B(S/W)(except Squire Wagon)	Vented-4.06" diameter	1	C3OZ 9030-C	
63	B(S/W)-Squire Wagon	Use with C3OZ 71405A02-A wood grained decal	1		
63	B(S/W)	Vented-4.06" diameter-bright finish	1	C3OZ 9030-D	
61/64	A(S/W)	Vented	1	C3AZ 9030-A	
64	A(except S/W)	"Before 5/27/64"	1		
60	A(S/W)	"Before 9/21/59"	1		
64	A(except S/W)	"From 5/27/64"	1	C3AZ 9030-B	
64/	X (54A, D, 62A, D)		1	C4DZ 9030-B	
64	X(59A,66A,B,71A,B, 78A, B)		1	C4DZ 9030-C (FC-508)	
64/	X(71C)	Wood grain finish	1	C4DZ 9030-D	
64	B(71D, E)		1	C4OZ 9030-B	
62/	B	Vented	1	C5AZ 9030-A	
61/	S		1	(FC-46)	
60	A		1	C6OZ 9030-A	
61/63	A(except S/W)		1	(FC-31)	
64	X(66, 71B)	Kit fuel cap assy.	1	C5DZ 9030-B	
Consists of the following					
1-C4DA 9A107-B Cap (fuel tank filler)		1-C4DZ 59405A48-A Moulding			
1-C4DA 9A112-B Retainer (fuel filler cap)		2-40904-S8 Screw			
60/61	A(71)	Non-vented-locking type	1	C7AZ 9030-F (FC-57)	
60/	X (except 71)	Vented-locking type- 3 3/4" O. D. -use with	1	C4RZ 9030-A	
63/	B (71)	1.830" O.D. filler pipe	1	(FC-83)	
62/	B (except 71)	Vented-locking type-2 1/4" O. D. -use with	1	C4RZ 9030-B	
61/	S	1.630" O. D. filler pipe	1	(FC-92)	
60/	A (except 71)	Vented-locking type-2 1/4" O. D. -use with	1	C4RZ 9030-C	
60	S	1.830" O. D. filler pipe	1	(FC-91)	
60/64	A (71)		1		
9030 KIT - FUEL TANK FILLER CAP ASSORTMENT					
60/			1	C8PZ 9030-A (FC-1000)	
Consists of the following					
3-A9AZ 9030-A	Cap (FC-20)	1-C0MY 9030-A	Cap (FC-27)	2-C6OZ 9030-A	Cap (FC-31)
2-B0LY 9030-A	Cap (FC-37)	1-C4RZ 9030-B	Cap (FC-92)	2-C7AZ 9030-A	Cap (FC-40)
2-B9AZ 9030-A	Cap (FC-30)	1-C4RZ 9030-C	Cap (FC-91)	1-C7RA 9030-K	Cap (FC-32)
1-C0DZ 9030-A	Cap (FC-24)	2-C5AZ 9030-A	Cap (FC-46)		
9031 CLIP - FUEL TANK VENT TUBE					
64/	S	"From 3/27/64"	2	C4SZ 9031-A	
9034 PIPE ASSY. - FUEL TANK FILLER					
60	A(S/W)		1	C0AB 9034-B	
60/63	X (S/D, S/W, 66A)	2.24" dia. -21.89" long-center to center of ends	1	C0DD 9034-F	
61	S	"Before 7/1/61"	1	C1SS 9034-B	
		2.00" diam. -6.50" long-used w/C5TZ 9047-B filler pipe hose and C1SS 9080-A grommet			
60/63	X (except S/D, S/W, 66A)		1	C1DD 9034-A	
62/63	S		1	C1SZ 9034-C	
61	S	"From 7/1/61"	1		
62	A(S/W)	Use w/C2SZ 9002-A tank and C1VY9072-A seal	1		
61	A(S/W)	On 1961 models-bend bracket to mate with quarter panel retaining hole	1	C2AB 9034-A	

FORD CAR PARTS

SECTION 90

437

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
9034 PIPE ASSY. - FUEL TANK FILLER - continued				
62	B	Use with C2OZ 8287-A clamp to attach pipe to body bracket	1	C2OZ 9034-B
63/	B(except S/W)		1	
63/64	A(S/W)		1	C3AZ 9034-A
63	B(S/W) "Before 11/1/62"	2.00 diam. filler pipe	1	C3OZ 9034-A
64/	X(S/D, S/W, 66)		1	C4DZ 9034-A
64/	X(except S/D, S/W, 66)		1	C4DZ 9034-B
64	B(except S/W)	1.90" I.D. - 6.44" long from center to center of ends	1	C4OZ 9034-A
63/64	B(S/W) "From 11/1/62"	2.25" diam. filler pipe	1	C4OZ 9034-B
64/	S		1	C4SZ 9034-B
		Washer-1/4" flat	1	44720-S8(X18)
		Lockwasher-1/4"	1	34805-S8(X62)
60/64	S/W	"O" ring (fuel filler neck)-1.80" I. D. - 2.24" O. D. - rubber	1	370322-S92(KK52)
60/63	S		1	
60	X	Screw (attach fuel tank filler pipe to body-rear)-No. 10-32x1/2" self tapping-cross recessed pan head	4	*51766-S8
61/	S "From 7/1/61"	Screw (filler pipe to body lower back panel)-No. 10-12 x 1/2" hex. washer head tapping	2	42127-S8(U248C)
63	A(S/W) "From 7/1/62"	Screw (filler pipe to qtr. panel fuel filler opening)	4	
9A034 SLEEVE - FUEL TANK VENT TUBE				
60/63	A (except S/W)	.28" I. D. - .56" O. D. - 1.50" long-cut from C2AZ 9324-D	1	*C0AA 9A034-A
9035 GASKET - FUEL TANK FILLER CAP				
64	S	2.00" O. D. x .048" thick	1	C4SZ 9035-A
64	S	2.00" O. D. x .063" thick	1	C4SZ 9035-B
9039 FLANGE - FUEL TANK FILLER - OUTER				
60/63	X		1	C0DD 9039-B
63	B(S/W) "Before 11/1/62"	Use with 2.00" diameter filler pipe	1	C3OZ 9039-A
64/	B(S/W)		1	
63	B(S/W) "From 11/1/62"	Use with 2.25" diameter filler pipe	1	C3OZ 9039-B
64/	X		1	
60/	X(S/D, S/W, 66)	Screw (flange to fuel tank filler pipe)-No. 10-16 x 3/8" self tapping-hex. washer head	4	42120-S8(U248)
9046 BRACKET - FUEL TANK REAR SUPPORT				
62/	B(except S/W)		2	C2OB 9046-A
63/	B(S/W)		2	C3OZ 9046-B
9047 HOSE - FUEL TANK TO FILLER PIPE				
60/	B, X(except S/D, S/W, 66)	2.00"-6.00" long-cut to 4.38" long	1	C5TZ 9047-B
61	S	Used with C1SS 9034-B filler pipe and C1SS 9080-A grommet-cut to 4.38" long	1	
63	B(S/W) "Before 11/1/62"	Used with fuel tanks with 2.00" diam. filler pipe-cut to 4.38" long	1	
60/63	X(S/D, S/W, 66A)	2.00" I. D. - 12.64" long-moulded	1	C0DD 9047-C
63/64	A(S/W)	2.18" I. D. - 8.50" long from center to center of ends	1	C3AZ 9047-A
63	B(S/W)	1.93" I. D. one end-2.18" I. D. other end-5.44" long-use for units with 2.25" O. D. fuel tank filler neck and 2.00" O. D. filler pipe only	1	C3OZ 9047-B
64/	B(S/W)	2.25" I. D. - 6.82" long	1	C4OZ 9047-B
63	B(S/W) "From 11/1/62"	Cut to 5.44" long-use with fuel tanks with 2.25" diameter filler pipe	1	
61/62	A(S/W)	Cut to 3.00" long	1	
64/	X(S/D, S/W, 66)	2.25" I. D. - 12.54" long	1	C4DZ 9047-C
61	S	Clamp assy. (fuel tank filler hose)-2.6" diam. No. 10-32 x 1 1/2" round head	2	8A 8287
		Nut-No. 10-32		34079-S7(M163)
60/	X	Clamp (fuel filler hose to tank and fuel filler pipe)-adjustable 1 1/2" to 2 1/2"	2	B7A 8287-B
9057 STRAP ASSY. - FUEL TANK SUPPORT - REAR -Also refer to Group 9092				
60/63	X (S/D, S/W, 66A)		2	C0DD 9057-A
64	X(S/D, S/W, 66) -8 cyl.		2	C4DZ 9057-A
9064 MEMBER - FUEL TANK SUPPORT				
64/	S		1	C4SZ 9064-B

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
9068 BRACKET - FUEL TANK FRONT SUPPORT				
63/	B(S/W)		2	C3OZ 9068-A
9069 GROMMET - FUEL TANK VENT PIPE				
60/	X (except S/D, S/W, 66A)	.28" I.D. -.88" O.D. -.40" thick	1	B5A 9069-A
60/63	X(S/D, S/W, 66A)		2	
9072 SEAL - FUEL TANK FILLER PIPE - LOWER				
63/64	A(S/W)		1	C3AZ 9072-A
64/	S	Fuel tank filler to floor pan	1	C4SZ 9072-A
61	S	"From 7/1/61" "O" ring-1.92" I.D. -2.40" O.D. -used with C2SZ 9002-A tank and C1SZ 9034-C filler pipe	1	C1VY 9072-A
64/	S		1	
9076 GASKET - FUEL TANK FILLER TO QUARTER PANEL				
60/63	X		1	C0DD 9076-B
60/63	X	Also fuel tank filler to adjustable cam	1	
63/	B(S/W)	Use with 2.00" diam. filler pipe	2	C3OZ 9076-A
64/	X(except S/D, S/W, 66)		1	
64/	X(S/D, S/W, 66)		2	
9076 SEAL - FUEL TANK FILLER PIPE - UPPER				
63/64	A(S/W)		1	C3AZ 9076-A
64/	S		1	C4SZ 9076-B
9080 GROMMET - FUEL TANK FILLER TO QUARTER PANEL - ROUND				
60	S	2.25" I.D. -3.65" O.D.	1	B7A 9080-A
61	S	"Before 7/1/61" 2.00" I.D. -4.32" O.D. -1/2" thick -used with C1SS 9034-B filler pipe & C5TZ 9047-B hose	1	★C1SS 9080-A not replaced
60/63	X(S/D, S/W, 66A)	1.88" I.D. -3.55" O.D. -.34" thick	1	C0DB 9080-A
63/	B(S/W)	1.50" I.D. -5.14" O.D. -.06" thick	1	C3OZ 9080-A
64/	X(S/D, S/W, 66)	2.13" I.D. -3.55" O.D. -.34" thick	1	C4DZ 9080-A
@ 9A084 TUBE - FUEL TANK TO PUMP - REAR				
9A086 TUBE ASSY. - FUEL TANK VENT				
64/	S	1/8"x 25.15" long-brass tubing	1	C4SZ 9A086-A
9092 STRAP ASSY. - FUEL TANK SUPPORT - Also refer to Group 9057				
60	S		2	B8S 9092-A
61	S	1.26" wide-hook shaped reinforcement at one end & 99° reinforcement with 11/16" diameter hole at opposite end -except when 1962 model tank C2SZ 9002-A is used as service replacement	2	C1SS 9092-C
62/63	S		2	C2SZ 9092-A
60/64	A (except S/W)	1.26" wide-hook shaped reinforcement at one end & 9/16" reinforced hole at opposite end- 35.46" long	2	C0AA 9092-D
60/	A(S/W)		2	C6MY 9092-B
64	X(59, 71) (6 cyl. only)		2	C4DZ 9092-A
62/	B(except S/W)		2	C2OZ 9092-B
63/	B(S/W)		2	C3OZ 9092-B
64/	S		2	C4SZ 9092-A
@ 9101 TUBE - FUEL TANK VENT - LOWER				
9A129 HOSE - FUEL TANK OVERFLOW				
64/	S	.50" I.D. -.70" O.D. -21.00" long	1	C4VY 9A129-B
64/	S	Clamp (hose to housing)-11/16" diameter	1	97329-S35 (E6)
9A130 GROMMET - FUEL TANK OVERFLOW HOSE				
64/	S		1	C4SZ 9A130-A
64/	S	Screw (grommet to rear floor pan extension)- No. 10-12 x 1/2" hex. hd. tapping	3	42127-S8 (U248C)
9A131 RETAINER - FUEL TANK SENDER WIRE				
64/	S		1	C4SZ 9A131-A
64/	S	Screw (retainer to floor pan)-No. 10-16 x 3/8" hex. washer head-self tapping	4	42120-S8 (U248)

@ Fuel tank tube replacements are to be made from bulk tubing stock listed by size and part number under basic Group 2269

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
9155 FILTER ASSY. - FUEL - Also refer to 9510 Carburetor Parts List-Section 95				
61	Taxicab (6 cyl. 223)		1	B7T 9155-A (FG-22)
60	S (430), X		1	C0DZ 9155-A (FG-4)
60	A, S (223, 292, 352) (except 352-4/B Special)	Service pkg. includes (1)8CM 9229 gasket to be used on 8 cyl. only	1	C0AE 9155-A (FG-6)
60	Taxicab (6 cyl. 223)	Identified by "No Filter Element" printed on case-not serviced-improvise by fabricating one piece fuel line from fuel pump to carb. -make from 8C 2269-A tubing and (2) 87944-S8 fittings	1	*C0AE 9155-B
60/	A Special (with 352, 390, 406, 427 engine & 4/B, 6/B, 8/B carburetor)		1	B7Q 9155-A (FG-21)
61/	A, B, S, X(6 cyl. & 8 cyl.)-use on non-warranted vehicles with 5/16" or 3/8" fuel line	Kit (fuel filter)-1n line	1	C2RZ 9155-A (FG-2)
60/	A, B, S, X-use on all vehicles with 5/16" or 3/8" fuel lines		1	C2RZ 9155-B
62	A, B	Except 8 cyl. 352, 390 with air conditioning	1	C2AZ 9155-A (FG-33)
63/64	B(with H/D oil filter) (8 cyl. 221, 260)		1	
63	B(6 cyl. 170)		1	
63	B (6 cyl. 200) "Before 2/14/63"	Use with C3OZ 9350-A fuel pump-after 2/14/63 use C3OZ 9350-B fuel pump & filter assy.	1	
63/64	Taxi & A P/C (6 cyl. 223)	Use with C2AZ 9350-F fuel pump	1	
62	X	Service Pkg. includes (1) C1AE 9C323-A or C1AE 9C323-C hose and (2) 375416-S35 clamps	1	C2DZ 9155-A (FG-5)
62	B(8 cyl.)	Bolt (fuel filter to cyl. hd.)-3/8"-16 x 1 1/4"hex. hd.	2	20428-S8(B82)
62	B (6 cyl.)	Bolt (fuel filter to bracket)-3/8"-16 x 3/4"hex.hd.	2	20348-S8(B77)
		Lockwasher-3/8"		34807-S8(X66)
@ 9156 FUEL FILTER LINE CHART				
60	A Special (with 352 eng. & 4/B carb.)	Connector-3/8" flared tube-5/8"-18 female and 1/4"-20 male thread	AR 2	87945-S8(I-23)
61/63	A Special (8 cyl. 390-6/B carb.)			
61	Taxicab (6 cyl. 223)	Clip (attach fuel filter to carb. tube assy. to fuel filter support bracket)	1	359335-S100 (GG200)
9170 HOSE - FUEL TANK VENT PIPE - RUBBER - Also refer to Group 9324				
64/	S	.115" I.D. -.24" O.D. -1.56" long	1	C4SZ 9170-A
9171 CLAMP - FUEL TANK VENT HOSE				
60/61	A(except S/W), S "Before 12/4/60"	.50" diameter-self tightening type	2	8M 9171-B
61	X "Before 12/4/60"	Fuel tube hose to fuel filter	4	
60/	A, S, X "From 12/4/60"	Clamp-fuel pump hose-9/16" diameter	AR	375416-S35(EE4)
60/61	S/W	Clamp (fuel tank vent pipe hose)	2	59T 2342-A
9180 BRACKET - FUEL FILTER				
60/	A Special (with 352, 390, 406, 427 engine & 4/B, 6/B or 8/B carburetor)		1	C0AE 9180-A
61	Taxicab (with 6 cyl. 223)	Support	1	*C0AE 9180-B
62/64	B, X	Bracket (fuel filter tube support)	1	C2DZ 9180-A
61	X		1	
62/63	B (6 cyl. 170)		1	C2OZ 9180-A
62	A (6 cyl. 223)		1	C2AZ 9180-A
63/64	Taxi & P/C (6 cyl. 223)		1	
63	B(8 cyl. 289)	Bracket (fuel pump to carburetor tube)	1	C3OZ 9180-A
64	A, B, X(8 cyl. 260, 289)		1	
61	X	Bolt (tube support brkt. assy. thru water outlet connection to cyl.)-5/16"-18 x .75" hex. lock	1	370790-S(BB428)
9202 FLOAT ASSY. - FUEL TANK SENDER				
60/	A, S(6 & 8 cyl.)		1	C0AZ 9202-A
60/	X(6 & 8 cyl.)		1	
62/	E(6 & 8 cyl.)		1	

③ Fuel tank tube replacements are to be made from bulk tubing stock listed by size and part number under basic Group 2269

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
9229 GASKET - CARBURETOR FUEL INLET ADAPTOR - Also refer to 9510 Carburetor Parts List-Section 95				
60/63	A, S	Used with carb. C0AE 9510-AA, C1AE 9510-Y, Z, AA, AB, AC, AD, AF, AG, AH, AK, AL, AM, AV, C2SZ 9510-B	1	C2AZ 9229-A
60	A, S (8 cylinder)(except 352-4/B Special)	Use with C0AE 9155-A filter	1	
61/63	A Special, S (8 cyl. 390, 406-8/B carb.)	Used with carb. C1AE 9510-AU, C2SZ 9510-C	2	
60/63	A, B, S	Used with carburetors C2AZ 9510-C, D, G, C2OZ 9510-A, F, C2SZ 9510-A, D	1	
60/63	A	"O" ring (carburetor inlet connecting tube)-.38" O. D. -.24" I. D. -.07" thick-used with carburetor C0AE 9510-AA, C1AE 9510-AM	2	B5A 9229-A
60/61	A, S		1	B7A 9229-A
9241 FITTING - FUEL PUMP INLET				
63/64	S		1	B8LY 9241-A
9242 FERRULE - FUEL LINE				
61/63	A Special(8 cyl. 390, 406, 427-4/B, 6/B, 8/B carb.)	1/4" I. D. -1/4" long-thermostatic choke tube to choke housing	1	B 9242-A
62/63	S Special (8 cyl. 390-6/B carburetor)	Thermostatic choke tube to carburetor	1	
60/63	A, B, S (8 cyl. 221, 260, 289, 292, 332, 352, 390)	Thermostatic choke tube to carburetor	1	
64	A, S (8 cyl. 390, 427)	Thermostatic choke tube to carburetor	1	
@ 9B273 TUBE ASSY. - FUEL FILTER TO FUEL PUMP				
@ 9A274 LINE ASSY. - FUEL FILTER TO CARBURETOR				
9275 GAUGE ASSY. - FUEL - TANK UNIT				
- A -				
60/64	A (except S/W)	Gauge & outlet tube assy. -service pkg. includes C0AF 9276-A gasket	1	C2AZ 9275-D
60/62	A(S/W)	Gauge & outlet tube assy. -service pkg. includes C0AF 9276-A gasket	1	C2AZ 9275-B
63/64	A(S/W)	Gauge & outlet tube assy. -service pkg. includes C0AF 9276-A gasket	1	C3AZ 9275-B
- B -				
62/	B(except S/W)	Gauge & outlet tube assy. -service pkg. includes C0AF 9276-A gasket	1	C2OZ 9275-B
63/	B(S/W)	Gauge & outlet tube assy. -service pkg. includes C0AF 9276-A gasket	1	C3OZ 9275-A
- S -				
60	S	12 volt-service pkg. includes B9AF 9276-A gasket	1	B8S 9275-A
61/63	S	"Before 9/5/62" Gauge & outlet tube assy. -use with 5/16" fuel lines-service pkg. includes C0AF 9276-A gasket	1	C3SZ 9275-A
63	S	"From 9/5/62" Gauge & outlet tube assy. -used with 3/8" fuel lines-service pkg. includes C0AF 9276-A gasket	1	C3SZ 9275-B
64/	S	Used without low fuel level warning -service pkg. includes C0AF 9276-A gasket	1	C4SZ 9275-C
64/	S	Used with low fuel level warning -service pkg. includes C0AF 9276-A gasket	1	C4SZ 9275-D
- X -				
60/64	X(except S/D, S/W, 66)	Gauge & outlet tube assy. -service pkg. includes C0AF 9276-A gasket	1	C2DZ 9275-A
60/63	X(S/D, S/W, 66A)	Gauge & outlet tube assy. -service pkg. includes C0AF 9276-A gasket-(for 1960/62 Models	1	C2DZ 9275-B
64	X(S/W) (6 cyl. only)	when using C2DZ 9275-B use an 18 gauge 5" long jumper wire with B9A 14294-K and B9A 14294-A terminals)	1	
64	X(S/D, 66)	Gauge & outlet tube assv. -service pkg. includes C0AF 9276-A gasket	1	C4DZ 9275-A
64	X(S/W)-8 cyl. only		1	
60/	A, S	Screw (gauge to fuel tank)-No. 10-32 x 1/2" round head	6	27081-S8(U175)
62/	A	Flat washer-. 19" I. D. -. 35" O. D.		351270-SB (XX72)
		Nut-No. 10-32 hex.		34079-S7(M163)
9276 GASKET - FUEL GAUGE - TANK UNIT				
60	S	Buna rubber-2. 12" I. D. -2.29" O. D. -. 16" thick	1	B9AF 9276-A
60/	A, B, X	Buna rubber-2. 41" I. D. -2. 58" O. D. -. 125" thick	1	C0AF 9276-A
61/	S		1	

@ Fuel tank vent tube replacements are to be made from bulk tubing stock listed by size and part number under basic Group 2260

FORD CAR PARTS

SECTION 90

441

YEAR	MODEL	DESCRIPTION	QTY.	PART NUMBER
9277 RING-FUEL TANK SENDER RETAINER LOCKING - Refer to Group 9A307				
60	S		1	B7A 9277-A
9278 GAUGE ASSY. - OIL PRESSURE - ENGINE UNIT				
60/63	A, B, S, X	Stamped No. 6-1/4"-18 pipe thread	1	B6AZ 9278-B
64	A, B, X		1	(SW-667)
64/	S	No. 80 stamped on surface above threads	1	B7T 9278-A (SW-383)
9D280 TUBE ASSY. - CARBURETOR FUEL				
63/	A Special (8 cyl. 406, 427-8/B carburetor)		1	C3AZ 9D280-B
9281 MASK - FUEL and TEMPERATURE GAUGE - Refer to Group 9313				
60	S		1	* B9S 9281-A
9B281 CLIP - FUEL FILTER BRACKET				
60/	A Special (with 352, 390, 406, 427 engine & 4/B, 6/B or 8/B carburetor)		2	B7TZ 9B281-A
9D281 HOSE - FUEL BLOCK TO CARBURETOR				
61/63	A Special (8 cyl. 390, 406-6/B carburetor)	To No. 3 carburetor-9/16" x 5.08" long-cut from C3AZ 9D281-C	1	*C1AE 9D281-E
61/63	A Special (8 cyl. 390, 406-6/B carburetor)	To No. 1 carburetor-9/16" x 4.59" long-cut from C3AZ 9D281-C	1	*C1AE 9D281-A
62/63	S Special 8 cyl. 390-6/B carburetor		3	
61/63	A Special (8 cyl. 390, 406-6/B carburetor)	To No. 2 carburetor-9/16" x 4.85" long-cut from C3AZ 9D281-C	1	*C1AE 9D281-C
63/	A Special (8 cyl. 406, 427-8/B carburetor)	9/16" diameter-5.28" long-cut from C3AZ 9D281-C	2	*C3AZ 9D281-A
61/64	A Special, S(8 cyl. 390, 406, 427-6/B carb.)	9/16" O. D. -9/32" I. D. -7.22" long	AR	C3AZ 9D281-C
61/63	A, S Special(8 cyl. 390, 406-6/B carburetor)	Clamp(hose to fuel block & hose to carb.)-1/2" hose	6	C0AZ 8287-A
63/	A Special (8 cyl. 406, 427-8/B carb.)	Clamp (hose to fuel outlet tube)-1/2" hose	4	
@ 9282 FUEL LINE CHART				
60/	A	Nut (fuel line to tank and flexible line)-5/16" flared tube-1/2"-20	2	87944-S8(I-22)
60/	S		4	
60/	S	Union (fuel line)-5/16"	1	87213-S(I-47)
60	X	Clip assy. (tube-tank to fuel pump & tube-rear brake tube connector to rear hose to underbody assy.)	2	373257-S100 (GG96)
60/	X	Clip assy. (tube-tank to fuel pump to underbody assy.)	2	376234-S100 (GG95)
60	X	Clip assy. (tube-tank to fuel pump & tube-rear brake connector to rear hose to underbody assy.)	1	
62	B	Clip (tube-tank to fuel pump to dash panel)	1	
61/63	A Special (with 4/B or 6/B carburetor)-8 cyl. 390, 406	Bushing (fuel line to fuel pump)-1/4" to 1/8" pipe-reducing	1	358267-S(II-47A)
63	A Special (with 4/B or 6/B carb.)-8 cyl. 406	Clip (fuel line tube to frame)-3/16" diameter	2	371063-S32(GG226)
63	A Special (with 4/B or 6/B carb.)-8 cyl. 406	Clip (fuel line tube and brake hose to frame)	3	
63	S	Clip (fuel line)-9/16"	1	352204-S100(GG148)
61	S	Clip (fuel line tube to frame)-.33"diameter	1	358360-S32(GG143)
63	S	Screw (fuel tank tube to frame)-5/16"-18 x 1/2" hex, washer head tapping	1	40923-S8(U264)
61	S	Grommet (fuel line tube thru frame)	1	352963-S(KK17)
60	S	Clip (tube-fuel tank to pump to under body)	1	352977-S100(GG156)
64/	S	Clip (fuel line tube to frame)	2	373744-S7-8 (GG163P)
60/	X	Clip assy. (tube-fuel tank to pump to underbody)	AR	373842-S100(GG207)
61	S	Clip (tube-fuel tank to pump to dash panel)-5/16" x 3/16"	2	356626-S32(GG22)
63/	X	Clip (tube-fuel tank to pump to brake hose to floor or underbody)	1	
9A282 WIRE ASSY. - OIL PRESSURE GAUGE CONNECTOR				
61/63	S	15.00" long-cut from B6A 14296-C bulk wire & add necessary terminals	1	*C1SF 9A282-A
62/63	B(with A/C & P/S)	10.00" long-cut from B6A 14296-C bulk wire	1	*C2OB 9A282-A
64/	X(8 cyl. 260, 289)(with P/S)	13.00" long-cut from B6A 14296-C bulk wire	1	*C4DB 9A282-A
64	A, B (with A/C & P/S)-8 cyl.	6.00" long-cut from B6A 14296-C bulk wire	1	*C4OB 9A282-A
9A283 BEZEL - FUEL GAUGE				
64/	S	(1) req'd. fuel gauge, oil gauge, temperature gauge, ammeter assembly	4	C4SZ 9A283-A

@ Fuel tank tube replacements are to be made from bulk tubing stock listed by size and part number under Basic Group 2269

YEAR	MODEL			DESCRIPTION	QTY.	PART NUMBER	
9288 LINE ASSY. - FUEL PUMP TO FUEL TANK LINE - FLEXIBLE - Also refer to Group 9324							
60/63	S(except 430)			1/8"-27 thread one end-15.20" long-cut to 9.22" long	1	C1UU 9288-A	
60/61	A, X			Cut to 8.22" long	1		
62/63	X (except with electric w/s wipers)			Cut to 8.22" long	1		
62/64	A (Special with 4/B, 6/B, 8/B carburetor)			Cut to 8.22" long	1		
9C291 SHIELD - BRAKE and FUEL LINES							
61/63	S				1	C2SZ 9C291-A	
64/	S				1	C4SZ 9C291-B	
61/	S			Screw (shield to rocker panel)-No. 14-10 x 5/8" hex. washer head-self tapping	4	31498-S8(U253B)	
9E292 SPRING - FUEL INDICATOR LENS RETAINER							
64/	S			(1) req'd. fuel gauge, oil gauge, temperature gauge, ammeter assembly	4	C4SZ 9E292-A	
9E295 WIRING ASSY. - OIL TEMPERATURE INDICATOR							
63/64	A Special (8 cyl. 427)				1	C3AZ 9E295-A	
9E296 FLASHER ASSY. - OIL TEMPERATURE INDICATOR							
63/64	A Special (8 cyl. 427)				1	C3AZ 9E296-A	
9E298 GASKET - FUEL TANK GAUGE WIRING RETAINER							
64/	S				1	C4SZ 9E298-A	
YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9E301 FILTER - FUEL LEVEL INDICATOR LIGHT							
64/	S	8	390	Fuel level gauge		1	C4SZ 9E301-A
64/	S	8	390	Temperature gauge		1	
64/	S	8	390	Oil pressure gauge		1	
64/	S	8	390	Ammeter assembly		1	
9302 PLATE - FUEL GAUGE BACK							
60/62	A	6&8	All			1	*C2AZ 9302-A
63/64	A	6&8	All			1	C3AZ 9302-A
9302 SEAT - VACUUM PUMP DIAPHRAGM SPRING							
60/62	A, S, X	6&8	All		56,58,61,64,66, 67,70,113,114, 115	1	A8T 9302-A
9D303 TUBE ASSY. - CARBURETOR FUEL MANIFOLD							
62/63	S Special (with 6/B carburetor)	8	390	3/8" O.D.-28.96" developed length-make from B7Q 2269-A tubing and (2) 87945-S8 fittings		1	*C2SE 9D303-A
9304 PLATE - TEMPERATURE GAUGE BACK							
63/64	A	6&8	All			1	C3AZ 9304-A
9305 GAUGE ASSY. - FUEL - INSTRUMENT PANEL UNIT							
60	A	6&8	All	Less back plate		1	C0AF 9305-C
61	A	6&8	All			1	C1AF 9305-A
62	A	6&8	All			1	C2AZ 9305-A
63	A	6&8	All			1	C3AZ 9305-A
64	A	6&8	All			1	C4AZ 9305-A
62	B	6&8	170,221			1	C2OZ 9305-A
63	B	6&8	All			1	C3OZ 9305-A
64	B	6&8	All			1	C4OZ 9305-A
60/64	S	8	390			1	C4SZ 9305-A
60/62	X	6	144,170			1	C2DZ 9305-A
63	X	6&8	All			1	C3DZ 9305-A
64/	X	6&8	All			1	C5DZ 9305-A

• Refer to Group 9350 for complete Fuel Pump Identification

FORD CAR PARTS

SECTION 93

443

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9307 GAUGE ASSY. - FUEL & TEMPERATURE							
60	S	8	All			1	C0SF 9307-B
61/63	S	8	All			1	C3SZ 9307-A
9A307 RING - FUEL TANK SENDER RETAINER LOCKING - Also refer to Group 9277							
60/	A, B, S, X	6&8	All			1	C0AZ 9A307-A
9B308 GAUGE - OIL PRESSURE - INSTRUMENT PANEL UNIT							
64/	S	8	390			1	C4SZ 9B308-A
9310 LINK - VACUUM PUMP ROCKER ARM							
60/62	A, S, X	6&8	All	Serviced in kit 9349	56,61,64,66,67, 70,113,114,115	1	B5A 9310-A
9313 MASK - FUEL & TEMPERATURE GAUGE - Also refer to Group 9281							
61	S	8	All			1	*C1SF 9313-A
62/63	S	8	All			1	C2SZ 9313-A
63	A	6&8	All	Fuel level gauge		1	C3AZ 9313-A
63	A	6&8	All	Temperature gauge		1	C3AZ 9313-B
64	A	6&8	All	Fuel level gauge		1	C4AZ 9313-A
64	A	6&8	All	Temperature gauge		1	
9B313 LENS ASSY. - FUEL & TEMPERATURE GAUGE - Also refer to Group 9B315							
61	S	8	All	Not replaced (7-68)		1	*C1SF 9B313-C
62/63	S	8	All			1	C2SZ 9B313-A
9314 DIAPHRAGM ASSY. - VACUUM PUMP							
60/62	A, X	6	All		56,61,64,66,67, 114, 115	1	B5A 9314-A
60/61	A, S	8	All		58, 70, 113	1	B5A 9314-B
9B314 BEZEL - FUEL & TEMPERATURE GAUGE							
61	S	8	All			1	*C1SF 9B314-A
62/63	S	8	All			1	C2SZ 9B314-A
63/64	A	6&8	All	Fuel level gauge		1	C3AZ 9B314-A
63/64	A	6&8	All	Temperature gauge		1	
9315 SPRING - VACUUM PUMP DIAPHRAGM							
60/62	A, S, X	6&8	All	9 coils-35/64" I.D. -1 7/8" long- serviced in kit 9349	56,58,61,64,65, 66,67,68,70, 113,114,115	1	B5A 9315-A
9B315 LENS - FUEL LEVEL GAUGE - Also refer to Group 9B313							
64/	S	8	390	Fuel level gauge		1	C4SZ 9B315-B
64/	S	8	390	Temperature gauge		1	
64/	S	8	390	Oil pressure gauge		1	
64/	S	8	390	Ammeter assy.		1	
9317 SEAT - FUEL PUMP DIAPHRAGM SPRING							
62	B	6	170	Retainer (diaphragm spring)- 1 5/8" O. D.	82	1	*A8T 9317-A
9A317 CLIP - FUEL LINE							
60	X(except S/W, 66A)	6	144	Used with electric w/s wipers		3	*B2AZ 9A317-A
60/	X (S/D,S/W,66)	6	144,170 200			1	C0DD 9A317-A
9324 HOSE - FUEL TUBE CONNECTOR - Also refer to Groups 9170 & 9288							
60/	A, B, X	6&8	All	9/32" I. D. -17/32" O. D. - 25 ft. roll		1	C9PZ 9324-B (KFL-2)
60/	A, B, X	6&8	All	11/32" I. D. -19/32" O. D. - 25 ft roll		1	C9PZ 9324-A (KFL-1)
60/62	A(S/W)	6&8	All	19/32" I.D.-7/8" O.D.-30 3/16" long-cut to 6 3/32" long		1	C0AZ 9324-A
64	A	8	352	Choke control inlet connector-		1	*C1SZ 9324-C
61/63	S	8	390	15/64" I. D. x 18 3/32" long-cut from C8AZ 17543-B			
60/	A, B, S, X	6&8	All	70" long-use with 375416-S35 clamp-cut to length required		1	C2AZ 9324-D
63/	A, B, S, X	6&8	All	Fuel tube-71" long-cut to fit		1	C3SZ 9324-D
61	S	8	390	Clip (fuel tube to side rail)-hose 19/32" diameter		1	352605-S8(GG149)
61	S	8	390	Bolt (clip to side rail)-5/16"-18 x 7/8" hex. hd. -self tapping		1	40182-S(U269)
61/	S	8	390	Clamp (vent tube to fuel tank)- .438" hose		1	97325-S35(E1)
62/	A, B, S, X	6&8	All	Clamp-1/2" hose		AR	C0AZ 8287-A

• Refer to Group 9350 for complete Fuel Pump Identification

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9328 VALVE ASSY. - VACUUM PUMP CHECK							
60	S	8	430			1	B9S 9328-A
9D336 BRACKET - FUEL GAUGE MOUNTING							
64/	S	8	390	Fuel level gauge		1	C4SZ 9D336-A
64/	S	8	390	Temperature gauge		1	
64/	S	8	390	Oil pressure gauge		1	
9B339 FITTING - OIL PRESSURE GAUGE TO ENGINE							
62	B	8	All			1	C2OZ 9B339-A
9343 BODY and PLUGS ASSY. - FUEL PUMP - UPPER							
62/63	A	8	352,390	Includes valves	73,85,91	1	C2AZ 9343-A
60/62	A	6	223	Includes valves	74,79	1	*C2AZ 9343-B
62/63	A	8	352	Includes valve	90,92	1	C3AZ 9343-B
62/64	Taxicab & P/C	6	223	Includes valves	83	1	C3UZ 9343-A
63	A	8	352		99	1	C3AZ 9343-C
63	A,B,X	8	All	Includes valves	86,93,96	1	C3AZ 9343-A
63/	A,B,X	8	All		98,100,103,118	1	C3AZ 9343-D
60	S	8	430		57	1	*COLE 9343-A
62	S	8	390	Includes valves	78	1	*C2SZ 9343-A
62	S Special (with 6/B carb.)	8	390	Includes valves	81	1	*C2SZ 9343-B
62/63	S	8	390	Includes valves-use with 353107-S reducer	89,94,95	1	C3TZ 9343-A
63/64	S	8	390		101,104	1	C3SZ 9343-B
60	S	8	430	Screw & washer assy.(cover to	57	2	359462-S100(BB79)
62/	A,B,S,X	6&8	All	body)-1/4"-28 x .875" fill, head	73,74,78,83, 85,86,89 thru 96,98,99,100, 101,103,104, 118	2	
60	S	8	430	Screw & washer assy.(body &	57	6	359617-S100
62/	A,B,S,X	6&8	All	plugs assy. to fuel pump body)- No. 10-32 x .625" pan head	83,85,86,89 thru 96,98,99, 100,101,103, 104,118	6	(BH626)
62/63	S	8	390	Reducer-1/4" to 1/8"	89	1	353107-S(II-46)
9349 REPAIR KIT - FUEL PUMP							
60/61	A,S	8	All		59	1	B8A 9349-C
Consists of the following							
2-B7A	9352-A	Valve	2-B5A	9379-A	Plug	2-49B 9408	Gasket (oil seal)
1-B5AZ	9A358-A	Diaphragm	1-B8S	9380-A	Spring	1-C3AZ 9417-C	ΔGasket (mounting)
1-B7A	9364-A	•Gasket (bowl)	1-C2OZ	9381-A	Link	1-B8A 9417-A	⊕Gasket
1-A9AZ	9364-A	◊Gasket (bowl)	1-B1AZ	9A393-A	Seal (oil)	1-B7A 9468-A	Retainer
1-B7A	9366-A	•Gasket (filter)	1-B8A	9396-A	Spring		
1-B5A	9378-A	Pin	1-B5A	9398-C	Diaphragm		
60/61	A,S	8	All		58	1	B8A 9349-D
Consists of the following							
1-B5A	9310-A	Link	1-B7A	9366-A	•Gasket (filter)	1-B8A 9396-A	Spring
1-B5A	9314-B	Diaphragm	3-B1AZ	9367-A	Gasket	1-B5A 9398-C	Diaphragm
1-B5A	9315-A	Spring	1-A9AZ	9378-A	Pin	2-49B 9408	Gasket (oil seal)
4-B6Q	9352-A	Valve (vacuum)	1-A9AZ	9380-A	Spring	1-B8A 9417-A	⊕Gasket (mounting)
2-B7A	9352-A	Valve (fuel)	1-7RA	9381	Link	1-C3AZ 9417-C	ΔGasket (mounting)
1-B5AZ	9A358-A	Diaphragm	1-7RA	9382	Spacer	1-A9AZ 9418-A	Washer
1-B7A	9364-A	•Gasket (bowl)	1-A9AZ	9389-A	Bushing	2-B7A 9468-A	Retainer
1-A9AZ	9364-A	◊Gasket (bowl)	2-B1AZ	9A393-A	Seal (oil)	2-352896-S	Washer

• Refer to Group 9350 for complete Fuel Pump identification • With B6T 9365-B (1957 model) & B7A 9365-A strainers only

⊕ For 1958-60 332, 352 engines with steel stamped engine covers B8A 6019-B or C0AE 6019-A • w/B7A 9365-A strainer only

◊ With B6T 9365-B (except 1957 model) & B5A 9365-A strainers only

Δ For all except 1958-60 332, 352 engines with steel stamped front covers B8A 6019-B or C0AE 6019-A

FORD CAR PARTS

445

SECTION 93

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	* FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9349 REPAIR KIT - FUEL PUMP - continued							
60/61	A	6	223		60	1	C0DZ 9349-A
Consists of the following							
	2-B7A 9352-A			Valve (fuel)	1-B5A 9378-A		Pin
	1-B5AZ 9A358-A			Diaphragm	2-B5A 9379-A		Plug
	1-B7A 9364-A			‡ Gasket	1-40 9380		Spring
	1-A9AZ 9364-A			◇ Gasket	1-EAA 9381-A		Link
	1-B7A 9366-A			‡ Gasket	1-B1AZ 9A393-A		Seal (oil)
				* All passenger and 1955/61 truck			** 1962/ truck
					1-B5AZ 9396-A		Spring
					1-B5AZ 9398-B		Diaphragm
					2-49B 9408		Gasket
					1-C0DE 9417-A		*Gasket
					1-C3AZ 9417-C		**Gasket
					1-B7A 9468-A		Retainer
60/61	A	6	223		61	1	C0DZ 9349-B
Consists of the following							
	1-B5A 9310-A			Link	1-B7A 9366-A		‡ Gasket
	1-B5A 9314-A			Diaphragm	3-B1AZ 9367-A		Gasket
	1-B5A 9315-A			Spring	1-A9AZ 9378-A		Pin
	4-B6Q 9352-A			Valve	1-A9AZ 9380-A		Spring
	2-B7A 9352-A			Valve	1-7RA 9381		Link
	1-B5AZ 9A358-A			Diaphragm	1-A9AZ 9382-A		Spacer
	1-B7A 9364-A			‡ Gasket	1-A9AZ 9389-A		Bushing
	1-A9AZ 9364-A			◇ Gasket	2-B1AZ 9A393-A		Seal (oil)
					1-B5AZ 9396-A		Spring
					1-B5A 9398-A		Diaphragm
					2-49B 9408		Gasket
					1-C0DE 9417-A		Gasket
					1-A9AZ 9418-A		Washer
					2-B7A 9468-A		Retainer
					2-352896-S		Washer
60	S	8	430		52	1	B9S 9349-A
Consists of the following							
	2-B7A 9352-A			Valve	1-B8S 9389-A		Bushing
	1-C1SZ 9A358-A			Diaphragm	1-B1AZ 9A393-A		Seal (oil)
	1-B8S 9378-A			Pin	1-B8S 9396-A		Spring
	1-B8S 9380-A			Spring	1-B8S 9398-A		Diaphragm
	1-B8S 9381-A			Link			
					2-49B 9408		Gasket (oil seal)
					1-C3AZ 9417-C		Gasket (mounting)
					1-A9AZ 9418-A		Washer
					1-B7A 9468-A		Retainer
60	S	8	430		57	1	C0SZ 9349-A
Consists of the following							
	1-C1VE 9A358-A			Diaphragm	1-C0LE 9A360-A		Plug
					1-C0LE 9398-B		Diaphragm assy.
					1-C3AZ 9417-C		Gasket
60/64	A Special (with 4/B, 6/B or 8/B carb.)	8	352,390 406,427		69	1	C0AZ 9349-A
Consists of the following							
	2-B7A 9352-A			Valve	1-A9AZ 9382-A		Spacer
	1-C1TZ 9A358-A			Diaphragm	1-B5AZ 9389-A		Bushing
	1-A9AZ 9378-A			Pin	1-B5AZ 9A392-A		Retainer
	1-C0AZ 9380-A			Spring	1-C0AZ 9A393-A		Seal (oil)
	1-C0AE 9381-A			Link	1-C0AE 9396-A		Spring
					1-C0AE 9398-A		Diaphragm
					2-49B 9408		Gasket
					1-B8A 9417-A		Gasket (352 eng. only)
					1-C3AZ 9417-C		Gasket (390, 406 eng.)
					1-A9AZ 9418-A		Washer
					2-352897-S		Washer
60/62	B, X	6	144,170		62,63,65,68,72, 77	1	C0DZ 9349-C
Consists of the following							
	2-C0DE 9352-A			Valve assy.	1-B5A 9378-A		Pin
	1-B5AZ 9A358-A			Diaphragm	2-B5A 9379-A		Plug
	1-B7A 9364-A			‡ Gasket	1-40 9380		Spring
	1-A9AZ 9364-A			@Gasket	1-EAA 9381-A		Link
					1-B1AZ 9A393-A		Seal (oil)
	1-B7A 9366-A			‡ Gasket	1-B5AZ 9396-A		Spring
					1-B5AZ 9398-B		Diaphragm
					2-49B 9408		Gasket
					1-C0DE 9417-A		Gasket (car only)
					1-C3AZ 9417-C		Gasket (Econoline & truck only)
					1-B7A 9468-A		Retainer
60/62	X	6	144,170		56,64,66,67	1	C0DZ 9349-D
Consists of the following							
	1-B5A 9310-A			Link	1-B7A 9366-A		‡ Gasket
	1-B5A 9314-A			Diaphragm	3-B1AZ 9367-A		Gasket
	1-B5A 9315-A			Spring	1-A9AZ 9378-A		Pin
	4-B6Q 9352-A			Valve assy.	1-A9AZ 9380-A		Spring
	2-C0DE 9352-A			Valve assv.	1-7RA 9381		Link
	1-B5AZ 9A358-A			Diaphragm	1-A9AZ 9382-A		Spacer
	1-B7A 9364-A			‡ Gasket	1-A9AZ 9389-A		Bushing
	1-A9AZ 9364-A			@Gasket	2-B1AZ 9A393-A		Seal (oil)
					1-B5AZ 9396-A		Spring
					1-B5AZ 9398-A		Diaphragm
					2-49B 9408		Gasket
					1-C0DE 9417-A		Gasket
					1-A9AZ 9418-A		Washer
					2-B7A 9468-A		Retainer
					2-352896-S		Washer

• Refer to Group 9350 for complete Fuel Pump identification @ With B6T 9365-B strainer only
 ◇ With B6T 9365-B (except 1957 model) and B5A 9365-A strainers only ‡ With B7A 9365-A strainer only

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9349 REPAIR KIT - FUEL PUMP - continued							
60/61	A, X	6	144, 170, 223		114, 115	1	COAZ 9349-C
Consists of the following							
1-B5A	9310-A	Link	1-A9AZ 9364-A	Gasket	1-A9AZ 9389-A	Bushing	
1-B5A	9314-A	Diaphragm	1-COAZ 9368-A	Screen	2-B1AZ 9A393-A	Seal (oil)	
1-B5A	9315-A	Spring	1-A9AZ 9378-A	Pin	1-B5AZ 9396-A	Spring	
4-B6Q	9352-A	Valve assy.	1-A9AZ 9380-A	Spring	1-B5A 9398-A	Diaphragm	
2-B7A	9352-A	Valve assy.	1-C5AZ 9381-A	Link	1-A8TZ 9417-A	Gasket	
1-B5AZ	9A358-A	Diaphragm	1-A9AZ 9382-A	Spacer	1-A9AZ 9418-A	Washer	
					2-B7A 9468-A	Retainer	
60/61	A, S	8	All		70	1	C1AZ 9349-A
Consists of the following							
1-B5A	9310-A	Link	1-A9AZ 9378-A	Pin	1-C1AZ 9398-A	Diaphragm	
1-B5A	9314-B	Diaphragm	1-A9AZ 9380-A	Spring	2-49B 9408	Gasket	
1-B5A	9315-A	Spring	1-7RA 9381	Link	1-C3AZ 9417-C	Gasket	
4-B6Q	9352-A	Valve assy.	1-A9AZ 9382-A	Spacer	1-A9AZ 9418-A	Washer	
2-B7A	9352-A	Valve assy.	1-A9AZ 9389-A	Bushing	2-B7A 9468-A	Retainer	
1-C1SZ	9A358-A	Diaphragm	2-B1AZ 9A393-A	Seal (oil)	2-352896-S	Washer	
3-B1AZ	9367-A	Gasket	1-B8A 9396-A	Spring			
60/61	A, S	8	292, 352, 390		113	1	B5SZ 9349-B
Consists of the following							
1-B5A	9310-A	Link	1-A9AZ 9378-A	Pin	1-B5AZ 9396-B	Spring	
1-B5A	9314-B	Diaphragm	1-A9AZ 9380-A	Spring	1-B5SZ 9398-B	Diaphragm	
1-B5A	9315-A	Spring	1-C5AZ 9381-B	Link	1-A8TZ 9417-A	Gasket	
4-B6Q	9352-A	Valve assy.	1-A9AZ 9382-A	Spacer	1-A9AZ 9418-A	Washer	
2-B7A	9352-A	Valve assy.	1-A9AZ 9389-A	Bushing	2-B7A 9468-A	Retainer	
1-C1SZ	9A358-A	Diaphragm	2-B1AZ 9A393-A	Seal (oil)			
60/61	A, S	8	All		71	1	C1SZ 9349-A
60/62	A, S	8	All	Use with pump identified 6504 only	75	1	
Consists of the following							
2-B7A	9352-A	Valve	1-A9AZ 9382-A	Spacer	1-C1SZ 9398-A	Diaphragm	
1-C1SZ	9A358-A	Diaphragm	1-B5AZ 9389-A	Bushing	2-49B 9408	Gasket	
1-A9AZ	9378-A	Pin	1-B5AZ 9A392-A	Retainer	1-C3AZ 9417-C	Gasket	
1-COAZ	9380-A	Spring	1-COAZ 9A393-A	Seal (oil)	1-A9AZ 9418-A	Washer	
1-COAE	9381-A	Link	1-C1SZ 9396-A	Spring	2-352897-S	Washer	
60/62	A, S	8	All	Use w/pump ident, 6983 only-N, R,	75	1	*C2AZ 9349-C
Consists of the following							
2-CODE	9352-A	Valve	1-COAE 9381-A	Link	1-C1SZ 9396-A	Spring	
1-C1SZ	9A358-A	Diaphragm	1-B5AZ 9389-A	Bushing	1-C1SZ 9398-A	Diaphragm	
1-A9AZ	9378-A	Pin	1-B5AZ 9A392-A	Retainer	2-49B 9408	Gasket	
1-COAZ	9380-A	Spring	1-COAZ 9A393-A	Seal (oil)	1-C3AZ 9417-C	Gasket	
1-COAE	9381-A	Link	1-C1SZ 9396-A	Spring	1-A9AZ 9418-A	Washer	
60/62	A, S	8	292, 352, 390		112, 119	1	B5SZ 9349-A
Consists of the following							
2-B7A	9352-A	Valve assy.	1-C5AZ 9381-A	Link	1-COAZ 9A393-A	Seal (oil)	
1-C1SZ	9A358-A	Diaphragm	1-A9AZ 9382-A	Spacer	1-C1SZ 9396-A	Spring	
1-A9AZ	9378-A	Pin	1-B5AZ 9389-A	Bushing	1-B5SZ 9398-A	Diaphragm	
1-COAZ	9380-A	Spring	1-B5AZ 9A392-A	Retainer	1-A8TZ 9417-A	Gasket	
					1-A9AZ 9418-A	Washer	
60/	A Special (with 4/B, 6/B or 8/B carb.)	8	352, 390, 406, 427		102, 111	1	COAZ 9349-B
Consists of the following							
2-B7A	9352-A	Valve	1-A9AZ 9382-A	Spacer	1-COAE 9398-A	Diaphragm	
1-C1TZ	9A358-A	Diaphragm	1-B5AZ 9389-A	Bushing	2-49B 9408	Gasket	
1-A9AZ	9378-A	Pin	1-B5AZ 9A392-A	Retainer	1-B8A 9417-A	Gasket	
1-C3AZ	9380-A	Spring	1-COAZ 9A393-A	Seal (oil)	1-C3AZ 9417-C	Gasket	
1-COAE	9381-A	Link	1-COAE 9396-A	Spring	1-A9AZ 9418-A	Washer	

• Refer to Group 9350 for complete Fuel Pump Identification

FORD CAR PARTS

SECTION 93

447

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9349 REPAIR KIT - FUEL PUMP - continued							
62	A, S	8	352,390		73,78	1	C2AZ 9349-A
Consists of the following							
	1-C2AZ 9A358-A	Diaphragm	1-COLE 9A360-A	Plug	1-C3AZ 9398-B 1-C3AZ 9417-C		Diaphragm Gasket
60/62		6	223		74,79	1	C3UZ 9349-A
Consists of the following							
	1-C2AZ 9A358-B	Diaphragm	1-C2AZ 9398-A 1-C3AZ 9417-B	Diaphragm Gasket	1-370013-S		Plug
60/62	A, X	6	144,170, 223		116, 117	1	C2AZ 9349-E
Consists of the following							
	2-B7A 9352-A	Valve assy.	1-A9AZ 9378-A	Pin	1-C0AZ 9A393-A		Seal (oil)
	1-B5AZ 9A358-A	Diaphragm	1-C2AZ 9380-B	Spring	1-C2AZ 9396-A		Spring
	1-A9AZ 9364-A	Gasket	1-C2AZ 9381-A	Link	1-B5AZ 9398-B		Diaphragm
	1-C0AZ 9368-A	Screen	1-B5AZ 9A392-A	Retainer	1-A8TZ 9417-A 1-A9AZ 9418-A		Gasket Washer
62	Taxicab (non zero lash)	6	223		83	1	★C2AZ 9349-D
63/64	Taxicab & P/C	6	223		83	1	
Consists of the following							
	1-C2AZ 9A358-B	Diaphragm	1-COLE 9A360-A	Plug	1-C2AZ 9398-B 1-C3AZ 9417-C		Diaphragm Gasket
62/64	B	8	221,260		76, 80	1	C2OZ 9349-A
Consists of the following							
	2-B7A 9352-A	Valve	1-C2OZ 9380-A	Spring	1-B5A 9398-C		Diaphragm
	1-B5AZ 9A358-A	Diaphragm	1-C2OZ 9381-A	Link	2-49B 9408		Gasket (oil seal)
	1-B5A 9378-A	Pin (rocker arm)	1-B1AZ 9A393-A	Seal (oil)	1-C3AZ 9417-C		Gasket (mounting)
	2-B5A 9379-A	Plug	1-B8A 9396-A	Spring	1-B7A 9468-A		Retainer
62	B	6	170		82	1	C2OZ 9349-B
Consists of the following							
	2-C0DE 9352-A	Valve	1-C2OZ 9381-A	Link	1-B5AZ 9398-B		Diaphragm
	1-B5AZ 9A358-A	Diaphragm	1-B5AZ 9A392-A	Retainer	2-49B 9408		Gasket (oil seal)
	1-A9AZ 9378-A	Pin	1-C0AE 9A393-A	Seal (oil)	1-C3AZ 9417-C		Gasket (mounting)
	1-C3AZ 9380-A	Spring	1-C2OZ 9396-A	Spring			
63/64	B, X	6	144,170, 200		87, 97	1	C3AZ 9349-D
Consists of the following							
	2-C3AZ 9352-A	Valve assy.	1-B5AZ 9389-A	Bushing	1-C3AZ 9398-D		Diaphragm assy.
	1-A9AZ 9378-A	Pin	2-B5AZ 9A392-A	Retainer	2-49B 9408		Gasket
	1-C3AZ 9380-A	Spring	1-C0AZ 9A393-A	Seal	1-C3AZ 9417-B		Gasket
	1-8EL 9381	Link	1-C3AZ 9396-A	Spring	1-A9AZ 9418-A		Washer
63/64	A	6	223		84	1	C3AZ 9349-E
Consists of the following							
	2-C0DE 9352-A	Valve assy.	1-B5AZ 9389-A	Bushing	1-C3AZ 9398-D		Diaphragm assy.
	1-A9AZ 9378-A	Pin	2-B5AZ 9A392-A	Retainer	2-49B 9408		Gasket
	1-C3AZ 9380-A	Spring	1-C0AZ 9A393-A	Seal	1-C3AZ 9417-B		Gasket
	1-8EL 9381	Link	1-C3AZ 9396-A	Spring	1-A9AZ 9418-A		Washer
62	S Special (with 6/B carb.)	8	390		81	1	★C2SZ 9349-A
Consists of the following							
	1-C2AZ 9A358-A	Diaphragm	1-COLE 9A360-A	Plug	1-COLE 9398-B 1-C3AZ 9417-C		Diaphragm Gasket
63	B(except with H/D oil filter)	8	221,260		86, 93	1	C3AZ 9349-A
63/64	A, B, X	8	All		86, 93, 96, 100, 118	1	
Consists of the following							
	1-C2AZ 9A358-A	Diaphragm	1-COLE 9A360-A	Plug	1-C3AZ 9398-F 1-C3AZ 9417-C		Diaphragm Gasket

• Refer to Group 9350 for complete Fuel Pump Identification

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9349 REPAIR KIT - FUEL PUMP - continued							
62/64	A, S	8	352,390		85,89,90,91,92, 94,95,98,99,101	1	C3AZ 9349-B
Consists of the following							
	1-C2AZ 9A358-A		Diaphragm	1-COLE 9A360-A	Plug	1-C3AZ 9398-E	Diaphragm
				1-C3AZ 9417-C	Gasket		
64	A, S	8	352,390		103, 104	1	C4AZ 9349-A
Consists of the following							
	1-C2AZ 9A358-A		Diaphragm	1-COLE 9A360-A	Plug	1-C4AZ 9398-A	Diaphragm
						1-C3AZ 9417-C	Gasket
63/	A, B, X	6	170,200			1	C3AZ 9349-F
Consists of the following							
	2-CODE 9352-A		Valve assy.	1-B5AZ 9389-A	Bushing	1-C3AZ 9398-D	Diaphragm assy.
	1-A9AZ 9378-A		Pin	2-B5AZ 9A392-A	Retainer	2-49B 9408	Gasket
	1-C3AZ 9380-A		Spring	1-COAZ 9A393-A	Seal	1-C3AZ 9417-B	Gasket
	1-8EL 9381		Link	1-C5AZ 9396-A	Spring	1-A9AZ 9418-A	Washer
9350 PUMP ASSY. - FUEL							
6 Cylinder							
60	X	6	144	Fuel & vacuum -service pkg. includes (1) CODE 9417-A gasket	55	1	*CODE 9350-A R/B CODE 9350-C
60	X (except with electric windshield wipers)	6	144	Fuel & vacuum -service pkg. includes (1) CODE 9417-A gasket	64	1	*CODE 9350-C R/B CODE 9350-J
60	X (except with electric windshield wipers)	6	144	Fuel & vacuum -service pkg. includes (1) CODE 9417-A gasket	66	1	*CODE 9350-H R/B CODE 9350-J
60	X	6	144	Service pkg. includes 1-CODE 9417-A gasket	62	1	*CODE 9350-B R/B CODE 9350-D
60	X	6	144	Service pkg. includes 1-CODE 9417-A gasket	63	1	*CODE 9350-D R/B CODE 9350-K
60	X (with electric windshield wipers)	6	144	Service pkg. includes (1) CODE 9417-A gasket	65	1	*CODE 9350-G R/B CODE 9350-K
60/61	A	6	223	Fuel & vacuum -service pkg. includes CODE 9417-A gasket	61	1	*C0AE 9350-D R/B C0AZ 9350-B
60/61	A	6	223	Airtex-fuel & vacuum -stamped C3RA-G on identification tag - service pkg. includes (1) A8TZ 9417-A gasket, (1) 371411-S adaptor	114	1	C0AZ 9350-B
60/61	A	6	223	Service pkg. includes 1-CODE 9417-A gasket -	60	1	*C0AE 9350-C R/B C2AZ 9350-D
60/61	X (with electric windshield wipers)	6	144,170	Service pkg. includes (1) CODE 9417-A Gasket	68	1	*CODE 9350-K R/B C2DZ 9350-A
60/62	X (except with electric windshield wipers)	6	144,170	Fuel & vacuum -service pkg. includes (1) CODE 9417-A Gasket	67	1	*CODE 9350-J R/B C0DZ 9350-A
60/62	X (except with electric windshield wipers)	6	144,170	Airtex-fuel & vacuum - stamped C3RA-E on identification tag - service pkg. includes (1) A8TZ 9417-A gasket, (1) 371411-S adaptor	115	1	C0DZ 9350-A
62	A (except Taxicab non-zero lash)	6	223	Carter -service pkg. includes (1) C2AA 9324-A hose, (2) 375416-S35 clamp	74	1	*C2AZ 9350-B R/B C2AZ 9350-D
60/62	A	6	223	Carter -service pkg. includes (1) CODE 9417-A gasket, (1) C2AA 9324-A hose, (2) 375416-S35 clamp	79	1	*C2AZ 9350-D R/B C2AZ 9350-G
60/62	A	6	223	Airtex -stamped C3RA-D on identification tag -service pkg. includes(1) A8TZ 9417-A gasket, (1) 371411-S adaptor	116	1	C2AZ 9350-G

* Refer to Group 9350 for complete Fuel Pump Identification

FORD CAR PARTS

SECTION 93

449

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9350 PUMP ASSY. FUEL - continued							
6 Cylinder - continued							
60/62	X (with electric windshield wipers)	6	144,170	Identified by "H" on fuel pump diaphragm cover or by stamped No. 6491 on rocker arm body-service pkg. includes (1) C2DA 9288-A hose, (1) CODE 9417- A gasket (car only), (1) C1SZ 9417- A gasket (Econoline & truck only) and (2) 375416- S35 clamps	72	1	*C2DZ 9350-A R/B C2DZ 9350-B
60/62	X (with electric windshield wipers)	6	144,170	Airtex- stamped C3RA-F on identification tag-service pkg. includes(1)A8TZ 9417-A gasket, (1) C2DA 9288-A hose, (1) 371411-S adaptor, (2) 375416-S35 clamps	117	1	C2DZ 9350-B
62	B	6	170	Identified by "H" on fuel pump body and pulsator cover-service pkg. includes (1) C2OA 9324-C hose, (1) CODE 9417-A gasket & (2) 375416-S35 clamp	77	1	*C2OZ 9350-B R/B C2OZ 9350-D
62	B	6	170	Identified by "AC" on fuel pump body and pulsator cover	82	1	C2OZ 9350-D
62 63/64	Taxicab (non-zero lash) Taxicab & P/C	6 6	223 223	Carter-identified by stamped 3504-S on pump mounting flange -service pkg. includes (1) C1SZ 9417-A gasket	83	1 1	C2AZ 9350-F
63/64	A(except Taxicab & P/C	6	223	Fuel pump & filter assy.-identified by stamped 6758 on pump mounting flange-service pkg. includes (1) C3AZ 9417-B gasket	84	1	*C3AZ 9350-A R/B C3AZ 9350-T
63/64	X	6	144,170, 200	Fuel pump & filter assy.-identified by stamped 6803 on pump mounting flange-service pkg. includes (1) C3AZ 9417-B gasket	87	1	*C3DZ 9350-A R/B C3AZ 9350-T
63 63	B B	6 6	170 200	Carter-identified by stamped 3513 on pump mounting flange-service pkg. includes (1) C3AZ 9417-B gasket	88	1 1	C3OZ 9350-A
63 64	B B	6 6	200 170,200	Fuel pump & filter assy. - identified by number 6839 stamped on fuel pump mounting flange-service pkg. includes (1) C3AZ 9417-B gasket	97	1 1	*C3OZ 9350-B R/B C3OZ 9350-C
63/64 63/64	A(except Taxicab & P/C) X	6 6	223 144,170, 200	Fuel pump & filter assy. - identified by 0227 stamped on fuel pump mounting flange-service pkg. includes (1) C3AZ 9417-B gasket	109	1 1	*C3AZ 9350-T R/B C3AZ 9350-V
63 64	B B	6 6	170,200 200	Fuel pump & filter assy. - identified by 0228 stamped on fuel pump mounting flange-service pkg. includes (1) C3AZ 9417-B gasket	110	1	C3OZ 9350-C
63/64 63/64	A(except Taxicab & P/C) X	6 6	223 144,170, 200	Fuel pump & filter assy. identified by 0485 stamped on mounting flange-service pkg. includes (1) C3AZ 9417-B gskt., (1) 376148-S nipple	129	1	C3AZ 9350-V
60/62	X	6	144,170	Bolt (fuel pump to cylinder block)- 5/16" - 18 x 7/8"	65,68,72	2	20366-S6(B52)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9350 PUMP ASSY. - FUEL - continued							
6 Cylinder - continued							
62	B	6	170	Screw & 1/washer assy. (fuel pump to cyl. block)-5/16"-18 x 1.00" hex. head-(use with fuel pump identified by "AC" on fuel pump body & pulsator cover)	82	2	42847-S7-8 (U14)
62	B	6	170	Bolt (fuel pump to cylinder block)-5/16"-18 x 7/8" hex. head-(use with fuel pump identified by "H" on fuel pump body & pulsator cover)	77	2	20366-S8(B52)
				Lockwasher-5/16"			34806-S7(X64)
8 Cylinder							
60	S	8	430	Service pkg. Includes C1SZ 9417-A gasket	52	1	B8S 9350-A
60	S	8	430	Carter	57	1	*COLE 9350-A R/B B8S 9350-A
60	A, S	8	292,352		59	1	* COAE 9350-B
61	A, S	8	292,352 390			1	R/B C1SE 9350-A
60	A, S	8	292,352	Fuel & vacuum	58	1	* COAE 9350-A
61	A	8	292,352 390			1	R/B B5SZ 9350-D
60/64	A Special (with 4/B, 6/B or 8/B carb.)	8	352,390, 406,427	Service pkg. includes (1) B8A 9417-A gasket (352 engine only), (1) C1SZ 9417-A gasket (390, 406 engines)	89	1	*COAE 9350-E R/B C0AZ 9350-C
60/	A Special (with 4/B, 6/B or 8/B carb.)	8	352,390, 406,427	Identified by No. 6974 stamped on mounting flange-service pkg. includes (1) B8A 9417-A gasket (352 engine only), (1) C1SZ 9417-A gasket (390, 406, 427 engine)	102	1	*C0AZ 9350-A R/B C0AZ 9350-C
60/	A Special (w/4/B, 6/B, 8/B carb.)	8	352,390, 406,427	Identified by No. 0294 stamped on mounting flange-service pkg. includes (1) B8A 9417-A gskt., (352 eng. only), (1) C3AZ 9417-C gasket for 390, 406, 427 engines, (1) 353107-S bushing	111	1	C0AZ 9350-C
60	A, S	8	292,352	Airtex-fuel & vacuum-stamped	113	1	B5SZ 9350-D
61	A	8	292,352 390	C3RA-C on identification tag - service pkg. includes (1) A8TZ 9417-A gasket, (1) 371411-S adaptor		1	
61	A	8	292,352 390	Fuel & vacuum-use with 354205-S elbow on 352, 390 engines	70	1	*C1AE 9350-A R/B B5SZ 9350-D
60	A, S	8	292,352			1	
61	A	8	292		71	1	* C1SE 9350-A
61	A, S	8	352,390			1	R/B C2AZ 9350-C
60	A, S	8	292,352			1	
62	A (with A/C)	8	352,390	Carter-fuel pump & filter assy. - service pkg. includes (1) C2AA 9324-A hose, (1) C1SZ 9417-A gasket, (2) 375416-S35 clamp	73	1	*C2AZ 9350-A R/B C3AZ 9350-F for 390 engine R/B C3AZ 9350-G for 352 engine
60/62	A	8	292	Identified by stamped No. 6983 or 6504-service pkg. includes (1) B8A 9417-A gasket for 1960	75	1	*C2AZ 9350-C
62	A(except A/C & except A Special with 4/B or 6/B carburetor)	8	352,390	352 engine with stamped steel cover only, (1) C1SZ 9417-A gasket, (1) C2AA 9324-A hose, (2) 375416-S35 clamp		1	R/B B5SZ 9350-C
61	A, S	8	352,390			1	
60	A	8	352			1	

FORD CAR PARTS

SECTION 93

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9350 PUMP ASSY. - FUEL - continued							
8 Cylinder - continued							
60/62 60 61 62	A A A, S A (except A/C & except A Special with 4/B or 6/B carb.)	8 8 8 8	292 352 352,390 352,390	Airtex-stamped C3RA-B on identification tag-service pkg. includes(1) C2AA 9324-A hose, (1) A8TZ 9417-A gasket, (1) 371411-S adaptor, (2) 375416-S35 clamps	112	1 1 1 1	B5SZ 9350-C
60/62 60 61 62	A A A, S A (except A/C & except A Special with 4/B or 6/B carb.)	8 8 8 8	292 352 352,390 352,390	Airtex-Kit (fuel pump & filter assy.)-fuel pump stamped C3RA-B on identification tag-service pkg. includes- (1) B5SZ 9350-C fuel pump, (1) A8TZ 9417-A gasket, (1) CZRZ 9155-A kit(fuel filter)	119	1 1 1 1	B5SZ 9350-E
62 63	B B (with H/D oil filter)	8 8	221 221	Service pkg. includes (1) C2OA 9324-A hose, (1) C1SZ 9417-A gasket, (2) 375416-S35 clamp	76	1 1	*C2OZ 9350-A R/B C2OZ 9350-C
62 63/64	B B (with H/D oil filter)	8 8	221,260 221,260	Service pkg. includes (1) C1SZ 9417-A gasket & (2) 375416-S35 clamp	80	1 1	C2OZ 9350-C
62	S (except S Special with 6/B carb.)	8	390	Carter-fuel pump and filter assy. -service pkg. includes (1) C1SZ 9417-A gasket	78	1	*C2SZ 9350-A R/B C3SZ 9350-A
62	S Special (with 6/B carburetor)	8	390	Carter-fuel pump and filter assy. -service pkg. includes (1) C1SZ 9417-A gasket	81	1	*C2SZ 9350-B R/B C3SZ 9350-A
63	A	8	390	Carter-fuel pump and filter assy. -service pkg. includes (1) C3AZ 9417-A gasket, (1) C2AA 9324-A hose, (2) 375416-S35 clamp	85	1	*C3AZ 9350-D R/B C3AZ 9350-F
63 63	B (except with H/D oil filter) - A	8 8	221,260 260	Carter-fuel pump and filter assy. -service pkg. includes (1) C3AZ 9417-A gasket	86	1 1	*C3AZ 9350-C R/B C3AZ 9350-J
62/63 62	S S Special (with 6/B carb.)	8 8	390 390	Carter-fuel pump and filter assy. -service pkg. includes (1) C1SZ 9417-A gasket	89	1 1	*C3SZ 9350-A R/B C3SZ 9350-C
63	A	8	352	Carter-fuel pump and filter assy. -service pkg. includes (1) C3AZ 9417-A gasket, (1) C2AA 9324-A hose, (2) 375416-S35 clamp	90	1	*C3AZ 9350-E R/B C3AZ 9350-G
63 62	A A(with A/C)	8 8	390 390	Carter-fuel pump and filter assy. -service pkg. includes (1) C3AZ 9417-A gasket, (1) C2AA 9324-A hose, (2) 375416-S35 clamp-used with oil pressure warning light	91	1 1	*C3AZ 9350-F R/B C3AZ 9350-N
63/64 64	A A(with 4/B carb.)	8 8	390 352	Carter-fuel pump & filter assy. - 18° inlet angle and 3/8" inlet tube-identified by 3716 stamped on mtg. flange-service pkg.includes (1) C3AZ 9417-C gasket -used with oil pressure gauge	98	1 1	*C3AZ 9350-K R/B C3AZ 9350-N

SECTION 93

FORD CAR PARTS

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9350 PUMP ASSY. - FUEL - continued							
8 Cylinder - continued							
63 62	A A(with A/C)	8 8	352 352	Carter-fuel pump and filter assy. - identified by 3583 stamped on mounting frame-service pkg. includes (1) C3AZ 9417-A gasket, (1) C2AA 9324-A hose, (2) 375416-S35 clamps-used with oil pressure warning light	92	1 1	C3AZ 9350-G
63	A	8	352	Carter-fuel pump & filter assy. - 18° inlet angle and 3/8" inlet tube- identified by 3717-S stamped on mtg. flange-service pkg. includes (1) C3AZ 9417-C gasket -used with oil pressure gauge	99	1	*C3AZ 9350-L R/B C3AZ 9350-G
63 63	A B(except with H/D oil filter)	8 8	260 221,260	Carter-fuel pump and filter assy. - service pkg. includes (1) C3AZ 9417-A gasket	93	1 1	*C3AZ 9350-H R/B C3AZ 9350-J
63	S	8	390	Carter-fuel pump and filter assy. - service pkg. includes (1) C1SZ 9417-A gasket and (1) 353107-S reducer identified "insert in fuel pump inlet hole when pump is used on Models prior to 1963"	94	1	*C3SZ 9350-B R/B C3SZ 9350-C
62/63 62/63	S S Special (with 6/B carb.)	8 8	390 390	Carter-fuel pump and filter assy. - identified by 3576 stamped on mtg. flange-service pkg. includes (1) C1SZ 9417-A gasket and (1) 353107-S reducer identified "insert in fuel pump inlet hole when pump is used on Models prior to 1963" -used with oil pressure warning light	95	1 1	C3SZ 9350-C
63/64	S	8	390	Carter-fuel pump & filter assy. - 18° inlet angle and 3/8" inlet tube- identified by 3718-S stamped on mtg. flange-service pkg. includes (1) C3AZ 9417-C gasket -used with oil pressure gauge	101	1	*C3SZ 9350-D R/B C3SZ 9350-E
63 63 63 63 63	X A B(w/4/B carb.) B(except with H/D oil filter) A	8 8 8 8 8	260 289 289 221,260 260	Carter-fuel pump and filter assy. - service pkg. includes (1) C3AZ 9417-A gasket-used with oil pressure warning light	96	1 1 1 1 1	*C3AZ 9350-J R/B C3AZ 9350-M
63	B (with oil pressure gauge)	8	221,260	Carter-fuel pump & filter assy. - identified by 3732-S stamped on mounting flange	118	1	*C3OE 9350-H R/B C3AZ 9350-M
63/64 63/64 63/64 63/64	A X B B(except with H/D oil filter)	8 8 8 8	260 289 260	Carter-fuel pump & filter assy. - 18° inlet angle and 3/8" inlet tube- identified by 3734-S stamped on mtg. flange-service pkg. includes (1) C3AZ 9417-C gasket -used with oil pressure gauge -	100	1 1 1 1	*C3AZ 9350-M R/B C3AZ 9350-S
63 63/64 64 62	B A A A (with A/C)	8 8 8 8	221 390 352 390	Carter-fuel pump & filter assy. - identified by stamped 3716 on mounting flange-service pkg. includes (1) C3AZ 9417-C gasket	103	1 1 1 1	*C3AZ 9350-N R/B C3AZ 9350-R

FORD CAR PARTS

SECTION 93

453

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	* FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9350 PUMP ASSY. - FUEL - continued							
8 Cylinder - continued							
63/64	S		390	Carter-fuel pump & filter assy. - identified by stamped 3718 on mounting flange-service pkg. includes(1) C3AZ 9417-C gasket	104	1	★C3SZ 9350-E R/B C3SZ 9350-F
64/63	A	8	352,390	Carter-fuel pump & filter assy. - identified by 3909-S stamped on mounting flange-service pkg. includes(1) C3AZ 9417-C gskt.	105	1	★C3AZ 9350-R R/B C3AZ 9350-U
62	A(with A/C)	8	390			1	
62	A(with A/C)	8	390	Carter-fuel pump & filter assy. - identified by 4314-S stamped on mounting flange-service pkg. includes (1) C3AZ 9417- C gskt.	127	1	C3AZ 9350-U
63	A	8	390			1	
64/63	A	8	352,390			1	
63	B	8	221	Carter-fuel pump & filter assy. - identified by 3911-S stamped on mounting flange-service pkg. includes (1) C3AZ 9417-C gskt.	106	1	C3AZ 9350-S
63/64	A	8	26Q289			1	
63/64	B	8	289			1	
63/64	B(except with H/D oil filter)	8	260			1	
63/64	X	8	260			1	
63/64	S		390	Carter-fuel pump & filter assy. - identified by 3910-S stamped on mounting flange-service pkg. includes (1) C3AZ 9417-C gskt.	107	1	C3SZ 9350-F
9350 KIT - FUEL PUMP - SUPERCHARGER							
ELECTRIC							
60/62	A, B, S, X(competition use only)	6&8	All	Kit (fuel pump)-electric-(12V)		1	★C6AZ 9350-A
62	B	8	221	Bolt (fuel pump to cylinder front cover)-3/8"-16 x 1"	76	2	20388-S8(B80)
62	A, S	8	All	Bolt (fuel & vacuum pump to cyl. front cover)-3/8"-16 x 1 1/2"	73,78	2	20468-S8(B85)
60	S	8	430	Nipple (fuel filter to fuel pump) - 1/8" -27 pipe thread	52	1	354338-S(II-37)
61	A		352,390	Elbow (hose assy. -fuel pump to fuel line to fuel pump)-1/8"-27-45°-use with C1AE 9350-A fuel pump	70	1	354205-S(II-159)
60/61	S	8	All	Bolt (fuel pump to cyl. cover)-3/8"-16 x 1 3/8" hex. head	71	2	20448-S8(B83)
60/62	A Special (with 4/B, 6/B or 8/B carb.)	8	352,390, 406,427		69, 102	2	
60/62	A	8	292	Bolt (fuel pump to cylinder cover)-3/8"-16 x 1 1/4" hex. head	75	2	20428-S8(B82)
60/62	A (except A/C & A Special with 4/B or 6/B carburetor)	8	352,390		75	2	
				Washer-3/8" flat			44727-S8(X24)
60/62	A Special(with 4/B, 6/B, 8/B carb.)	8	352,390, 406,427	Washer-3/8" flat	69, 102	2	354861-S(XX137)
				Lockwasher-3/8"			34807-S8(X66)
60/62	X	6	144,170	Screw & washer assy. (fuel pump to cyl. block)-5/16"-18 x 1 3/8" hex. head	64, 66, 67	2	354727-S8(BB562)
9352 VALVE ASSY.							
60/62	A, S, X	6&8	All	Vacuum pump	56,58,61,64,66, 67,70,113,114, 115	4	B6Q 9352-A
60/62	A, B, S, X, P/C	6&8	All		52,58thru61,69, 70,71,76,8Q,102, 111, 112 thru 117, 119	2	B7A 9352-A
60/62	A, S	8	All	Used w/pump identified 6504 only	75	1	
62/63	A, B	8	352,390	.886" O. D. -with screen w/o hole	127	1	C8CZ 9352-A
63/64	A, B, S, X	6&8	All	.886" O. D. -w/o screen and with hole in retainer	88, 106, 107	1	C8CZ 9352-C

* Refer to Group 9350 for complete Fuel Pump Identification

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9352 VALVE ASSY. - continued							
62/	A, B	8	289,352, 390	.886" O. D. -w/screen and with	127	1	C8CZ 9352-D
60/	A, B, X	6	All		56, 62 thru 68, 72, 77, 84, 109, 110	2	CODE 9352-A
60/62	A, S	8	All	Used w/pump identified 6983 only	75	1	
63/	B, X	6	All		87, 97	2	C3AZ 9352-A
63/	S	8	390	.880" O. D. w/o screen and w/o hole in retainer	107	1	C8CZ 9352-B
9B354 RETAINER - FUEL PUMP CAM LEVER SPRING							
62/64	A, B, S, X	8	All		91, 92, 93, 95, 96, 98 thru 101, 103, 104, 118	1	C3AZ 9B354-A
9355 BOWL - FUEL PUMP FILTER							
60/62	A, S, X	6&8	All	2 3/32" O. D. -1 43/64" overall height - glass	56, 58 thru 68	1	B5A 9355-A
60/62	A, X	6	All		114 thru 117	1	COAZ 9355-A
60/	A Special (with 4/B, 6/B or 8/B carburetor)	8	352, 390, 406, 427	Used with B7Q 9155-A		1	B7TZ 9355-A
61	Taxicab	6	223	Used with B7T 9155-A		1	
62/	A, B, S, X	6&8	All		73, 78, 81, 84, 85, 86, 87, 89 thru 101, 103 thru 107, 109, 110, 118, 127, 129	1	C3AZ 9355-A
62	A, B	6&8	All	Used with C2AZ 9155-A filter assy.		1	
63/64	B (with H/D oil filter)	8	221, 260	Used with C2AZ 9155-A filter assy.		1	
63	B	6	170	Used with C2AZ 9155-A filter assy.		1	
63	B "Before 2/14/63"	6	200	Used with C2AZ 9155-A filter assy.		1	
63/64	Taxicab & P/C	6	223	Used with C2AZ 9155-A filter assy.		1	
9358 VALVE - FUEL PUMP							
60/	A, B, S, X	6&8	All	For all Carter fuel pumps		2	C4AZ 9358-A
9A358 DIAPHRAGM - FUEL PUMP PULSATOR							
60/64	A, B, S, X	6&8	All	Rubber-2 11/32" O. D. -3/64" thick	56, 58 thru 68, 72, 76, 77, 80, 82, 114 thru 117	1	*B5AZ 9A358-A
60	S	8	430	Alternate with C1SZ 9A358-B	57	1	C1VE 9A358-A
60	S	8	430	Alternate with C1VE 9A358-A		1	C1SZ 9A358-B
60/	A Special, B Special (with 4/B, 6/B 8/B carb.), P/I	8	All		69, 102, 111	1	CITZ 9A358-A
60/62	A, S	8	All		52, 70, 71, 75, 112, 113, 119	1	C1SZ 9A358-A
62/	A, B, S, X	8	All		73, 78, 81, 85, 86, 89 thru 96, 98 thru 101, 103, 104, 118	1	C2AZ 9A358-A
60/64	A, Taxicab, P/C	6	223		74, 79, 83	1	C2AZ 9A358-B
9A359 COVER - FUEL PUMP DIAPHRAGM PULSATOR							
60	S	8	430	Cover (fuel pump pulsator diaph.)	52	1	*B7AZ 9A359-A
60	S	8	430		57	1	*COLE 9A359-A
60/62	A, S	8	All		70, 71, 75	1	*C1SE 9A359-A
60/62	A	6	223		74, 79	1	C2AZ 9A359-B
60/64	B, X	6&8	All		72, 76, 77, 80, 82	1	C2DZ 9A359-A
60/	A Special (with 4/B, 6/B, 8/B carb.), P/C	8	All		69, 102, 111	1	COAZ 9A359-A
62/64	Taxicab & P/C	6	223		83	1	C3UZ 9A359-A
62/64	A, S	8	352, 390		73, 78, 85, 89, 90, 91, 92, 94, 95, 98, 99, 101, 103, 104	1	C2AZ 9A359-A

* Refer to Group 9350 for complete Fuel Pump identification

FORD CAR PARTS

SECTION 93

455

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9A359 COVER - FUEL PUMP DIAPHRAGM PULSATOR - continued							
63	A, B	8	221,260		86, 93, 118	1	C3AZ 9A359-A
63/	A, B, X	8	All		96, 100	1	C3AZ 9A359-C
60/	A Special (with 4/B, 6/B, 8/B carb.), P/C	8	All	Screw (body & plugs assy. to body & oil seal assy.) - No. 10-32 x 5/8" fillister head	69, 102, 111	10	31628-S7(U58)
60/	A, B, S	8	All	Screw (upper body and plugs assy. to lower body and plugs assy.)	70, 71, 75, 76, 80	10	
62/	A, B, X	6	All		77, 82, 84, 87, 97	6	
60	S	8	430	Screw (cover to upper body) - No. 10-32 x 1" fill head	52	2	31676-S(U57)
60/	A Special (with 4/B, 6/B, 8/B carb.) P/C	8	All	Screw (pulsator body to body & plugs assy.)	69, 102, 111	4	
62/64	B	8	221,260	Screw (pulsator cover assy. to fuel pump body & plugs assy. - upper) - 1/4" - 28 x 5/8" pan head	76, 80	1	38229-S7-8(U145)
				Lockwasher - No. 10			34803-S7(X60)
9360 MAGNET ASSY. - FUEL PUMP FILTER							
60	X	6	144		56, 62	1	B8A 9360-A
60/61	Taxicab only	6	223		60, 61	1	
9360 SPRING - FUEL PUMP VALVE							
60/	A, B, S, X	6&8	All	For all Carter fuel pumps		2	C4AZ 9360-A
9A360 PLUG - FUEL PUMP ROCKER ARM PIN HOLE - Also refer to Group 9379							
60	S	8	430		67	1	COLE 9A360-A
62/	A, B, S, X	6&8	All		73, 78, 81, 83, 85, 86, 88 thru 96, 98 thru 101, 103 thru 107, 118, 127	1	
62	A	6	223	Plug (cam lever shaft seal) - .254" / .258" x 5/32"	74, 79	1	370013-S(PP19)
9361 PLATE - FUEL PUMP VALVE RETAINER							
60/	A, B, S, X	6&8	All	For all Carter fuel pumps		2	C4AZ 9361-A
9364 GASKET - FUEL PUMP FILTER BOWL							
60/62	A, S, X	6&8	All	1.62" I.D. - 2.12" O.D. - .13" thick	58, 59, 60, 61, 63 thru 68, 114, 115, 116, 117	1	A9AZ 9364-A
60	X	6	144	Gasket (fuel pump fuel bowl)-used in B7A 9365-B	56, 62	1	B7A 9364-A
60/61	Taxicab only	6	223		60, 61	1	
60/	A Special (with 4/B, 6/B or 8/B carburetor)	8	352,390 406,427	Gasket (fuel filter sediment bowl)-used with B7T 9155-A,		1	B7T 9364-A
61	Taxicab	6	223	B7Q 9155-A		1	
62/	A, B, S, X	6&8	All	2.47" I.D. - 2.72" O.D. - .16" thick	73, 78, 81, 84, 85, 86, 87, 89 thru 101, 103 thru 107, 109, 110, 118, 127, 129	1	C2AZ 9364-A
62	A, B	6&8	All	Used with C2AZ 9155-A filter assy.		1	
63/64	B (with H/D oil filter)	8	221,260	Used with C2AZ 9155-A filter assy.		1	
63	B	6	170	Used with C2AZ 9155-A filter assy.		1	
63	B	6	200	Used with C2AZ 9155-A filter assy.		1	
62/64	Taxicab & P/C	6	223	Used with C2AZ 9155-A filter assy.		1	
9365 STRAINER ASSY. - FUEL PUMP FILTER							
60	X	6	144	Service pkg. consists of (1)	56, 62	1	B7A 9365-B
60/61	Taxicab only	6	223	B7A 9364-A, (1) B7A 9365-A and (1) B7A 9366-A	60, 61	1	(FG-18)
61	Taxicab	6	223	Element assy. (fuel filter)-used in B7T 9155-A		1	B6T 9365-C (FG-24)
60/	A Special (with 4/B, 6/B or 8/B carburetor)	8	352,390 406,427	Used with B7Q 9155-A		1	

• Refer to Group 9350 for complete Fuel Pump identification

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9365 STRAINER ASSY. - FUEL PUMP FILTER - continued							
60/62	A, S, X	6&8	All		58, 59, 60, 61, 63 thru 68	1	B6T 9365-B
62/	A, B, S, X	6&8	All	Element assy. -service pkg. includes (1) C2AZ 9364-A gasket	73,78,81,84,85, 86,87,89 thru 101,103,104,105 thru 107, 109, 110, 118, 127, 129	1	C4AZ 9365-A (FG-1)
62	A, B	6&8	All	Used with C2AZ 9155-A filter assy.		1	
63/64	B (with H/D oil filter)	8	221,260	Used with C2AZ 9155-A filter assy.		1	
63	B	6	170	Used with C2AZ 9155-A filter assy.		1	
63	B	6	200	Used with C2AZ 9155-A filter assy.		1	
62/64	Taxicab & P/C	6	223	Used with C2AZ 9155-A filter assy.		1	
9366 GASKET - FILTER BOWL STRAINER							
60	X	6	144	Gasket (fuel pump strainer assy.)	56,62	1	B7A 9366-A
60/61	Taxicab only	6	223	use with B7A 9365-A	60,61	1	
9367 GASKET - VACUUM PUMP COVER PLATE							
60/62	A, S, X	6&8	All	Valve to body-39/64" I. D. - 47/64" O. D. -serviced in kit 9349	56,58,61,64,66, 67,70	3	B1AZ 9367-A
9368 SCREEN - FUEL PUMP							
60/62	A, X	6	All		114 thru 117	1	*C0AZ 9368-A
9369 TUBE ASSY. - FUEL PUMP TO CARBURETOR - Also refer to Group 9282							
60	A Special (with 4/B carb.)	8	352	3/8" diam.-29.84" developed length-make from B7Q 2269-A tubing and (2) 87945-S8 fittings (use with C0AE 9350-E fuel pump & C0AE 9510-AA carburetor)		1	*C0AE 9369-C
62	A (with A/C)	8	390	5/16" diam. -29.90" developed length	73	1	*C2AE 9369-C
63	A	8	390	length	85	1	
62	A (with A/C)	8	352	5/16" diam. -30.80" developed length	73	1	*C2AE 9369-D
63	A	8	352	length	90,92,99	1	
62	S	8	390	5/16" diam. -30.02" developed length	78	1	*C2SE 9369-A
62/63	S	8	390	length	89,94,95,101	1	
63/64	A	6	223	5/16" diam. - 41.35" developed length	84	1	*C3AE 9369-E
63/	X	6	144,170, 200	5/16" diam. - 40.00" developed length	87	1	*C3DE 9369-D
63/64	B (except with H/D oil filter)	8	221,260	5/16" diam. - 28.80" developed length	86,93,96, 100	1	*C3OE 9369-C
63	A	8	260,289	length	86,93,96,100	1	
64	X	8	260		100	1	
64	A	8	289		100	1	
63/64	B	6	170,200	5/16" diam. -32.96" developed length	88, 97	1	*C3OE 9369-D
63/64	B (with 4/B carb.) - "Before 4/2/64"	8	289	5/16" diam. -28.18" developed length	96, 100	1	*C3OE 9369-F
64	A	8	352,390	5/16" diam. -28.10" developed length (except with Holley carb.)	98,103	1	*C4AE 9369-B
64	A	8	352,390	5/16" diam. -28.56" developed length (except Holley carb.)	98, 103	1	*C4AE 9369-D
64	A (with 4/B carb.)	8	352	5/16" diam. -22.28" developed length-used with Holley carb.	103	1	*C4AE 9369-E
64	S	8	390	5/16" diam. -26.40" developed length	101, 104	1	*C4SE 9369-B
64	S	8	390	5/16" diam. -26.86" developed length	101, 104	1	*C4SE 9369-C

* Refer to Group 9350 for complete Fuel Pump Identification

◇ Not serviced as assembly - make from 8C 2269-A bulk tubing and (2) 87944-S8 fittings

FORD CAR PARTS

SECTION 93

457

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9369 TUBE ASSY. - FUEL PUMP TO CARBURETOR - continued- Also refer to Group 9282							
64	A			"From 2/17/64"	8 289 5/16" dia. -29.62" developed	100	★C4AE 9369-C
64	X			"From 2/17/64"	8 260 length	100	1
64	B(w/4/B carb.)			"From 4/2/64"	7 289 5/16" dia. -28.64" developed length	96, 100	★C4OE 9369-A
60/	A, B, S, X	6&8	All	Fitting (fuel pump tube to tube)- pump & carburetor connectors)-	73,78,85,86,88, 89,90, 92 thru 107,109 thru 1/2"-20	107,109 thru 119,127, 129	1or2 87944-S8(I-22)
60	A Special (with 4/B, 6/B, 8/B carb.)	8	352	Connector (fuel pump to carb.)- 3/8" tubing-5/8"-18 female thread-1/4"-20 male thread	69	2	87945-S8(I-23)
9372 BODY - PULSATOR							
60/62	A, S, X	6&8	All		56,58 thru 68	1	B5A 9372-A
60/62	A, S, X	6&8	All	Screw & washer ass'y. (body to upper body)-1/4"-28 x 1/2"- clutch recess	56, 58 thru 68	1	354659-S100(BB1)
9376 ARM ASSY. - FUEL PUMP ROCKER							
60/61	A, S	8	All		59	1	B5A 9376-D
60/62	A, X	6	All		56,61,64,66,67, 114, 115	1	B5A 9376-A
60/62	A, B, X	6	All		60,62,63,65,68, 72,77	1	B5A 9376-B
60/64	A, S	8	All		58,69,70,71, 112, 113, 119	1	B5A 9376-C
60/62	A, S	8	All	Use with pump identified 6504 only	75	1	
60	S	8	430		52	1	B8S 9376-A
60	S	8	430		57	1	C0SZ 9376-A
60/62	A	6	223		74, 79	1	C2AZ 9376-A
60/62	A, S	8	All	Use with pump identified 6983 only	75	1	C2AZ 9376-C
60/	A Special (with 4/B, 6/B or 8/B carb.), P/C	8	352,390, 406,427,		102, 111	1	
62/64	Taxicab & P/C	6	223		83	1	C2AZ 9376-B
62/64	B	8	221,260		76,80	1	C2OZ 9376-A
62/63	A, S	8	352,390		73,78,81,85,89, 90, 94	1	C1TZ 9376-A
63	B	6	170,200		88	1	C3OZ 9376-A
63	A, B	8	221,260		86	1	C3AZ 9376-A
63/	A, B, X	6	All		84,87,97, 109, 110, 129	1	C3AZ 9376-B
63/	A, B, X	8	All		93,96,100, 118	1	C3AZ 9376-C
62/64	A, B, S	8	All		91,92,95,98,99, 101,103,104	1	C4AZ 9376-A
62/	A, B, S	8	All		105, 107, 127	1	C5AZ 9376-A
9378 PIN - FUEL PUMP ROCKER ARM							
60/	A, B, S, X	6&8	All	Fuel & vacuum pump-2.54" long- serviced in kit 9349	56,61,64,66,67, 69,70,71,75,84, 87,97,102, 109 thru 117, 119, 129	1	A9AZ 9378-A
60/63	A, B, S, X	6&8	All	.253" diameter-.625" long	59,60,62,63,65, 68,72,76,77	1	B5A 9378-A
60	S	8	430		52	1	B8S 9378-A
60	S	8	430		57	1	C0LE 9378-A
62/	A, B, S, X	8	All		73,78,81,83,85, 86,89 thru 96, 98,99,100,101, 118, 127	1	
63	B	6	170,200		88	1	
60/62	A	6	223	Cam lever	79	1	ECU 9378-A
63/	A, B, S, X	6&8	All	.245"/.246" diameter- 1.565"/1.575" long	88,106,107,127	1	C8CZ 9378-A

• Refer to Group 9350 for complete Fuel Pump Identification
 ◇ Not serviced as assembly - make from 8C 2269-A bulk tubing and (2) 87944-S8 fittings

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	* FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9379 GUIDE - FUEL PUMP PUSH ROD							
63/	A, B, S, X	6&8	All		88,106,107,127	1	C8CZ 9379-A
9379 PLUG - ROCKER ARM PIN - Also refer to Group 9A360							
60/64	A, B, S, X	6&8	All	Cup shaped-brass-.25" O. D.	59,60,62,63,65,68,72,76,77,80	2	B5A 9379-A
9380 SPRING - ROCKER ARM RETURN							
60/62	A, B, X	6	All	16 3/4 coils-.23" I. D. -1 1/4" long-serviced in kit 9349	60,62,63,65,68,72,77	1	*40 9380
60/62	A, S, X	6&8	All	12 1/2 coils-1/4" I. D. -1 1/4" long-5/8" O. D. -serviced in kit 9349	56,58,61,64,66,67,70,113,114,115,120	1	A9AZ 9380-A
60/61	A, S	8	All	10 coils-1/4" I. D. -1.03" long	59	1	B8S 9380-A
60	S	8	430		57	1	COLE 9380-A
60/64	A Special (with 4/B or 6/B carb.)	8	All	13 coils-9/32" I. D. -1 15/32" long	69	1	COAZ 9380-A
60/62	A, S	8	All		71,75,112,119	1	
60/62	A, X	6	All		116,117	1	C2AZ 9380-B
62/64	B	8	221,260		76,80	1	C2OZ 9380-A
60/64	A, Taxicab, P/C	6	223		74,79,83	1	C2AZ 9380-A
63	B	6	17Q200		88	1	
63	B	6	17Q200	.343" O. D. -1.25" long	8	1	C8CZ 9380-A
62/64	A, B, S, X	8	All		73,78,81,85,86,89 thru 96,98 thru 101,103,104,118	1	C5OZ 9380-A
62/	A, B, X	6	All		82,84,87,97,109,110	1	C3AZ 9380-A
60/	A Spec. (w/4/B, 6/B, 8/B carb.), P/C	8	All		102,111	1	
62/	A, B, S, X	8	All	.281" I. D. -1.718" long	106,107,127	1	C8CZ 9380-C
62/	A, B, S, X	8	All		105 thru 107	1	C5AZ 9380-B
9381 LINK - FUEL PUMP ROCKER ARM							
60/62	A, S, X	6&8	All	Serviced in kit 9349	56,58,61,64,66,67,70	1	7RA 9381
60/62	A, B, X	6	All	Serviced in kit 9349	60,62,63,65,68,72,77	1	EAA 9381-A
60	S	8	430		52	1	B8S 9381-A
60/	A Special (with 4/B, 6/B, 8/B carb.), P/I	8	All		69,102,111	1	COAE 9381-A
60/62	A, S	8	All		71,75	1	
60/64	A, B, S	8	All		59,76,80,82	1	C2OZ 9381-A
63/	A, B, X	6	All		84,87,97,109,110,129	1	8EL 9381
9382 SPACER - LINK and SPRING RETAINER							
60/64	A, S, X	6&8	All		56,58,61,64,66,67,69,70,71,75,112 thru 115,119	1	A9AZ 9382-A
60/64	A	8	All	Washer (fuel & vacuum pump rocker arm link spacer)-11/16" O. D. x 3/8" I. D. x .093"	69,71,75	2	*352897-S
60/61	A	8	All	Washer (fuel & vacuum pump rocker arm link spacer)-5/8" O. D. x 3/8" I. D. x .010"	70	2	352896-S(XX150)
60/62	A, S, X	8	All	Washer (fuel & vacuum pump rocker arm link spacer)-11/16" O. D. x 3/8" I. D. x .125"	70,112 thru 115,119	2	356951-S(XX134)
9387 BAIL ASSY. - FUEL PUMP FILTER BOWL							
60/62	A, S, X	6&8	All	Use with B5A 9355-A bowl	52,56,58 thru 68	1	EAA 9387-A

* Refer to Group 9350 for complete Fuel Pump Identification

FORD CAR PARTS

SECTION 93

459

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9389 BUSHING - FUEL PUMP ROCKER ARM							
60/62	A, S, X	6&8	All	Fuel & vacuum pump-. 247" I. D. -. 349" O. D. -. 750" long - serviced in kit 9349	56,58,61,64,66, 67,70, 113, 114, 115	1	A9AZ 9389-A
60	S	8	430		52	1	*B8S 9389-A
60/60/62	A Special (w/4/B,6/B,8/B carb.), P/I A, S	8	All	.2465" I. D. -. 3495" O. D. -. 503" long	69, 102, 111	1	B5AZ 9389-A
63/	A, B, X	6	All		71, 75, 112, 119	1	
					84, 87, 97, 109, 110, 129	1	
9A392 RETAINER - FUEL PUMP OIL SEAL - Also refer to Group 9468							
60/60/62	A Special (w/4/B,6/B,8/B carb.), P/I A, B, S, X	8	All	1.00" O. D.	69, 102, 111	1	B5AZ 9A392-A
		6&8	All		71, 75, 82, 112, 116, 117, 119	1	
63/	A, B, X	6	All		84, 87, 97	2	
63/	A, B, X	6	All		109, 110, 129	1	
9A393 SEAL - FUEL PUMP OIL							
60/60/	A Special (w/4/B,6/B,8/B carb.)-P/I A, B, S, X	8	All		69, 102, 111	1	C0AZ 9A393-A
		6&8	All		71, 75, 82, 84, 87, 97, 109, 110, 112, 116, 117, 119, 129	1	
60/64	A, B, S, X	6&8	All	Fuel pump diaphragm pull rod - serviced in kit 9349	59, 60, 62, 63, 65, 68, 72, 76, 77, 80	1	B1AZ 9A393-A
60/62	A, S, X	6&8	All	Vacuum pump	56, 58, 61, 64, 66, 67, 70, 113, 114, 115	2	
9A395 CONNECTOR - VACUUM PUMP OUTLET TUBE							
61	A (with Emission Reduction)	8	292	5/16" O. D. -1.44" developed length-make from 8C 2269-A tubing.		1	*C1AE 9A395-A
9396 SPRING - FUEL PUMP DIAPHRAGM							
60/62	A, B, X	6	All	15/16" O. D. -2" long-6 coils - painted Brown-serviced in kit 9349	56, 60 thru 68, 72, 77, 114, 115	1	B5AZ 9396-A
60	S	8	430	1.25" I. D. -1.88" long	52	1	*B8S 9396-A
60/60/62	A Special (with 4/B, 6/B, 8/B carb.) P/C A, S	8	All	1.25" I. D. -1.88" long-5 coils - (marked with spot of gray paint)	69, 102	1	C0AE 9396-A
62	B	6	170		71, 75, 112, 119	1	C1SZ 9396-A
63/	A, B, X	6	All		82	1	C2OZ 9396-A
63/	A, B, X	6	All		84, 87, 97	1	C3AZ 9396-A
					109, 110, 129	1	C5AZ 9396-A
9398 DIAPHRAGM ASSY. - FUEL PUMP							
60/64	A, B, S	8	All		58, 59, 76, 80	1	B5A 9398-C
60/62	A, X	6	All		56, 61, 64, 66, 67, 114, 115	1	B5A 9398-A
60/62	A, S	8	All		112, 119	1	B5SZ 9398-A
60/61	A, S	8	All		113	1	B5SZ 9398-B
60	S	8	430		52	1	B8SZ 9398-A
60	S	8	430	Includes spring	57	1	C0LE 9398-B
62	S Special (with 6/B carb.)	8	390		81	1	
60/60/	A Special (with 4/B, 6/B, 8/B carb.) P/C A Special (with 4/B, 6/B, 8/B carb.),	8	All		69, 102, 111	1	C0AE 9398-A
60/61	A	8	All	Alternate with C0AE 9398-A	69, 102, 111	1	C0AZ 9398-A
60/62	A, S	8	All		70	1	C1AZ 9398-A
60/62	A	6	223		71, 75	1	C1SZ 9398-B
62/64	A, B, S, X	8	352, 390		74, 79	1	C2AZ 9398-A
					73, 78, 86, 93, 96, 100, 118	1	C3AZ 9398-B
62/	A, B, S	8	352, 390		107, 127	1	C8CZ 9398-B

• Refer to Group 9350 for complete Fuel Pump Identification

FORD CAR PARTS

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9398 DIAPHRAGM ASSY. - FUEL PUMP - continued							
62/64	Taxicab & P/C	6	223		83	1	C2AZ 9398-B
63	B	6	170,200		88	1	C8CZ 9398-A
63/	A, B, X	6	All		84, 87, 97, 109, 110, 129	1	C3AZ 9398-D
63/	A, B, X	6	All	Alternate with C3AZ 9398-D	84, 87, 97, 109, 110, 129	1	C3AZ 9398-G
63/	A, B, X	8	221,260, 289,302		106	1	C8CZ 9398-C
62/64	A, S	8	All		85,89,90,91,92, 94,95,98,99,101	1	C3AZ 9398-E
64	A, S	8	352,390		103, 104	1	C4AZ 9398-A
9400 ROD ASSY. - FUEL PUMP PUSH							
60	S	8	430	Identified by 2 grooves at opposite end from bronze tip -used with B9LE 6009-A only		1	C1VE 9400-A
60	S	8	430			1	C3VY 9400-C
9408 GASKET - DIAPHRAGM PULL ROD OIL SEAL							
60/	A, B, S, X	6&8	All	1" O. D. -13/16" I. D. -serviced in kit 9349	56, 62, 64 thru 72, 75, 76, 77, 80, 82, 84, 87, 97, 102, 109, 110, 111	2	49B 9408
9413 TUBE ASSY. - VACUUM PUMP							
60/62	A	6&8	All	Windshield wiper connector to vacuum source-3/16" I. D. -cut to 36.50" long from A9A 17543-B hose-(use w/elect. w/s wipers)		1	*1HA 9413
60	A, S	8	352	Vacuum pump to intake manifold-5/16" O. D. -13.46" developed length-make from 8C 2269-A tubing & (1) 87944-S8 fitting	58	1	*
60/61	A	8	292	Vacuum pump to intake manifold-5/16" O. D. -13.08" developed length-make from 8C 2269-A tubing & (1) 87944-S8 fitting	58,70	1	*
60	X	6	144	Vacuum pump to intake manifold-5/16" O. D. -44.81" developed length-make from 8C-2269-A tubing & (1) 87944-S8 fitting	58,64,67	1	*CODE 9413-A
60	A	6	223	Vacuum pump to intake manifold-5/16" O. D. -40.00" developed length-make from 8C-2269-A tubing & (1) 87944-S8 fitting	61	1	*C0AE 9413-E
61	A (with S/T & O/D)-except with emission reduction & power brakes	6	223		61	1	
61	X(with emission reduction)	6	144,170	Vacuum pump outlet-5/16" O. D. -37.12" developed length-make from 8C 2269-A tubing & (1) 87944-S8 fitting	67	1	*C1DE 9413-C
61	A (with F/M/2, C/M)	6	223	Vacuum pump to intake manifold-5/16" O. D. -38.13" developed length-make from 8C 2269-A tubing & (1) 87944-S8 fitting	61	1	*C1AE 9413-C
61	A (with S/T & O/D)with emission reduction & power brakes	6	223		61	1	
61	A	8	352,390	Vacuum pump to intake manifold-5/16" O. D. -16.60" developed length-make from 8C 2269-A tubing & (1) 87944-S8 fitting	58,70	1	*C1AE 9413-A
61/62	X (except emission reduction)	6	144,170	Vacuum pump to carburetor spacer-5/16" O. D. -38.22" developed length-make from 8C 2269-A tubing & (1) 87944-S8 fitting	67	1	*C1DE 9413-B

* Refer to Group 9350 for complete Fuel Pump Identification

FORD CAR PARTS

SECTION 94

461

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9413 TUBE ASSY. - VACUUM PUMP - continued							
62	X (with emission reduction)	6	144,170	Vacuum pump to intake manifold-5/16"O. D. -40.54"developed length-make from 8C 2269-A tubing & (1) 87944-S8 fitting		1	*C2DE 9413-A
60/61	A	8	352	Connector (vacuum pump to intake manifold tube to intake manifold) 5/16"tube-(not used with elect. w/s wipers)		1	372226-S(II-72B)
60	A	6	223	Elbow(intake manifold to windshield wiper tube)-1/8"x90° - (used with electric w/s wipers)		1	357466-S(II-153)
60	A	6	223	Connector(intake manifold elbow to windshield wiper tube)1/4" (used with electric w/s wipers)		1	353284-S(II-1)
60	A	6	223	Adaptor (windshield wiper tube to intake manifold)-1/4" x 1/4" taper pipe thread-(used when windshield washer kit is installed on units with electric windshield wipers)		1	352524-S(II-72A)
61	A, S	8	292,352, 390	Elbow (vacuum pump to intake manifold tube upper connector to intake manifold)-90°x 5/16" hose connector		1	372224-S(II-10C)
9414 DOME - FUEL PUMP AIR							
60	X	6	144		56,62,63,64, 65,66	1	EAD 9414-A
60	X	6	144	Nipple (fuel pump to elbow)- 1/8"-27 male thread both ends	56,62,63,64, 65,66	1	354338-S(II-37)
60	X	6	144	Elbow(nipple to tee-air dome)- 90° pipe-1/8"-27 female thread both ends	56,62,63,64, 65,66	1	374375-S(II-168E)
60	X	6	144	Tee (elbow to air dome to fuel flex line)-1/8"-27 thread	56,62,63,64, 65,66	1	371334-S(II-146B)
9417 GASKET - FUEL PUMP MOUNTING							
60	A, S	8	352	Used with B8A 6019-B & COAE 6019-A steel stamped covers only		1	B8A 9417-A
60	A Special (with 4/B carb.)	8	352			1	
60/62	A, S, X	6&8	All	Use with Airtex fuel pumps		112 thru 117, 119	A8TZ 9417-A
63/	A, B, X	6	All			1	C3AZ 9417-B
60/62	X	6	144,170			1	CODE 9417-A
60/62	A	6	223			1	
62	B	6	170	Use with fuel pump stamped "H"	77	1	
62	X Special	6	170			1	
63/	A, B, X	8	All			1	C3AZ 9417-C
61/	S	8	390			1	
60	A, S	8	All			1	
60	S	8	430			1	
61/	A Special (with 4/B, 6/B or 8/B carburetor)	8	390,406, 427			1	
61/62	A	8	All			1	
62	B	8	221,260			1	
62	B	6	170	Use with fuel pump stamped "AC"	82	1	
9418 WASHER - ROCKER ARM PIN							
60/	A, B, S, X	6&8	All	Fuel & vacuum pump-.189" I. D. - 3/8" O. D. -flat across one end-serviced in kit 9349	54,58,61,64,66, 67,69,70,75, 84, 87,97,109 thru 117, 119, 129	1	A9AZ 9418-A

• Refer to Group 9350 for complete Fuel Pump identification

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
9424-5 MANIFOLD - INTAKE						
60/64	A	6	223		1	C3AZ 9424-B
60/61	A	8	352	Used with 2 barrel carburetor-service pkg. includes (1) B7TZ 8597-C by-pass hose & (1) 358066-S8 or 372175-S8 pipe plug-3/8"-for emission reduction hole	1	C1AE 9424-A
60/61	A, S	8	352,390	Used with 4 barrel carburetor-service pkg. includes (1) B7TZ 8597-C by-pass hose & (1) 358066-S8 or 372175-S8 pipe plug-3/8"-for emission reduction hole	1	C1AE 9424-B
60/62	A	8	292		1	C0AE 9425-F
60/63	A Special(with 4/B carb.)	8	352,390, 406	Service pkg. includes(1)C3AZ 10911-A adapter, (1) 358066-S8 or 372175-S8 pipe plug 3/8" to plug front vacuum boss	1	C3AZ 9424-C
61/63	A Special(with 6/B carb.)	8	390,406	Service pkg. includes (1) C3AZ 10911-A adapter	1	C3AZ 9424-D
62	B	8	221,260		1	C2OZ 9424-F
62/63	A, S, P/C(exc. A, S Special with 4/B or 6/B carb.)	8	390	Use with 1/4" temperature gauge	1	C3AZ 9424-E
62/63	A	8	352	Use with 1/4" temperature gauge	1	C3AZ 9424-F
62/	All High Performance vehicles-(with 8/B carb.)	8	406,427	Tunnel port-single plane 8V drag strip only-identified C7OE 9425-A	1	C7OE 9424-A
62/	All High Performance vehicles-(with 8/B carb.)	8	406,427	Tunnel port-over and under 8V manifold-wide RPM output-identified C7OE 9425-B	1	C7OE 9424-B
62/	All High Performance vehicles-(with 8/B carb.)-except low and high riser type intake manifolds or tunnel port heads	8	390,406, 427	Aluminum-single plane 8V manifold-use (2) 4 barrel carburetors	1	C8AX 9424-A
62/	All High Performance vehicles-(with 4/B carb.)	8	390,406, 427	Tunnel port	1	C8AX 9424-B
62/	All High Performance vehicles-(w/4/B carb.)-w/high riser heads	8	390,406, 427	High riser-identified C4AE 9425-G	1	C4AE 9425-G
62/	All High Performance vehicles-(w/8/B carb.)-w/high riser heads	8	406,427	Dual plane 8V manifold-identified C4AF 9425-F	1	C4AE 9425-F
63	A, B	8	260	Service pkg. includes (1) C3AZ 10911-A adapter	1	C3AZ 9424-G
63	X	8	260		1	
64	B, X, X Sprint Special (except with emission reduction)	8	260		1	
63	A(with 2/B carb.)	8	289		1	C3AZ 9424-H
63	B	8	221	Service pkg. includes (1) C3AZ 10911-A adapter	1	C3OZ 9424-B
63	B (with 4/B carb.)	8	289		1	C3OZ 9424-C
62/63	S Special (with 6/B carb.)	8	390	Service pkg. includes (1) C3AZ 10911-A adapter	1	C3SZ 9424-A
63/64	A Special (with 4/B carb.)	8	427		1	C3AZ 9424-J
63	A(with 2/B carb.)	8	352	Use with 1/8" temperature gauge	1	C4AZ 9424-A
63/64	A, S, P/C	8	390	Use with 1/8" temperature gauge	1	C4AZ 9424-B
64	A(with 4/B carb.)	8	352		1	
64	B, X (with emission reduction)	8	260	Service pkg. includes (1) C5AZ 8592-C connection assy.	1	C4OZ 9424-E
64	A, B (with 2/B carb. and except emission reduction)- "From 5/25/64"	8	289		1	C4AZ 9424-F
64	A, B(w/2/B carb.) "Before 5/25/64"	8	289	Service pkg. includes (1) C5AZ 8592-C connection assy.	1	C4AZ 9424-H
64	A, B(w/2/B carb. & em/re)- "From 5/25/64"	8	289		1	
63/	A Special (with 8/B carb.)	8	427		1	C5AZ 9424-C
62/	All High Performance vehicles-(with 8/B carb.)-except engines with tunnel port heads & exc. low & high riser type intake manifolds	8	390,406, 427	Medium riser type	1	C5AZ 9424-G
64	B(4/B carb. & em/re)	8	289		1	C4OZ 9424-H
62/	All High Performance vehicles-(with 4/B carb.)-except engines with tunnel port heads & exc. low & high riser type intake manifolds	8	390,406	Equal runner type	1	C6AZ 9424-M

FORD CAR PARTS

SECTION 94

463

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
9424-5 MANIFOLD - INTAKE - continued						
60/	A	6	All	Stud (intake manifold to exhaust manifold and thermostat ass'y.)-3/8"-16 & 3/8"-24 x 4 7/8"	2	88624-S(W25)
				Nut-3/8"-24		33828-S(M64)
				Lockwasher-3/8"		33847-S7(M58)
60	A	6	223	Plug (to plug hole in intake manifold)-1/4"-18	1	353055-S7(PP29)
64/	A, B, X	8	26Q289	Screw & washer assy. (intake manifold to cyl. hd.) -5/16"-18 x 1.95" hex. hd. rubber coated washer	11	378484-S(BB870)
60	S	8	430	Bolt (intake manifold to cylinder head)-3/8"-16 x 1 1/8"	3	20408-S7(B81)
60/62	A	8	292		2	
60/63	A, S	8	All	Nut-3/8"-24	4	33800-S8(M63)
60/64	A, S	8	All	Plug-3/8"-18 hex. head-used when hot water heater is not used	1	87710-S(P16)
61/64	A, S	8	390	Used to plug vacuum take off hole when electric windshield wipers are used	1	
63	A Special (with 8/B carb.)	8	427	Used to plug center hole in intake manifold	1	
60/63	A, S	8	All	Stud (intake manifold to cylinder head)-3/8"-16-24 x 2 3/4"	4	88492-S(W18)
60	S	8	430	Bolt (intake man. to cyl. head)-3/8"-16 x 1 3/4"	6	*20506-S7
60/62	A	8	292		2	
60/63	A, S	8	352	Bolt (intake manifold to cyl.hd.)-3/8"-16 x 2.62"	8	370478-S(BB161)
60/63	A, S	8	352	Bolt (intake manifold to cylinder head)-3/8"-16 x 1 1/2" hex. head	2	20468-S8(B85)
60	S	8	430		1	
9A424-25 SEAL - INTAKE MANIFOLD TO CYLINDER BLOCK - Refer to Group 9433						
60/	A, S(except A, S Special with 4/B, 6/B or 8/B carb.)	8	352,390	Rear-.175" thick-10.44" long to end notches	1	C3AZ 9A424-D
60/	A, S Special(with 4/B, 6/B, 8/B carb.)	8	390,406,427		1	
60/	A, S(except A, S Special with 4/B, 6/B or 8/B carb.)	8	352,390	Front-.175" thick-10.44" long to end of notches	1	C3AZ 9A425-D
60/	A, S Special(with 4/B, 6/B or 8/B carb.)	8	390,406,427		1	
60/	A, B, S	8	352,390		1	C3AZ 9A425-D
63/	A Special (with 4/B, 8/B carb.)	8	427		1	
62/	A, B, X	8	221,26Q289	Rear-145" thick-5.34" long with .20" tabs on each end	1	C2OZ 9A424-D
62/	A, B, X	8	221,26Q289	Front-145" thick-.534" long with .20" tabs on each end	1	C2OZ 9A425-D
9B424 MANIFOLD - INTAKE - Refer to Group 9424-25						
9426 MANIFOLD and THERMOSTAT ASSY. - EXHAUST - Refer to Group 9430-31						
9A427 VALVE ASSY. - EXHAUST THERMOSTAT CONTROL - Also refer to Group 9460						
60/62	A	8	292		1	C0AE 9A427-C
60/61	A, S	8	352		1	B9AE 9A427-A
60/63	A Special (with 4/B or 6/B carburetor) "Before 11/22/62"	8	352,390,406		1	C0AE 9A427-B
61	P/C	8	390		1	
63/	A Special (with 4/B, 6/B or 8/B carb.) "From 11/22/62"	8	406,427		1	C3AZ 9A427-A
61	A	8	390		1	C1AE 9A427-A
62/63	S Special (with 6/B carb.)	8	390		1	C3SZ 9A427-A
61/63	S	8	390		1	
60	A	8	352	Stud (valve & muffler inlet tube to exhaust manifold-R.H.)-7/16"-14-14 x 3.00"	2	376183-S7-8 (WW50B)
61		8	292	Stud (valve & muffler inlet pipe to exhaust manifold-R.H.)-7/16"-14-14 x 2.50"	2	375679-S2(WW36)
61/64		8	352,390	Stud (valve & muffler inlet pipe to exhaust manifold-R.H.)-7/16"-14-14 x 3.00"	2	375371-S2 (WW36C)
62	A Special (with 4/B carb.), P/C	8	390	Use as L. H. stud	2	
				Lockwasher-7/16"		357625-S7-8(XX304)
				Nut-7/16"-14 hex. (brass)		34872-S(M55)
9428 MANIFOLD ASSY. - EXHAUST - Refer to Group 9430-1						

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
9430-1 MANIFOLD - EXHAUST						
6 CYLINDER						
61/62	B, X	6	144,170	Service pkg. includes (2) 375678-S2 studs and	1	C2GZ 9430-A
60	X	6	144	(2) 375636-S100 nuts to attach muffler inlet pipe	1	
63/64	B, X	6	144,170		1	C3OZ 9430-A
63/	B	6	200		1	
64/	X	6	200		1	
60/62	A	6	223	Manifold & thermostat assy. service pkg. includes (2) 375678-S2 studs (2) 375636-S100 nuts	1	C3AZ 9426-A
63/64	A	6	223	Manifold & thermostat assy.	1	C3AZ 9426-B
60/64	A	6	223	Bolt (exhaust manifold & thermostat assy. to intake manifold)-3/8"-16 x 1"	1	20388-S8 (B80)
				Lockwasher-3/8"		34847-S8(X74)
				Cotter pin-1/16" x 3/4"		72015-S(N40)
60/64	A	6	223	Bolt (manifolds to cyl. head)-3/8"-16 x 1 3/8"	10	20448-S8(B83)
60/64	A	6	223	Bolt (manifolds to cyl. head)-3/8"-16 x 1 1/8"	2	20408-S7(B81)
				Lockwasher-3/8"		34847-S8(X74)
60	X	6	144	Bolt(exhaust man.to cyl.hd.)-3/8"-16 x 1 1/8"hex. hd.	9	20408-S7(B81)
60	X	6	144	Washer (exhaust man. to cyl. head)-3/8" lock tab	11	370383-S(XX345)
60	X	6	144	Stud (muffler inlet pipe to exhaust manifold)-3/8"-16-16 x 1.62"	2	376283-S2(WW13)
60	X	6	144	Bolt (exhaust manifold to cylinder head)-3/8"-16 x 2 1/2" hex, head	2	45522-S8(B93)
61	X	6	144,170	Stud (muffler inlet pipe to exhaust manifold)-7/16"-14-14 x 1.62"	2	374987-S2(WW32A)
				Nut-brass-7/16"-14		34672-S(M55)
8 CYLINDER						
60	S	8	352	L. H.	1	B8S 9431-A
60	S	8	430	R. H. -service pkg. includes (1) C1VE 9A705-A cover, (1) C1VE 9903-A gasket, (1) 20346-S or 20346-S8 or 358719-S8 bolt	1	B8LY 9430-A
60	S	8	430	L. H. -service pkg. includes (2) 375918-S nuts and (2) 375919-S100 studs	1	C6VY 9431-B
60/62	A	8	292	R. H. -service pkg. includes(2)375679-S2 studs and (2) 375636-S100 nuts to attach muffler inlet pipe	1	C2AZ 9430-A
60/62	A	8	292	L. H. -service pkg. includes(2)375678-S2 studs and (2) 375636-S100 nuts to attach muffler inlet pipe	1	C2AZ 9431-A
62	B	8	221,260	R. H.	1	C2OZ 9430-C
62	B	8	260	L. H.	1	C2OZ 9431-B
64	B, X	8	260	R. H.	1	C3AZ 9430-H
64	A, B(with 2/B carb.)	8	289		1	
63	A, B	8	221,260		1	
63	A(with 2/B carb.)	8	289		1	
63	X	8	260		1	
63/64	X	8	260	L. H.	1	C3DZ 9431-A
63/64	A, B	8	221,260	L. H.	1	C3AZ 9431-H
63/64	A, B (with 2/B carb.)	8	289		1	
63/64	B Special (with 4/B carb.)	8	289	R. H.	1	C3OZ 9430-C
63/	B Special (with 4/B carb.)	8	289	L. H.	1	C3OZ 9431-B
63	A	8	352,390	R. H.	1	C3AZ 9430-A
63	S(with 4/B carb.) "Before 12/1/62"	8	390		1	
63/64	A(except P/C) "From 12/1/62"	8	352,390	R. H.	1	C5SZ 9430-A
63/64	S(with 4/B carb)"From 12/1/62"	8	390		1	
64	P/C "From 5/14/64"	8	390		1	
62/64	P/C "Before 5/14/64"	8	390	R. H. -service pkg. includes (2) 375678-S2 studs,	1	C3AZ 9430-E
60/63	A Special (with 4/B or 6/B carb.)- "Before 11/22/62"	8	352,390 406	(2) 375636-S100 nuts	1	
62/64	P/C "Before 5/14/64"	8	390	L. H. -service pkg. includes (2) 375680-S2 studs,	1	C3AZ 9431-E
60/63	A Special (with 4/B or 6/B carb.)- "Before 11/22/62"	8	352,390 406	(2) 375636-S100 nuts	1	

FORD CAR PARTS

SECTION 94

465

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
9430-1 MANIFOLD - EXHAUST - continued						
8 CYLINDER						
63/64	A Special (with 4/B, 6/B or 8/B carb.) "From 11/22/62"	8	406,427	R. H.	1	C3AZ 9430-C
				L. H.	1	C3AZ 9431-F
63/	A (except P/C)	8	352,390	L. H.	1	C3AZ 9431-D
63/	S (with 4/B carb.)	8	390		1	
64/	P/C "From 5/14/64"	8	390		1	
62/63	S Special (with 6/B carb.)	8	390	R. H. - service pkg. includes (2) 375680-S2 studs,	1	C3SZ 9430-A
60/62	A, S	8	352,390	(2) 375636-S100 nuts	1	
63	S Special (with 6/B carb.) -	8	390	L. H. - service pkg. includes (2) 375678-S2 studs,	1	C3SZ 9431-A
60/62	A, S	8	352,390	(2) 375636-S100 nuts	1	
62/	All High Performance vehicles	8	390,406 427	R. H.	1	C8OZ 9430-C
62/	All High Performance vehicles	8	390,406 427	L. H.	1	C8OZ 9431-B
60/	A, S	8	352,390	Bolt (exhaust manifold to cylinder head)-	16	20408-S7(B81)
60/62	A	8	292	3/8"-16 x 1 1/8" hex. head	14	
60/	A	8	All	Washer (exhaust manifold to cyl. head)-3/8" flat	14	351385-S7(KX158)
60/	A, B, S	8	All	Washer (exhaust manifold R. H. & L. H. to cyl. head)-3/8" lock tab	15	370383-S(KX345)
60/61	A, S	8	352	Stud (exhaust thermostat control valve & muffler inlet tube to exhaust manifold-R. H.)-7/16"-14-14 x 3.00"	2	376183-S7-8 (WW50B)
60/64	A, S	8	352	Stud (muffler inlet pipe to exhaust manifold-L. H.)-7/16"-14-14 x 1.62"	2	376181-S7-8 (WW35A)
60	S	8	430	Stud (exhaust manifold to cylinder head)-3/8"-16-16 x 1.62"	8	376283-S2(WW13)
60	S	8	430	Bolt (exhaust manifold to cylinder head)-3/8"-16 x 1 1/4"	8	20428-S8(B82)
62	B	8	221,260		8	
60	S	8	430	Stud (muffler inlet pipe to exhaust manifold)-7/16"-14-14 x 1 13/16"	4	372542-S(WW81)
62	B	8	221	Bolt (exhaust manifold to cyl. hd.)-3/8"-16 x 2"	8	20522-S8(B89)
9A430 SHAFT & COUNTERWEIGHT ASSY. - EXHAUST THERMOSTAT CONTROL VALVE						
60/64	A	6	223		1	C3AZ 9A430-A
9433 GASKET SET - MANIFOLD - Also Refer to Groups 9A424-5, 9439-41						
8 CYLINDER						
60/62	A	8	292	Gasket set (intake manifold)	1	B7AZ 9433-A
Consists of the following						
1-B7A 9439-B Gasket (intake manifold to cyl. head)-R. H. 1-B7A 9441-B Gasket (intake manifold to cyl. head)-L. H.						
62/64	B	8	221,260		1	C3AZ 9433-D
63/64	A, X	8	260		1	
63/	A, B	8	289		1	
Consists of the following						
1-C2OZ 9A424-C Seal 1-C2OZ 9A425-C Seal 2-C3AZ 9441-C Gasket						
60/	A, S (except A, S Special with 4/B or 6/B carb.)	8	352,390		1	C3AZ 9433-G
60/63	A, S Special (4/B or 6/B carb.) - (except Special duty performance)	8	352,390		1	
63/	A Special (with 4/B or 8/B carb.)					
Consists of the following						
1-C8AZ 9A424-A Seal 1-C8AZ 9A425-A Seal 2-C8AZ 9441-A Gasket						
9A435 SPACER - EXHAUST MANIFOLD TO MUFFLER INLET PIPE						
60/63	A Special (with 4/B carb.) (special duty performance only)	8	352,390 406		1	COAE 9A435-B
62	P/C	8	390		1	
63	A Special (with 4/B or 8/B carb.)	8	427		1	
64	P/C "Before 5/14/64"	8	390		1	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
9439-41 GASKET - INTAKE MANIFOLD TO CYLINDER HEAD - Also refer to Group 9433						
60/62	A	8	292	R. H. L. H.	1 1	B7A 9439-B B7A 9441-B
60	S	8	430		2	C1VE 9441-D
60/61/63	A, S A, S (Special w/4/B or 6/B carb.) -except special duty performance	8 8	352,390 390,406		2 2	C2AZ 9441-A
63/	A Special (with 4/B or 8/B carb.)	8	427		2	
63/60/61/63	A Special (with 4/B or 8/B carb.) A Special (with 4/B carb.) A Special (with 4/B or 6/B carb.) - special duty performance only	8 8 8	427 352 390,406	Heat blocked	2 2 2	C3AZ 9441-B
62/63/	A, B, X A, B	8 8	221,260 289		2 2	C3AZ 9441-C
9443 CLAMP - INTAKE and EXHAUST MANIFOLD TO CYLINDER BLOCK						
60/64	A	6	223		10	EAA 9443-A
9446 CLAMP - INTAKE MANIFOLD TO CYLINDER HEAD - Also refer to Group 9A447						
60/62	A	8	292	1.83" long	4	B5A 9446-A
60	S	8	430	2.84" long	6	*B8E 9446-A
9447 GASKET - CARBURETOR - Also refer to Groups 9448 & 9A589						
60/62/60/64/63/62/64/64	A A A X Special A(except Taxicab) A(Taxicab)	6 6 6 6 6 6	223 223 223 170 223 223	Carburetor to intake manifold-1.65" I. D. Use with governor Carburetor to intake manifold Carburetor to intake manifold Use with Holley carburetor	1 3 2 1 2 1	⊕ B6A 9447-B (CG-60)
60	S	8	430	Carburetor to intake manifold	2	B9SE 9447-A (CG-66)
60/64	A	6	223	Carburetor to governor	1	B9AZ 9447-A
62/63/64/	A, S, P/C S	8 8	390 390	Spacer to intake manifold Spacer to intake manifold	1 1	C2AZ 9447-G (CG-189)
62/63/60/61/62/62	A A(with 2/B carb.) - "Before 11/3/60" S Special (with 6/B carb.) S Special (with 6/B carb.)	8 8 8 8	352 292,352 390 390	Carburetor to spacer Use with B9AZ 9A589-B spacer Carburetor spacer Spacer to intake manifold	1 2 1 1	C2AZ 9447-F
60/61/62/64/63/64/	X B, X X Special B X	6 6 6 6 6	144,170 144,170 170 200 200	Carburetor to spacer Spacer to intake manifold Spacer to intake manifold Spacer to intake manifold Spacer to intake manifold	2 1 1 1 1	C1TZ 9447-A (CG-116)
61/63	A Special (6/B carb.)	8	390,406	Carburetor to intake manifold	3	C1AE 9447-C (CG-69)
62/63	A	8	352	Spacer to intake manifold	1	C2AZ 9447-C (CG-119)
61/63/64/63/64/64/60	A, S, P/C B Special (with 4/B carb.) B Special (with 4/B carb.) A (with 4/B carb.) (exc. Holley carb.) A, S (with 4/B carb.)	8 8 8 8 8	390 289 289 352 352	Carburetor to spacer Carburetor to spacer Spacer to intake manifold Carburetor to spacer Carburetor to intake manifold	1 1 1 1 2	C5AZ 9447-A (CG-188)
62	B, X	6	144,170	Carburetor to spacer	1	C2DZ 9447-A

FORD CAR PARTS

SECTION 94

467

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
9447 GASKET - CARBURETOR - continued - Also refer to Groups 9448 & 9A589						
62/64	B	8	221,260	Carburetor to intake manifold spacer	1	C20Z 9447-C (CG-123)
62/64	B	8	221,260	Spacer to intake manifold	1	
63/64	A, X	8	260	Carburetor to intake manifold spacer	1	
63/64	A, X	8	260	Spacer to intake manifold	1	
63/64	B, X	6	144,170	Carburetor to intake manifold spacer	1	C3DZ 9447-A
63/	B (except Imco)	6	200	Carburetor to intake manifold spacer	1	
64/	X (except Imco)	6	200	Carburetor to intake manifold spacer	1	
63/64	A, B (with 2/B carb.)	8	289	Carburetor to intake manifold spacer	1	C3AZ 9447-B (CG-145)
63/64	A, B (with 2/B carb.)	8	289	Spacer to intake manifold	1	
64	A (with 4/B carb.)(Holley carb.)	8	352	Carburetor to spacer	1	C4AZ 9447-B
64	A (with 4/B carb.)	8	352,390	Spacer to intake manifold	1	
61/64	A Special (with 4/B carb.)	8	390,406,427	Carburetor to intake manifold	2	C3AZ 9447-C (CG-200)
63/	A Special (with 8/B carb.)	8	427	Carburetor to intake manifold	2	
64	A (with Holley carb.)	8	352	Carburetor to spacer	1	
64	A (with Holley carb.)	8	352	Spacer to intake manifold	1	
9A447 TAB - EXHAUST MANIFOLD MOUNTING BOLT LOCKING - Also refer to Group 9446						
62/64	B	8	221,260		8	C20Z 9A447-A
63/64	A, B (with 2/B carb.)	8	260,289		8	
63/64	X	8	260		8	
63/	A Special (with 4/B, 6/B or 8/B carb.)	8	406,427	.065" / .055" thick - 3.56" center to center (2) "From 11/22/62" 13/32" holes	8	C3AZ 9A447-A
63/	B Special (with 4/B carb.)	8	289		8	C30Z 9A447-A
9448 GASKET - EXHAUST MANIFOLD - Also Refer to Group 9447						
60	S	8	430	R. H.	1	C0SZ 9448-A
				L. H.	1	C0SZ 9448-B
61/	S	8	390	Heat shield-R. H.	1	C1SZ 9448-A
61/	S	8	390	Heat shield-L. H.	1	C1SZ 9448-B
9449 SPRING ASSY. - EXHAUST THERMOSTAT CONTROL VALVE - Also refer to group 9467						
60/64	A	6	223		1	EAA 9449-A
60/	A, S, A Special (with 4/B, 6/B or 8/B carb.)	8	All	.250" O. D. x .722" long - 11 1/2 coils - used in B9AE 9A427-A, C0AE 9A427-B, C and C3AZ 9A427-A valves	1	B5A 9449-A
60/	A Special (with 4/B, 6/B or 8/B carb.)	8	352,390, 406,427		1	C0AE 9449-A
61	P/C	8	390		1	
9450 GASKET - EXHAUST MANIFOLD TO MUFFLER INLET PIPE - Also refer to Group 5C226						
60	S	8	430	Exhaust manifold to resonator inlet pipe	2	B8S 9450-A
60/	A Special (with 4/B, 6/B or 8/B carburetor)	8	352,390, 406,427	Exhaust manifold to exhaust pipe - 2.60" I. D. - 2 bolt holes - .45" dia. - 3.50" center to center	3	C0AA 9450-A
60/64	Police Car - "Before 5/14/64"	8	352,390		3	
60/62	X	6	144,170	Exhaust manifold to muffler inlet pipe	1	C1DZ 9450-A
62	B	6	170		1	
61	S	8	390	Exhaust manifold to exhaust pipe	3	C1SZ 9450-A
62	S	8	390	Exhaust manifold to resonator inlet pipe	2	
63	S Special (with 6/B carb.)	8	390	Exhaust manifold to resonator inlet pipe	3	
60/63	A	6	223	Exhaust manifold to muffler inlet pipe	1	
60/61	A	8	All		3	
60	S	8	All	Muffler inlet pipe to engine assy.	3	
62	A, B	8	All		2	
63	B	8	All		1	

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER	
9450 GASKET - EXHAUST MANIFOLD TO MUFFLER INLET PIPE - continued - Also refer to Group 5C228							
63/	B, X	6	144,170 200	1.79" I.D. -2.26" O.D. -.58" thick	1	C6DZ 9450-A	
63/64	A	6	223	Exhaust manifold to exhaust pipe-	1	C6AZ 9450-D	
63/64	S (with 4/B carb.)	8	390	2.03" I.D. -2.50" O.D. -.58" thick	2		
63/64	B, X	8	221,26Q 289		2		
63/64	A (except P/C)	8	26Q,289 352,390		2		
64	P/C "From 5/14/64"	8	390		2		
9A450 PLUG - INTAKE MANIFOLD							
61/63	A	6	223	Used to plug rear intake manifold vacuum hole when electric w/s wipers are installed - 1/4"-18-1.50" long-identified by letter "R"	1	C1AE 9A450-A	
61/64	A	6	223	Used to plug front intake manifold vacuum hole when electric w/s wipers are installed- 1/4"-18-1.25" long-identified by letter "F"	1	C1AE 9A450-B	
9A455 FITTING - INTAKE MANIFOLD CARBURETOR SPACER CONNECTION - Also refer to Groups 8A500, 18599							
62/	A(except Special with 4/B or 6/B carb.)	8	352,390	1/2"-14 thread	1	C2AZ 9A455-A	
63	A	8	260		1		
62	S(with 4/B carb.) "Before 4/12/62"	8	390	When heater is not installed	1		
64/	S(except A/C)	8	390		1		
62/63	S (with A/C or heater)	8	390		1	C2SZ 9A455-A	
64/	S(with A/C)	8	390		1		
9A456 SHIELD - EXHAUST MANIFOLD AUTOMATIC CHOKE SPLASH - Also refer to Group 9A705							
62/64	B	8	221,260		1	C2OZ 9A456-B	
63	X Sprint Special	8	260	Attach to R. H. exhaust manifold over choke stove air inlet	1		
9460 VALVE - EXHAUST THERMOSTAT CONTROL - Also refer to Group 9A427							
60/64	A	6	223	Service pkg. includes (2) 376227-S washers	1	C3AZ 9460-A	
60/64	A	6	223	Washer (spacer-valve to exhaust manifold)- flat-.328" I.D. x .62" O.D.	2	356184-S (XX113)	
9461 GASKET - INTAKE MANIFOLD TO CYLINDER BLOCK							
60/64	A	6	223	1.64" I.D. -2.12" O.D.	4	B6A 9461-A	
9462 BUSHING - EXHAUST THERMOSTAT CONTROL VALVE							
80/64	A	6	223	.285" long-.39" O.D.	2	C3AZ 9462-A	
9467 SPRING - EXHAUST THERMOSTAT CONTROL VALVE COIL - Also refer to Group 9449							
60/64	A	6	223		1	B4A 9467-A	
60/61	A, S	8	All	Spring (exhaust control valve)	1	C1AZ 9467-A	
62	A	8	292		1		
YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	• FUEL PUMP CATALOG SYMBOL	QTY.	PART NUMBER
9468 RETAINER - FUEL PUMP OIL SEAL - Also refer to Group 9A392							
60/64	A, B, S, X	6&8	All	Fuel pump-1" O.D.	59,60,62,63,65, 68,72,76,77,80	1	B7A 9468-A
60/62	A, S, X	6&8	All	Vacuum pump	56,58,61,64,66, 67,70, 113, 114, 115, 120	2	
9471 SLEEVE - INTAKE MANIFOLD TO CYLINDER BLOCK							
80/64	A	6	223	Split-1.62" O.D. -.30" long		4	B6A 9471-A

• Refer to Group 9350 for complete Fuel Pump Identification