

## CARBURETOR KIT PARTS LISTS

Instructions for identifying Carburetor Assemblies and their related Parts List Numbers are shown at the beginning of Section 95.

For ready reference, kit part numbers are shown at the beginning of each parts list in Section 95.1 and up.

Included in Section 95A is a listing of components for each kit.

Always refer to the following Index for page numbers on which components are listed.

## INDEX

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
<b>GASKET SETS - GROUP NO. 9502</b>				<b>REPAIR KITS - GROUP NO. 9590</b>			
B7AZ 9502-D	585	C0SZ 9502-A	586	B2AZ 9590-D	588	C2AZ 9590-B	590
B7AZ 9502-E	585	C0SZ 9502-B	586	B8AZ 9590-H	588	C2AZ 9590-D	590
B7AZ 9502-G	585	C2DZ 9502-B	586	B9AZ 9590-B	588	C2AZ 9590-E	590
B8A 9502-C	585	C2OZ 9502-C	586	B9AZ 9590-E	588	C2DZ 9590-C	590
B8AZ 9502-B	585	C3AZ 9502-A	586	B9AZ 9590-G	588	C2DZ 9590-D	590
B8AZ 9502-C	585	C3AZ 9502-F	586	C0AZ 9590-L	588	C2DZ 9590-E	590
C0AZ 9502-C	585	C3AZ 9502-J	586	C0AZ 9590-M	588	C2DZ 9590-F	590
C0DZ 9502-B	585	C8AZ 9502-A	586	C0SZ 9590-A	589	C2OZ 9590-B	590
		C8OZ 9502-G	586	C1AZ 9590-A	589	C3AZ 9590-C	590
				C1AZ 9590-H	589		
<b>THROTTLE BODY ASSY. KIT - GROUP NO. 9518</b>				C1AZ 9590-J	589	C3AZ 9590-E	591
B2AZ 9518-A	586	C2AZ 9518-D	587	C1AZ 9590-K	589	C3AZ 9590-L	591
B9TZ 9518-D	587			C1DZ 9590-A	589	C4DZ 9590-A	591
				C1DZ 9590-B	589	C6AZ 9590-A	591
<b>CHOKE SHAFT &amp; RELATED PARTS KIT - GROUP NO. 9546</b>				C1DZ 9590-C	589	C7OZ 9590-B	591
C0DZ 9546-A	587	C1DZ 9546-A	587	C1DZ 9590-D	589	C8OZ 9590-B	591
				C1DZ 9590-F	589		
<b>TUNE-UP KITS - GROUP NO. 9A586</b>							
B9AZ 9A586-D	587	C2AZ 9A586-C	587	<b>THERMOSTATIC CHOKE INSTALLATION KIT -</b>			
C0AZ 9A586-E	587	C2DZ 9A586-C	587	<b>GROUP NO. 9850</b>			
C0DZ 9A586-A	587	C2SZ 9A586-C	587	C2AZ 9850-D	591		
C0DZ 9A586-B	587	C3AZ 9A586-F	587				
C0SZ 9A586-A	587	C8OZ 9A586-A	588				
C0SZ 9A586-B	587	C8OZ 9A586-C	588				
C1UZ 9A586-C	587						

**CARBURETOR KIT PARTS LISTS - continued**

B7AZ 9502-D	Consists of the following	B8A 9502-C	Consists of the following
1-C2AZ	9229-A Gasket (inlet fitting)	1-B6A	9447-B Gasket (flange)
1-C2AZ	9447-E Gasket (flange)	1-B8A	9516-C Gasket (throttle body)
1-B7AZ	9B501-A Seal (fast idle rod)	1-B2AZ	9561-A Gasket (float bowl retainer)
2-B7AZ	9A536-A Gasket (venturi support)	1-C2AZ	9561-C Gasket (float bowl)
2-B8AZ	9A536-A Gasket (venturi support)	1-EAA	9569-A Gasket (fuel inlet seat)
1-B7A	9561-B Gasket (fuel bowl)	1-EAA	9580-A Gasket (pump discharge nozzle)
1-C2SZ	9561-A Gasket (fuel bowl)	1-B2AZ	9A588-A Gasket (economizer)
1-B7A	9563-A Gasket (economizer cover)	1-C0AE	9A588-A Gasket (spark valve)
2-B7A	9569-A Gasket (fuel inlet needle seat)	1-B2A	9827-A Gasket (inlet fitting)
1-C2AZ	9A588-B Gasket (economizer body)	1-B2AZ	9945-A Gasket (inlet screw)
1-B7A	9853-B Gasket (thermo.choke control)		
1-B8A	9853-B Gasket (thermo.choke control)		
1-C1AE	9871-A Gasket (thermo.choke housing)		
4-74271-S7	Retainer (spring)		
1-374370-S	Flat washer		
1-374818-S	Flat washer		
B7AZ 9502-E	Consists of the following	B8AZ 9502-B	Consists of the following
1-C2AZ	9229-A Gasket (inlet fitting)	1-B6A	9447-B Gasket (flange)
1-C2OZ	9447-C Gasket (flange)	1-B8A	9516-C Gasket (throttle body)
1-B7AZ	9B501-A Seal (fast idle rod)	1-B2AZ	9561-A Gasket (float bowl ret.)
1-B7AZ	9A536-A Gasket (carb.venturi support)	1-C2AZ	9561-C Gasket (float bowl)
1-B8AZ	9A536-A Gasket (carb.venturi support)	1-EAA	9569-A Gasket (fuel inlet seat)
1-B7A	9561-A Gasket (fuel bowl)	2-EAA	9580-A Gasket (pump discharge nozzle)
1-C5PF	9561-A Gasket (fuel bowl)	1-B2AZ	9A588-A Gasket (economizer)
1-C5TZ	9561-A Gasket (fuel bowl)	1-C2AZ	9A588-B Gasket (spark valve)
1-B7A	9563-A Gasket (economizer cover)	1-B2A	9827-A Gasket (inlet fitting)
1-B7A	9569-A Gasket (fuel inlet needle seat)	1-B2AZ	9945-A Gasket (inlet screw)
1-C2AZ	9A588-B Gasket (economizer body)		
1-B7A	9853-B Gasket (thermo.choke control)		
1-B8A	9853-A Gasket (thermo.choke control)		
1-C1AE	9871-A Gasket (thermo.choke housing)		
4-74271-S7	Retainer (spring)		
1-374370-S	Flat washer		
1-374818-S	Flat washer		
B7AZ 9502-G	Consists of the following	B8AZ 9502-C	Consists of the following
1-C2AZ	9229-A Gasket (fuel inlet adaptor)	1-C2AZ	9229-A Gasket (fuel inlet fitting)
2-B5A	9229-A "O" ring (inlet tube seal)	1-C2OZ	9447-C Gasket (mounting flange)
1-C2AZ	9447-E Gasket (Intake manifold)	1-C2TZ	9516-A Gasket (throttle body)
1-B7A	9516-A Gasket (throttle body)	1-EDB	9516-A Gasket (throttle body)
1-B7A	9516-B Gasket (throttle body)	1-EDC	9516-A Gasket (throttle body)
1-B8S	9516-A Gasket (throttle body)	1-B9TE	9A522-A Gasket (fuel valve adj. screw)
1-C3AZ	9516-A Gasket (throttle body)	1-B9TE	9A523-B Gasket (fuel valve adj. screw)
2-C2AZ	9A518-B Gasket (main metering body)	1-B8A	9561-A Gasket (float bowl)
1-B8S	9519-B Gasket (main metering)	2-B7AE	9580-A Gasket (pump discharge)
2-B9TE	9A522-A Gasket (adjusting screw)	4-B7A	9592-A Gasket (float bowl screw)
2-B9TE	9A522-B Gasket (adjusting screw)	1-40	9608 Gasket (float bowl sight plug)
2-B8A	9561-C Gasket (float bowl)	1-B7A	9622-A Seal (choke rod)
1-B8A	9561-D Gasket (float bowl)	2-B7A	9634-A Seal (idle adj.needle)
2-B7AE	9580-A Gasket (discharge jet)	1-B2A	9829-A Gasket (fuel inlet seat)
2-C2AZ	9A588-A Gasket (economizer body)	2-B7A	9853-B Gasket (choke hsg.to main body)
8-B7A	9592-A Gasket (float bowl screw)	1-B7A	9872-B Gasket (choke thermostat hsg.)
2-40	9608 Gasket (main well)	1-B7A	9909-B Gasket (economizer valve)
2-B5A	9609-A "O" ring (fuel tube)		
2-B7A	9634-A Seal (needle adj.)		
2-B2A	9829-A Gasket (inlet seat screw)		
3-B7A	9853-B Gasket (choke control)		
1-B7A	9871-B Gasket (choke housing)		
C0AZ 9502-C	Consists of the following	C0DZ 9502-B	Consists of the following
1-B6A	9447-B Gasket (mounting) (56-62 Pass. only)	1-C1TZ	9447-A Gasket (flange)
1-B8A	9516-C Gasket (throttle body)	1-C2UZ	9447-A Gasket (flange)
1-B2AZ	9561-A Gasket (float bowl retainer)	1-CODE	9516-B Gasket (throttle body)
1-C2AZ	9561-C Gasket (float bowl)	1-B8A	9561-D Gasket (bowl retainer)
1-EAA	9569-A Gasket (fuel inlet seat)	1-EAA	9569-A Gasket (fuel inlet)
2-EAA	9580-A Gasket (pump discharge nozzle)	1-EAA	9580-A Gasket (discharge nozzle)
1-B2AZ	9A588-A Gasket (economizer)	1-B2AZ	9A588-A Gasket (economizer)
1-B2A	9827-A Gasket (inlet fitting)	1-C2AZ	9A588-B Gasket (economizer)
1-B2AZ	9945-A Gasket (inlet screw)	1-B2A	9827-A Gasket (inlet fitting)
		1-B2A	9829-A Gasket (inlet screw)

## CARBURETOR KIT PARTS LISTS - continued

C0SZ 9502-A	Consists of the following		C3AZ 9502-F	Consists of the following	
1-B7A	9229-A	Gasket (inlet fitting)	1-C3DZ	9447-A	Gasket (flange)-except 262 engine
1-B9SE	9447-A	Gasket (flange)	1-C1TZ	9447-A	Gasket (flange)-262 engine only
2-B7A	9517-B	Gasket (venturi primary)	1-C3AZ	9561-B	Gasket (float bowl)
1-B9ME	9A529-A	Gasket (body cover)	1-C3AZ	9569-B	Gasket (inlet valve)
2-B9ME	9A536-A	Gasket (venturi secondary)	1-C2AZ	9A588-B	Gasket (economizer body)
1-C0LE	9B567-A	Gasket (hot idle compensator) (1960 only)	1-B8A	9853-A	Gasket (thermostat control)
2-B7A	9569-B	Gasket (needle valve)	1-C1AE	9871-A	Gasket (thermostat housing)
1-B9ME	9580-A	Gasket (discharge jet)	C3AZ 9502-J	Consists of the following	
1-B7A	9853-C	Gasket (thermostat control)	1-C3DZ	9447-A	Gasket (mounting flange)
1-B8A	9871-B	Gasket (thermostat housing)	1-C1TZ	9447-A	Gasket (mounting flange)
C0SZ 9502-B	Consists of the following		1-C3AZ	9561-B	Gasket (fuel bowl)
1-B9SE	9447-A	Gasket (flange)	1-C3AZ	9569-B	Gasket (fuel inlet seat)
2-B7A	9517-B	Gasket (booster venturi support)	1-C2AZ	9A588-B	Gasket (spark valve)
1-B9ME	9A529-A	Gasket (main body cover plate)	1-C5AZ	9853-A	Gasket (choke hsg. to main body)
2-B9ME	9A536-A	Gasket (secondary venturi)	1-B8A	9853-A	Gasket (choke hsg. to main body)
1-C0LE	9B567-A	Gasket (hot idle compensator)	1-C1AE	9871-A	Gasket (thermostat hsg. )
2-B7A	9569-B	Gasket (fuel inlet seat)	1-C5AZ	9871-A	Gasket (thermostat hsg. )
1-B9ME	9580-A	Gasket (pump discharge nozzle)	C8AZ 9502-A	Consists of the following	
1-B7A	9853-C	Gasket (choke hsg. to air horn)	1-C1TZ	9447-A	Gasket (mounting flange)
1-B8A	9871-B	Gasket (choke piston hsg. )	1-C3DZ	9447-A	Gasket (mounting flange)
1-ECU	99722-A	Gasket (fuel inlet)	1-C3AZ	9561-C	Gasket (fuel bowl)
C2DZ 9502-B	Consists of the following		1-C3AZ	9569-B	Gasket (fuel inlet)
1-C2DZ	9447-A	Gasket (flange)	1-C2AZ	9A588-B	Gasket (spark valve)
1-C2DZ	9561-A	Gasket (fuel bowl)	1-B8A	9853-A	Gasket (thermostat control)
1-C2AZ	9A588-B	Gasket (spark valve)	1-C5AZ	9853-A	Gasket (thermostat control)
1-C2GE	9871-A	Gasket (choke piston hsg. )	1-C1AZ	9871-A	Gasket (thermostat housing)
1-C2GE	9B886-A	Gasket (choke cup)	1-C5AZ	9871-A	Gasket (thermostat housing)
C2OZ 9502-C	Consists of the following		C8OZ 9502-G	Consists of the following	
1-C2AZ	9229-A	Gasket (fuel inlet)	3-C6AZ	9229-A	Gasket (fuel inlet adaptor)
**1-C2AZ	9447-D	Gasket (flange) (except 221, 260 cu. in. engines)	1-C8AZ	9447-B	Gasket (intake manifold)
1-C2OZ	9447-C	Gasket (flange) 221, 260 cu. in. engines only)	2-C8OZ	9J500-A	Limitter (idle adjusting needle)
1-B7AZ	9B501-A	Seal (fast idle rod)	1-C3AZ	9516-A	Gasket (throttle body)
1-B8AZ	9A536-A	Gasket (venturi)	2-C1TZ	9A518-A	Gasket (main metering body)
1-C2OZ	9561-A	Gasket (float bowl) (old style air horn)	2-B9TE	9A522-A	Gasket (fuel valve adj. screw)
1-C2OZ	9561-B	Gasket (float bowl) (new style air horn)	2-B9TE	9A522-B	Gasket (fuel valve adj. nut)
1-B7A	9563-A	Gasket (economizer cover)	1-C4TZ	9557-A	Valve (float bowl vent)
1-B7A	9569-A	Gasket (inlet valve)	2-B8A	9561-A	Gasket (float bowl)
1-C2AZ	9A588-B	Gasket (economizer)	2-EAA	9569-A	Gasket (fuel inlet seat)
#1-B8A	9853-A	Gasket (thermostat control)	2-B7AE	9580-A	Gasket (pump discharge nozzle)
#1-C1AE	9871-A	Gasket (thermostat housing)	8-B7A	9592-A	Gasket (float bowl screw)
2-374370-S		Gasket (support screw)	3-B7A	9853-B	Gasket (choke thermo. control)
1-374818-S		Gasket (accel. valve retainer)	2-B6A	9609-A	Gasket (fuel inlet "o" ring)
C3AZ 9502-A	Consists of the following		2-B7A	9634-A	Seal (idle adjusting needle)
1-C3DZ	9447-A	Gasket (flange) (exc. 262 eng. )	1-C8OZ	9871-A	Gasket (thermo. choke housing)
1-C1TZ	9447-A	Gasket (flange) (for 262 cu. in. engine only)	1-B7A	9909-A	Gasket (econ. body)
1-C3AZ	9561-B	Gasket (float bowl)	B2AZ 9518-A	Consists of the following	
1-C3AZ	9569-B	Gasket (inlet needle)	1-B6A	9447-B	Gasket
1-C2AZ	9A588-B	Gasket (economizer body)	1-B8A	9516-C	Gasket
1-B8A	9853-A	Gasket (thermostat control)	1-B2AE	9518-A	Body & shaft assy.
1-C1AE	9871-A	Gasket (choke housing)	1-78	9541-B	Needle (idle adjusting)
			1-40	9578	Spring
			1-1CM	9681-A	Ball
			1-34079-S7		Nut
			1-34803-S7		Washer
			2-371280-S7-8		Screw

\*\* Not used with 1961 spacer C1AE 9A589-A

# Discard when used on C3TZ 9510-U carburetor

**CARBURETOR KIT PARTS LISTS - continued**

<b>B9TZ 9518-D</b>	Consists of the following	
1-B6A	9447-B	Gasket
1-B8A	9516-C	Gasket
1-B9T	9518-D	Body & shaft assy.
1-B7A	9541-D	Needle (idle adjust.)
1-40	9578	Spring
1-1CM	9681-A	Ball
1-34079-S7		Nut
1-34803-S7		Washer
2-371280-S7-8		Screw

<b>C2AZ 9518-D</b>	Consists of the following	
1-B6A	9447-B	Gasket
1-B8A	9516-C	Gasket
1-C2AZ	9518-A	Body & shaft assy.
1-B7A	9541-D	Needle (idle adjusting)
1-40	9578	Spring
2-350276-S7		Screw assy.

<b>C0DZ 9546-A</b>	Consists of the following	
1-C0DE	9B527-A	Retainer
1-C0DE	9546-B	Shaft assy.
1-C0DE	9549-A	Plate assy. (choke)
1-B5A	9551-A	Pin (distribution)
2-40	9586	Screw (choke plate)
1-EAA	9791-A	Bracket assy.
1-31032-S8		Screw (swivel)
1-43249-S8		Screw assy. (choke bracket)

<b>C1DZ 9546-A</b>	Consists of the following	
1-C1DZ	9C513-A	Spring (choke lever)
1-C1DZ	9D542-A	Lever assy. (choke)
1-C1KE	9547-A	Shaft (choke)
1-C1DE	9B547-A	Link & lever assy.
1-C1KE	9549-A	Plate assy. (choke)
1-C1DE	9551-A	Lever
1-8BA	9792	Clamp
1-EAA	9796-A	Bracket
1-31032-S8		Screw assy. (choke bracket)
1-31061-S7-8		Screw (choke clamp)
1-34126-S7-8		Nut (choke clamp screw)
1-42790-S7-8		Screw (pick-up)
1-43249-S8		Screw assy. (choke bracket)
2-355032-S7		Screw assy. (choke plate)
1-359528-S7		Retainer (choke link)

<b>B9AZ 9A586-D</b>	Consists of the following	
1-B7AZ	9502-G	Gasket set
1-C0AE	9B559-D	Diaphragm (accel.pump)
2-C6AZ	9564-A	Valve & seat (inlet)
1-C0AZ	9A565-B	Economizer assy.

<b>C0AZ 9A586-E</b>	Consists of the following	
1-B7AZ	9502-E	Gasket set
1-C4AZ	9B559-A	Diaphragm assy.
1-C4PF	9G562-A	Pin (accel. pump plunger)
1-C2AZ	9564-D	Kit (fuel inlet valve)
1-C3AZ	9A565-D	Economizer assy.
1-C4AZ	9576-A	Valve (pump check)
1-B7AZ	9599-B	Retainer (float lever)
1-375894-S7		Clip (rod to overtravel lever)

<b>C0DZ 9A586-A</b>	Consists of the following	
1-C0DZ	9502-A	Gasket set
1-C0AE	9B544-B	Piston assy. (accel. pump)
1-C0DE	9564-B	Valve & seat assy.
1-B2AZ	9A565-A	Valve (economizer)

<b>C0DZ 9A586-B</b>	Consists of the following	
1-C0DZ	9502-B	Gasket set
1-C0AE	9B544-B	Piston assy. (accel. pump)
1-C0DE	9564-B	Valve & seat (fuel inlet)
1-B2AZ	9A565-A	Economizer assy.

<b>C0SZ 9A586-A</b>	Consists of the following	
1-C0SZ	9502-A	Gasket set
1-B7AZ	9B544-A	Plunger (pump)
2-B8A	9564-B	Needle & seat assy.

<b>C0SZ 9A586-B</b>	Consists of the following	
1-C0SZ	9502-B	Gasket set
#2-C3PF	9564-G	Valve & seat assy.
#2-C3PF	9564-K	Valve & seat assy.
#2-ECZ	9564-B	Valve & seat assy.
%1-C5PF	9B544-A	Piston (accel. pump)
%1-B7A	9631-C	Piston (accel. pump)

<b>C1UZ 9A586-C</b>	Consists of the following	
1-C0DZ	9502-B	Gasket set
1-C1KE	9B544-A	Piston assy. (accel. pump)
1-C2AZ	9564-C	Valve & seat (fuel inlet)
1-B2AZ	9A565-A	Economizer assy.

<b>C2AZ 9A586-C</b>	Consists of the following	
1-B8AZ	9502-B	Gasket set
1-C0AE	9B544-B	Piston assy. (accel. pump)
1-C2AZ	9564-C	Valve & seat (fuel inlet)
1-B2AZ	9A565-A	Economizer assy.

<b>C2DZ 9A586-C</b>	Consists of the following	
1-C2DZ	9502-B	Gasket set
1-C2DZ	9564-A	Valve & seat (fuel inlet)
1-C2DZ	9572-A	Cup (accel. pump piston)
1-C2DZ	9572-B	Cup (accel. pump piston)
1-C2DZ	9594-A	Power jet

<b>C2SZ 9A586-C</b>	Consists of the following	
1-B7AZ	9502-D	Gasket set
1-B8AZ	9503-C	Diaphragm (secondary throttle)
1-C4AZ	9B559-A	Diaphragm assy.
1-C4PF	9G562-A	Pin (accel. pump plunger)
2-C2AZ	9564-D	Kit (inlet fuel valve)
1-C3AZ	9A565-D	Economizer assy.
1-C4AZ	9576-A	Valve (pump check)
2-B7AZ	9599-B	Retainer (float lever)
1-375894-S7		Clip (rod to overtravel lever)

<b>C3AZ 9A586-F</b>	Consists of the following	
1-C3AZ	9502-J	Gasket set
2-C3AZ	9B559-A	Diaphragm (accel. pump)
1-C3AZ	9564-B	Valve & seat (fuel inlet)

## CARBURETOR KIT PARTS LISTS - continued

C8OZ 9A586-A	Consists of the following		B9AZ 9590-E	Consists of the following	
1-C7AZ	9J500-B	Limiters	2-C1AE	9541-B	Needle (idle adjusting)
1-C8AZ	9502-A	Kit (gasket)	2-C1AZ	9541-A	Needle (idle adjusting)
1-C3AZ	9B559-A	Diaphragm (accel. pump)	1-C0AZ	9A586-E	Kit (tune up)
1-C3AZ	9564-B	Valve & seat (fuel inlet)	1-B7A	9938-A	Screen (filter)
			3-351825-S		Washer "C"
			1-353862-S8		Washer "C"
			1-370456-S8B		Retainer (spring)
			1-371350-S		Ball-3/16"
			2-375016-S2		Screw
			1-377918-S8B		Screw
			4-378361-S2		Screw
C8OZ 9A586-C	Consists of the following		B9AZ 9590-G	Consists of the following	
1-C8OZ	9502-G	Kit (gasket)	1-B7A	9503-B	Diaphragm (secondary throttle)
1-C0AE	9B559-D	Diaphragm (accelerator pump)	2-B7A	9541-A	Needle (idle adjusting)
2-C6AZ	9564-C	Valve & seat (fuel inlet)	1-B5A	9576-A	Ball (secondary throttle check)
1-B8AZ	9A565-A	Economizer	1-B8A	9577-A	Nozzle (accel. pump discharge)
			8-B8A	9586-A	Screw (throttle plate)
			1-B9AZ	9A586-D	Tune-up kit
			2-42790-S		Screw & washer
			1-351825-S		Washer "C"
			2-351826-S		Washer "C"
			2-352200-S		Pin (cotter)
			2-353610-S		Retainer (spring)
			1-359528-S		Retainer (choke plate link)
B2AZ 9590-D	Consists of the following		COAZ 9590-L	Consists of the following	
1-B8A	9529-C	Link (accelerator pump)	1-C1AZ	9502-B	Gasket set
1-C0AE	9529-B	Link (accelerator pump)	1-B8A	9503-A	Diaphragm (secondary)
1-EAA	9529-A	Link (accelerator pump)	1-B9TE	9A516-A	Valve (pump discharge)
1-EBP	9529-A	Link (accelerator pump)	2-B7A	9541-A	Needle (idle adjusting)
1-78	9541-B	Screw (idle adjusting)	1-C0AE	9B559-D	Diaphragm assy. (accel. pump)
1-B2A	9568-B	Retainer (pump operating lever)	2-B9TE	9564-D	Valve (inlet)
2-EAA	9576-A	Valve (pump check)	1-B7AZ	9A565-A	Valve (economizer)
2-78	9576	Valve (pump check)	1-B5A	9576-A	Ball (secondary check)
2-B2A	9586-A	Screw (throttle plate)	1-B8A	9577-A	Nozzle (pump discharge)
2-40	9586	Screw (throttle plate)	8-B8A	9586-A	Screw (throttle plate)
1-B2AZ	9A586-B	Tune-up kit	2-40	9586	Screw (choke plate)
1-B2A	9605-A	Valve (vacuum dist. ball)	1-351825-S		Retainer (sec. diaphragm link)
1-B2A	9607-A	Retainer (dist. check ball spring)	2-351826-S		Retainer (float)
2-352200-S		Pin (cotter)	2-352200-S		Retainer (throttle rod)
1-353553-S8		Pin (grove)	1-353610-S		Retainer (choke rod)
1-372428-S8B		Screw (oval head)			
B8AZ 9590-H	Consists of the following		COAZ 9590-M	Consists of the following	
2-C1AZ	9541-A	Needle (idle adj.)	1-B8A	9503-A	Diaphragm (sec. throttle)
1-78	9576	Valve (pump check)	1-B9TE	9A516-A	Valve (pump check)
1-C2SZ	9A586-C	Kit (tune up)	2-B7A	9541-A	Needle (idle adjusting)
3-351825-S		Washer "C"	1-B5A	9576-A	Ball (sec. throttle check)
1-352863-S8		Washer "C"	1-B7A	9576-C	Ball (accel. pump discharge)
2-370456-S8B		Retainer (spring)	1-78	9576	Valve (pump check)
2-371350-S		Ball-3/16"	1-B8A	9577-A	Nozzle (pump discharge)
2-375016-S2		Screw	2-40	9586	Screw (throttle plate)
1-377918-S8B		Ring (1/8" retaining)	8-B8A	9586-A	Screw (throttle plate)
8-378361-S2		Screw	1-B9AZ	9A586-D	Kit (tune-up)
			1-B8A	9607-A	Retainer (power jet needle valve)
			2-B8A	9642-A	Clamp (float)
			1-351825-S		Washer "C"
			2-351826-S		Washer "C"
			2-352200-S		Pin
			1-353610-S		Retainer (spring)
			1-359528-S7		Ring (retaining)
B9AZ 9590-B	Consists of the following				
1-C1AZ	9502-B	Gasket set			
1-B7A	9503-B	Diaphragm (secondary throttle)			
2-B7A	9541-A	Needle (idle adjusting)			
1-C0AE	9B559-D	Diaphragm (accel. pump)			
2-B9TE	9564-D	Valve (fuel inlet)			
1-B7AZ	9A565-A	Valve assy. (power)			
1-B5A	9576-A	Ball (secondary check)			
1-B8A	9577-A	Nozzle (pump discharge)			
8-B8A	9586-A	Screw (throttle plate)			
2-42790-S7-8		Screw (choke plate)			
1-97407-S		Washer "C"			
2-351826-S		Retainer (float)			
2-352200-S		Retainer (throttle rod)			
2-353610-S8		Retainer (choke rod)			
1-359528-S7		Retainer (vent valve)			

### CARBURETOR KIT PARTS LISTS - continued

C0SZ 9590-A		Consists of the following	
1-B9SE	9447-A	Gasket (flange)	
2-B7A	9517-B	Gasket (primary venturi)	
2-C0ME	9A526-A	Rod-(step up)	
1-B9ME	9A529-A	Gasket (air horn)	
2-C0ME	9533-A	Jet (primary metering)	
2-B9ME	9A536-A	Gasket (secondary venturi)	
1-B7AZ	9B544-A	Plunger assy. (pump)	
2-B8A	9564-B	Needle & seat assy.	
1-B9ME	9580-A	Gasket (pump jet housing)	
1-C0LE	9A684-A	Gasket (compensator)	
1-B7A	9800-B	Plunger assy. (dashpot)	
1-B8A	9871-B	Gasket (coil housing)	
2-B9S	9976-A	Spring (vacuum piston)	

C1AZ 9590-A		Consists of the following	
1-B8A	9502-C	Gasket set	
1-B8A	9529-B	Link (pump operating)	
		(with steel lever only)	
1-C0AE	9529-C	Link (pump operating)	
		(with nylon lever only)	
1-B7A	9541-D	Needle (idle adjusting)	
1-C0AE	9B544-B	Piston assy.	
1-C0DE	9564-B	Valve (inlet)	
1-B2AZ	9A565-A	Valve (economizer)	
1-B8AZ	9B572-A	Spark valve assy.	
1-EAA	9576-A	Ball (pump inlet)	
2-78	9576	Ball (pump discharge & push rod sleeve)	
2-B2A	9586-A	Screw (choke plate)	
2-42790-S7		Screw (throttle plate)	
2-352200-S		Retainer (pump link)	

C1AZ 9590-H		Consists of the following	
1-C1AZ	9502-C	Gasket set	
6-B7A	9541-A	Needle (idle adjusting)	
3-C0AE	9B559-D	Diaphragm (pump)	
3-C1AZ	9564-A	Valve & seat assy.	
1-*B8AZ	9A565-A	Valve (economizer)-No. 65	
3-B8A	9577-B	Nozzle (pump discharge)	
2-*40	9586	Screw (choke plate)	
12-B8A	9586-A	Screw (throttle plate)	
3-351826-S		Retainer (float)	
2-*353610-S8		Retainer (choke rod)	

\* Inboard carburetors C1AE 9510-AV & C2SZ 9510-B only

C1AZ 9590-J		Consists of the following	
1-C0AE	9529-C	Link (pump operating)	
1-B7AZ	9541-D	Needle (idle adjusting)	
1-B8AZ	9B572-A	Valve assy. (spark)	
1-EAA	9576-A	Valve (pump check)	
2-78	9576	Valve (pump check)	
2-B2A	9576-A	Screw (throttle plate)	
1-C2AZ	9A586-C	Kit (tune-up)	
2-42790-S7		Screw & washer assy.	
2-352200-S		Pin-cotter	

C1AZ 9590-K		Consists of the following	
3-B8AZ	9502-C	Gasket set	
6-B7A	9541-A	Needle (idle adjusting)	
3-C0AE	9B559-D	Diaphragm (accel. pump)	
3-C6AZ	9564-A	Valve & seat (fuel inlet)	
1-C3AZ	9A565-D	Economizer	
3-B8A	9577-B	Nozzle (accel. pump discharge)	
2-40	9586	Screw (throttle plate)	
12-B8A	9586-A	Screw (throttle plate)	
3-351826-S		Washer "C"	
2-353610-S		Retainer (spring)	

C1DZ 9590-A		Consists of the following	
1-C0DZ	9502-A	Gasket set	
1-C0AE	9529-C	Link (pump operating)	
1-B7A	9541-D	Needle (idle adjusting)	
1-C0AE	9B544-B	Piston assy. (accel. pump)	
1-C0DE	9564-B	Valve (inlet)	
1-B2AZ	9A565-A	Valve (economizer)	
1-C0DE	9B572-B	Spark valve assy.	
1-EAA	9576-A	Ball (pump inlet)	
2-78	9576	Ball (pump discharge & push rod sleeve)	
4-40	9586	Screw (choke & throttle plate)	
1-352200-S		Retainer (pump link)	

C1DZ 9590-B		Consists of the following	
1-C0DZ	9502-A	Gasket set	
1-C0AE	9529-C	Link (pump operating)	
1-B7A	9541-D	Needle (idle adjusting)	
1-C0AE	9B544-B	Piston assy. (accel. pump)	
1-C0DE	9564-B	Valve (inlet)	
1-B2AZ	9A565-A	Valve (economizer)	
1-C0DE	9B572-A	Spark valve assy.	
1-EAA	9576-A	Ball (pump inlet)	
2-78	9576	Ball (pump discharge & push rod sleeve)	
4-40	9586	Screw (choke & throttle plate)	
1-352200-A		Retainer & pump link	

C1DZ 9590-C		Consists of the following	
1-C0DZ	9502-A	Gasket set	
1-C1DE	9529-B	Link (pump operating)	
1-78	9541-B	Needle (idle adjusting)	
1-C1KE	9B544-A	Piston assy. (accel. pump)	
1-C0DE	9564-B	Valve (inlet)	
1-B2AZ	9A565-A	Valve (economizer)	
1-C0DE	9B572-A	Spark valve assy.	
1-EAA	9576-A	Ball (pump inlet)	
2-78	9576	Ball (pump discharge & push rod sleeve)	
2-42790-S8		Screw (throttle plate)	
1-352200-S		Retainer (pump link)	
2-372479-S7		Screw (choke plate)	

C1DZ 9590-D		Consists of the following	
1-C0AE	9529-C	Link (accel. pump)	
1-B7A	9541-D	Needle (idle adjusting)	
1-C0DE	9B572-B	Valve (spark)	
4-40	9576	Screw (throttle plate)	
2-78	9576	Valve (pump check)	
1-EAA	9576-A	Valve (pump check)	
1-C0DZ	9A576-B	Kit (tune-up)	
1-352200-S		Pin	

C1DZ 9590-F		Consists of the following	
1-C1DE	9529-B	Link (accel. pump)	
1-78	9541-B	Needle (idle adjusting)	
1-C0DE	9B572-A	Valve (spark)	
1-EAA	9576-A	Valve (pump check)	
2-78	9576	Valve (pump check)	
1-C1UZ	9A586-C	Tune up kit	
2-42790-S8		Screw & washer	
1-352200-S		Pin (cotter)	
2-372497-S7		Screw (choke plate)	

## CARBURETOR KIT PARTS LISTS - continued

<b>C2AZ 9590-B</b>	Consists of the following		<b>C2DZ 9590-D</b>	Consists of the following	
1-C0AZ	9502-C	Gasket set	1-C2DZ	9502-A	Gasket set
1-B8A	9529-C	Link (pump operating) (with steel lever only)	1-C2DZ	9A516-A	Valve (pump discharge)
1-C0AE	9529-B	Link (pump operating) (with nylon lever only)	1-C2DZ	9529-A	Link (pump operating)
1-78	9541-B	Needle (idle adjusting)	1-C2DZ	9541-A	Needle (idle adjusting)
1-C0AE	9B544-B	Piston assy. (accel. pump)	1-C2DZ	9558-A	Pin (float hinge)
1-C2AZ	9564-C	Valve & seat assy. (fuel inlet)	1-C2DZ	9564-A	Needle (inlet)
1-*EAA	9576-A	Ball (pump inlet)	1-C2DZ	9572-A	Cup (pump piston)-(use for C2DZ 9B544-A pump assy. only)
2-*78	9576	Ball (pump discharge & push rod sleeve)	1-C2DZ	9572-B	Cup (pump piston)-(use for C2DZ 9B544-B pump assy. only)
2-40	9586	Screw (throttle plate)	1-C0DE	9B572-A	Spark valve assy.
2-352200-S		Retainer (pump link)	1-C2DZ	9575-A	Retainer (pump inlet valve)- (C2DE 9510-D carb. only)
2-372428-S		Screw (choke plate)	1-78	9576	Ball (pump inlet)
* Use for carburetors with threaded retainers only			4-C2DZ	9586-A	Screw (choke & throttle plate)
<hr/>			1-C2DZ	9594-A	Power valve assy.
<b>C2AZ 9590-D</b>	Consists of the following		1-		Retainer (pump cup)-(use for C2DZ 9B544-B pump assy. only)
1-B8A	9502-C	Gasket set	<b>C2DZ 9590-E</b>	Consists of the following	
1-C0AE	9529-C	Link (pump operating)	1-C2DZ	9A516-A	Valve (pump discharge needle)
1-B7A	9541-D	Needle (idle adjusting)	1-C2DZ	9529-A	Link (accel. pump)
1-C0AE	9B544-B	Piston assy. (accel. pump)	1-C2DZ	9541-A	Needle (idle adjusting)
1-C2AZ	9564-C	Valve & seat assy. (fuel inlet)	1-C2DZ	9558-A	Shaft (float lever)
1-B2AZ	9A565-A	Valve (economizer)	1-C0DE	9B572-A	Valve (spark control)
1-C0AZ	9B572-A	Spark valve assy.	1-C2DZ	9575-A	Retainer (pump check valve)
1-*EAA	9576-A	Ball (pump inlet)	1-78	9576	Valve (pump check)
2-*78	9576	Ball (pump discharge & push rod sleeve)	1-C2DZ	9A586-C	Kit (tune up)
2-B2A	9586-A	Screw (choke plate)	4-36781-S6		Screw (choke & throttle plate)
2-42790-S7		Screw (throttle plate)	<b>C2DZ 9590-F</b>	Consists of the following	
1-352200-S		Retainer (pump link)	1-C2DZ	9A516-A	Valve (pump check)
* Use for carburetors with threaded retainers only			1-C2DZ	9529-A	Link (accelerator pump)
<hr/>			1-C2DZ	9541-A	Needle (idle adjusting)
<b>C2AZ 9590-E</b>	Consists of the following		1-C2DZ	9558-A	Shaft (float lever)
1-C0AE	9529-C	Link (accel. pump)	1-B8AZ	9B572-A	Valve (spark)
1-B7A	9541-D	Needle (idle adjusting)	1-C2DZ	9575-A	Retainer (pump inlet)
1-C1TZ	9B572-A	Valve (spark)	1-C2DZ	9A586-C	Kit (tune up)
1-EAA	9576-A	Valve (pump check)	1-C2DZ	9594-A	Valve (power)
2-78	9576	Valve (pump check)	4-376781-S		Screw (choke plate)
2-B2A	9586-A	Screw (throttle plate)	1-376963-S		Retainer (pump cup)
1-C2AZ	9A586-C	Kit (tune-up)	<b>C2OZ 9590-B</b>	Consists of the following	
2-42790-C		Screw & washer	1-C2DZ	9502-A	Gasket set
2-352200-S		Pin	1-C2DZ	9A516-A	Valve (pump discharge)
<b>C2DZ 9590-C</b>	Consists of the following		1-C2DZ	9529-A	Link (pump operating)
1-C2DZ	9502-A	Gasket set	1-C2DZ	9541-A	Needle (idle adjusting)
1-C2DZ	9A516-A	Valve (pump discharge)	1-C2DZ	9558-A	Pin (float hinge)
1-C2DZ	9529-A	Link (pump operating)	1-C2DZ	9564-A	Needle (inlet)
1-C2DZ	9541-A	Needle (idle adjusting)	1-C2DZ	9572-B	Cup (pump piston)
1-C2DZ	9558-A	Pin (float hinge)	1-		Retainer (pump inlet valve)
1-C2DZ	9564-A	Needle (inlet)	1-78	9576	Ball (pump inlet)
1-C2DZ	9572-A	Cup (pump piston)-(use for C2DZ 9B544-A pump assy. only)	4-C2DZ	9586-A	Screw (choke & throttle plate)
1-C2DZ	9572-B	Cup (pump piston)-(use for C2DZ 9B544-B pump assy. only)	<b>C3AZ 9590-C</b>	Consists of the following	
1-B8AZ	9B572-A	Spark valve assy.	1-C2OZ	9502-C	Gasket set
1-C2DZ	9575-A	Retainer (pump inlet valve)- (C2DE 9510-B carb. only)	2-C1AZ	9541-A	Needle (idle adjusting)
1-78	9576	Ball (pump inlet)	1-C2AZ	9B559-A	Diaphragm assy. (pump)
4-C2DZ	9586-A	Screw (choke & throttle plate)	1-C2AZ	9564-D	Kit (fuel inlet valve)
1-C2DZ	9594-A	Power valve assy.	1-C3AZ	9A565-B	Economizer assy.
1-		Retainer (pump cup)-(use for C2DZ 9B544-B pump assy. only)	4-B7A	9586-E	Screw (throttle plate)
			2-B9A	9586-A	Screw (choke plate)
			1-B8AZ	9636-A	Spring (pump lever return)
			1-371350-S		Ball (pump check)
			2-378360-S2		Screw (choke plate)-use with steel shafts
			4-378361-S2		Screw (throttle plate)-use with steel shafts

### CARBURETOR KIT PARTS LISTS - continued

<p><b>C3AZ 9590-E</b> Consists of the following</p> <ul style="list-style-type: none"> <li>1-C3AZ 9502-G Gasket set</li> <li>1-B8A 9503-A Diaphragm (secondary throttle)</li> <li>1-B9TE 9A516-A Valve (pump discharge)</li> <li>2-B7A 9541-A Needle (idle adjusting)</li> <li>1-C0AE 9B559-D Diaphragm assy. (accel. pump)</li> <li>2-C1AZ 9564-A Valve (inlet)</li> <li>2-B8AZ 9A565-A Valve (economizer)</li> <li>1-B5A 9576-A Ball (secondary check)</li> <li>1-B8A 9577-A Nozzle (pump discharge)</li> <li>8-B8A 9586-A Screw (throttle plate)</li> <li>2-40 9586 Screw (choke plate)</li> <li>1-351825-S Retainer (sec. diaphragm link)</li> <li>2-351826-S Retainer (float)</li> <li>2-352200-S Retainer (throttle rod)</li> <li>1-353610-S8 Retainer (choke rod)</li> </ul>	<p><b>C6AZ 9590-A</b> Consists of the following</p> <ul style="list-style-type: none"> <li>1-C1AZ 9502-E Gasket set</li> <li>1-B7T 9503-A Diaphragm (secondary throttle)</li> <li>1-B9TE 9A516-A Valve (pump discharge)</li> <li>2-B7A 9541-A Needle (idle adjusting)</li> <li>1-C0AE 9B559-D Diaphragm assy. (accel. pump)</li> <li>2-C1AZ 9564-A Valve (fuel inlet)</li> <li>1-B7AZ 9A565-A Valve assy. (power)</li> <li>2-40 9586 Screw (choke plate)</li> <li>8-B8A 9586-A Screw (throttle plate)</li> <li>1-97407-S Washer "C"</li> <li>2-351826-S Retainer (float)</li> </ul>
<p><b>C3AZ 9590-L</b> Consists of the following</p> <ul style="list-style-type: none"> <li>1-C3AZ 9B572-B Valve (dist. vacuum)</li> <li>4-C3AZ 9586-A Screw (throttle plate)</li> <li>1-C3AZ 9541-B Needle (idle adj. )</li> <li>1-C3AZ 9541-C Needle (idle adj. )</li> <li>1-C3AZ 9A586-F Kit (tune up)</li> <li>1-44706-S Washer (flat)</li> <li>1-97408-S Ring (7/32" retaining)</li> <li>1-371350-S Ball-3/16"</li> <li>2-377918-S8B Ring (1/8" retaining)</li> <li>4-378360-S2 Screw</li> </ul>	<p><b>C7OZ 9590-B</b> Consists of the following</p> <ul style="list-style-type: none"> <li>1-C8OZ 9541-A Needle (idle adjusting)</li> <li>1-C3AZ 9B572-B Valve (dist. vacuum)</li> <li>1-C8OZ 9A586-A Tune-up kit</li> <li>1-44706-S Washer (flat)</li> <li>3-371350-S Ball (3/16" diameter)</li> <li>4-375016-S Screw (hex. head)</li> <li>2-377918-S Ring (retaining)</li> </ul>
<p><b>C4DZ 9590-A</b> Consists of the following</p> <ul style="list-style-type: none"> <li>1-C2OZ 9502-C Gasket set</li> <li>2-C1AZ 9541-A Needle (idle adjusting)</li> <li>1-C4AZ 9B559-A Diaphragm assy.</li> <li>1-C2AZ 9564-D Kit (fuel inlet valve)</li> <li>1-C3AZ 9A565-B Economizer assy.</li> <li>1-C4AZ 9576-A Valve (pump check)</li> <li>1-B8AZ 9636-A Spring (pump lever return)</li> <li>1-371350-S Ball (pump check)</li> <li>2-378360-S2 Screw (choke Plate)</li> <li>4-378361-S2 Screw (throttle plate)</li> </ul>	<p><b>C8OZ 9590-B</b> Consists of the following</p> <ul style="list-style-type: none"> <li>1-B7T 9503-A Diaphragm (secondary)</li> <li>1-B9TE 9A516-A Valve (pump discharge needle)</li> <li>2-C8OZ 9541-B Needle (idle adjusting)</li> <li>2-C6AZ 9558-A Shaft (float lever)</li> <li>8-B8A 9586-A Screw (throttle plate)</li> <li>2-40 9586 Screw (choke plate)</li> <li>1-C8OZ 9A586-C Kit (tune-up)</li> <li>1-97407-S2 Washer "C"</li> <li>1-97465-S Retainer "C"</li> <li>1-352200-S Pin (cotter)</li> <li>1-353610-S2 Retainer (spring)</li> </ul>
	<p><b>C2AZ 9850-D</b> Consists of the following</p> <ul style="list-style-type: none"> <li>1-C3AZ 9D530-A Rod</li> <li>1-C3AF 9A575-A Housing assv.</li> <li>1-C1AZ 9A599-A Rod</li> <li>1-EDB 9842-B Clamp</li> <li>1-C0AE 9848-B Housing assy.</li> <li>1-B8A 9853-A Gasket</li> <li>1-C1AE 9871-A Gasket</li> <li>3-C3AZ 9B874-A Screw</li> <li>1-370456-S8B Retainer</li> </ul>

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
<b>9600 CLEANER ASSY. - CARBURETOR AIR</b>						
<b>6 CYLINDER</b>						
60/61	X	6	144,170		1	C1DE 9600-B
62	X Special	6	170		1	
62	B, X	6	144,170		1	C2DZ 9600-A
63/64	B, X	6	144,170	Color "Blue"-identified C6DF 9600-A. C. D. E.	1	C3DZ 9600-C
			200	G. H. J. C7OF 9600-C		
60/62	A (except with governor & non-zero lash)	6	223	Service pkg. includes (1) C2AZ 9663-A brace	1	C2AZ 9600-A
60/62	A (with governor)	6	223	Service pkg. includes (1) C2AZ 9663-A brace	1	★C2AZ 9600-B
60/64	A	6	223	Oil wetted type (customer option)-7.00" O.D. - 3.25" high	1	B6T 9600-A
64	Taxicab	6	223	Oil bath-1 pint capacity-9.06" diameter-color "Black"-clamp type retainer at carb.	1	C2AZ 9600-D
62	Taxicab(with non-zero lash)	6	223	mounting end-identified C4AF 9600-AL	1	
63/64	A(except Taxi & A P/C	6	223	Identified C6AF 9600-T, BN-color "Blue"	1	C3AZ 9600-M
64	A P/C	6	223	Oil bath-1 pint capacity-9.06" diameter-color "Black"-stud type retainer at carb.	1	C3TZ 9600-N
63	Taxicab, A P/C	6	223	mounting end-identified C4AF 9600-AM, AE	1	
63/64	A, B, X	6	All	Stud (air cleaner to carburetor)-1/4"-20 x 1.82" locking (except with Holley carburetor)	1	378529-S7-8



# FORD CAR PARTS

## SECTION 96

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
<b>9600 CLEANER ASSY. - CARBURETOR AIR - continued</b>						
<b>8 CYLINDER</b>						
62	B	8	221,260	14.00" diameter plus 8.00" air intake tube 5.00" high-color "Blue"	1	C2OZ 9600-A
63/64	X "Sprint Special" (except with closed emission system)	8	260	Chrome-14.05" diameter-2.75" high-identified C4DF 9600-C, ED-C4DF 9600-C, C3DF 9600-J	1	C4DZ 9600-C
63	A, B	8	221,260	14.62" dia. -4.10" high-"Blue"-service pkg. includes (2) C5AZ 9C639-A cap, (1)	1	C4AZ 9600-L
63	A (with 2/3 carb.)	8	289		1	
63/64	B, X(except "Sprint Special")	8	260	C5ZZ 9654-A gasket-identified C3AF 9600-A, F, M, T, Z, C3OF 9600-C, D, H, C4AF 9600-F, J,	1	
64	A, B, X(except "Sprint Special")	8	289	C4OF 9600-C, D, C7AF 9600-H, E	1	
64/	B Special "From 4/2/64"	8	289	14.05" diameter-2.61" high-service pkg. includes (1) C5AZ 9C639-A cap-color "Blue"	1	C5ZZ 9600-W
64	B Special (with 4/B carb. & except with closed emission system)- "From 4/2/64"	8	289	tray and "Chrome" cover-identified C5OF 9600-C, D, C5AF 9600-M, S, C4DF 9600-L,	1	
61/62	P/C	8	390	H, C5MF 9600-N, R, C6AF 9600-AU, AV, AY, AZ, C7AF 9600-J, K, C7ZF 9600-A, B, C4OF 9600-N, C4ZF 9600-Y	1	
64	B Special (with 4/B carb. and with closed emission system)	8	289	14.05" diameter-2.75" high-color "Gold bronze -identified C4OF 9600-T, R	1	C4OZ 9600-T
63/64	P/C (except with closed emission system)	8	390	Gold metallic-14.05" diameter-2.75" high- identified C4AF 9600-E, ED-C4AF 9600-E,	1	C4AZ 9600-E
63/64	B Special (with 4/B carb.)(except with closed emission system) "Before 4/2/64"	8	289	C3AF 9600-L, C3OF 9600-G, J	1	
61/63	S (with 4/B carb.)	8	390	17.25" dia. -4.22" high "Blue"-service pkg. includes (1) C5AZ 9C639-A cap-identified	1	C3AZ 9600-P
63/64	A (except P/C)	8	352,390		1	
64	A(exc. with closed emission system)	8	352	C2AF 9600-C, D, E, F, C3AF 9600-H, K, U,	1	
64	A(except P/C)(except with closed emission system)	8	390	C3SF 9600-B, C4AF 9600-A, B, F, G, H, K, N, R, C4SF 9600-A, B, C, D, C7AF 9600-L, M, N, R, S, T	1	
64	S(exc. with closed emission system)	8	390		1	
60	S	8	352,430		1	★C0SE 9600-A
60/63	A Special (with 4/B carb.)	8	352,390 406,427	13.88" diam. -3.31" high-identified C3AF 9600-D	1	C3AZ 9600-C
64	A (except P/C), S (with closed emission system)	8	352,390	16.06" diameter-4.32" high-color "Gold metallic"-identified ED-C4SF 9600-G, C4AF 9600-T, U	1	C4SZ 9600-E
64	P/C(with closed emission system)	8	390	14.05" diameter-2.75" high-color "Gold metallic"-identified C4AF 9600-AV	1	C4AZ 9600-AV
61/63	A Special (6/B carb.)	8	390,406	Service pkg. includes (3)C1AE 9654-A gaskets	1	C2SZ 9600-A
62/63	S Special (6/B carb.)	8	390		1	
61/63	A Special (6/B carb.)	8	390,406	Ornament (air cleaner cover)-includes (2) 373503-S7-8 Nut-3/16" self threading	1	C1SB 63606A08-A
62/63	S Special (6/B carb.)	8	390		1	
63/64	A Special (with 4/B carb.)	8	406,427	Chrome-14.05" diameter-3.40" high-service pkg. includes (1) C4AF 9C639-B cap-identified C5AF 9600-R, C4AF 9600-AY	1	C4AZ 9600-AZ
62/	All High Performance vehicles- (with 8/B carb.)	8	390,406 427,428	Service pkg. includes (1) C5AZ 9C639-A cap- identified C5MF 9600-G, V, C5AF 9600-AR, AS, V, Y	1	C5MY 9600-B
63/	A Special, B Special (with 8/B carb.)	8	427		1	
60	A, S	8	292,352	Stud (air cleaner to carb.)-1/4"-20 & 5/16"-18 x 3.80"	1	370971-S8(WW100)
63/	S	8	390		1	
60/63	A Special (with 4/B carb.)	8	352,390 406	Stud (carb. air cleaner retaining)- 1/4"-20 x 8.50"-thread full length	1	371773-S8(WW4)
61/63	A Special (6/B carb.)	8	390,406	Cut to 2.60" long	3	
63/	A Special (with 8/B carb.)	8	427	Cut to 3.60" long	2	
61/63	A Special (6/B carb.)	8	390,406	Nut (ornament to air cleaner cover)-3/16" self threading	2	373503-S7-8 (MM285A)
62/63	S Special (6/B carb.)	8	390		2	
				Nut-1/4"-20 wing	1or2	358462-S7(MM297)
61/63	P/C "Before 9/24/62"	8	352,390	Stud (air cleaner to carburetor)-1/4"-20 & 5/16"-18 x 4 3/16" long	1	370533-S8 (WW100A)
64	A	8	352,390		1	
63/64	P/C "From 9/24/62"	8	390	Stud (air cleaner to carb.)-1/4"-20-20 x 3.20"	1	371235-S8(WW8)
63/	A Special (with 4/B carb.)	8	427		1	
62/64	A, B (with 2/B carb.)	8	221,260 289	Stud (air cleaner to carburetor)- 1/4"-20 & 5/16"-18 x 4.76"	1	371005-S7-8 (WW101)

# FORD CAR PARTS

## SECTION 96

593

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
<b>9601 ELEMENT ASSY. - CARBURETOR AIR CLEANER</b>						
61/	P/C	8	390	10.81" I.D. -13.69" O.D. -2.12" high-use with C1AE 9600-B, C3AZ 9600-B, C4AZ 9600-E, M, C5ZZ 9600-W	1	B7SZ 9601-A
63/64	X "Sprint Special"	8	260	Use with C3DZ 9600-B, C4DZ 9600-C cleaner	1	
63/	B Special (with 4/B carb.)	8	289	Used with C3AZ 9600-B, C4AZ 9600-E, C4OZ 9600-N, T, C5ZZ 9600-W	1	
60	X	6	144	10.83" I.D. -12.81" O.D. -2.12" high	1	B7A 9601-A (FA-16)
60/62	A	6	223	7.28" I.D. -9.78" O.D. bottom-10.39" O.D. top-	1	C3VY 9601-A
60	S	8	352,430	2.14" high	1	(FA-4)
60	A	8	292,352	10.73" I.D. -12.50" O.D. bottom-13.14" O.D.	1	C0AE 9601-B
61/63	A, S	8	All	top-2.09" high-used with C1AE 9600-A, C1SE 9600-A, C3AZ 9600-E, C3SZ 9600-A cleaner	1	(FA-5)
60/64	A Special (with 4/B carb.)	8	352,390, 406,427	10.81" I.D. -13.69" O.D. -2.77" high-used with C0AE 9600-K, C3AZ 9600-C, H, C4AZ 9600-D, AY, AZ cleaner	1	C0AE 9601-C (FA-21)
61/63	A Special (6/B carb.)	8	390,406	Use with C2SZ 9600-A cleaner	1	EDJ 9601-A
62/65	S Special (6/B carb.)	8	390	Use with C2SZ 9600-A cleaner	1	(FA-48)
63/64	A, B, X	6	144,170, 200,223	7.96" I.D. -9.90" O.D. -2.26" thick-used with C3AZ 9600-A, M, C3DZ 9600-A cleaner	1	C1KE 9601-A
60/62	B, X	6	144,170	Used with C1KE 9600-A, C1DE 9600-B, C2DF 9600-B, C2DZ 9600-A, C4AZ 9600-AF, C4DZ 9600-J, K, C4OZ 9600-K	1	(FA-1)
62/63	B, X	8	221,260	6.58" I.D. -8.40" O.D. -3.22" high-use with	1	C2OZ 9601-A
63	A	8	260,289	C2OZ 9600-A, C3AZ 9600-D, J, C4OZ 9600-B, F,	1	(FA-3)
64	B, X (except "Sprint Special")	8	260	C4AZ 9600-J, S, AJ, BB	1	
64	A, B (with 2/B carb.)	8	289		1	
63/64	A (except P/C)	8	352,390	7.28" I.D. -9.78" O.D. -2.53" high-used with	1	C3AZ 9601-B
64	S	8	390	C3AZ 9600-F, K, C4AZ 9600-N, R, T, U, C4SZ 9600-D, E, G	1	(FA-6)
63/	A Special (with 8/B carb.)	8	406,427	20.76" long-9.76" wide-2.00" high-use with C5MY 9600-A, B, C3AZ 9600-E, G, L	1	C3AZ 9601-E (FA-46)
<b>9A603 SHROUD and TUBE ASSY. - CARBURETOR AIR CLEANER AIR DUCT</b>						
63/64	A, B, X	8	221,260, 289		1	C6OZ 9A603-A
63/64	A, B, X	8	221,260, 289	Stud (shroud & tube to exhaust manifold)-5/16"-18-18 x 1.62"	1	377833-S(WW96)
64/	A, B, X (exc. B Special)	8	260,289	Stud (shroud & tube to exhaust manifold)-5/16"-18-18 x 1.66" hex. shoulder	1	379763-S7-8 (WW126)
				Nut-5/16"-18 hex.	1	378230-S(MM9A)
				Nut 5/16"-18 hex. -brass		33825-S(M51A)
				Lockwasher		34806-S7(X64)
<b>9B608 GASKET - CARBURETOR AIR CLEANER ELEMENT - LOWER - Refer to Groups 9654, 9673</b>						
<b>9609 - Refer to Carburetor Parts Lists Section 95</b>						
<b>9A626 DUCT and VALVE ASSY. - CARBURETOR AIR CLEANER</b>						
63/64	A, B, X	8	221,260		1	C3AZ 9A626-A
63/64	A, B (with 2/B carb.)	8	289		1	
63/	A, B, X	8	221,260, 289	Wing screw (duct to air cleaner)-No. 10-32 x .375" long	2	359966-S8 (BB833K)
63/	A, B, X	8	221,260, 289	Screw (duct to shroud & tube)-No. 10 x 3/8" self tapping	1	42120-S8(U248)
<b>9628 CLAMP ASSY. - AIR CLEANER TO CARBURETOR</b>						
60/61	A, X	6	144,170, 223	With 1/4"-20 x 8.50" screw	1	CODE 9628-A
<b>9634-36 - Refer to Carburetor Parts List Section 95</b>						

## SECTION 96

## FORD CAR PARTS

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
<b>9C639 CAP - CARBURETOR AIR CLEANER ADAPTOR</b>						
63	A, S	8	352,390	.22" I. D. -.53" long-used with C3AZ 9600-E, F, C3SZ 9600-A cleaner	1	C2AZ 9C639-A
64	A, B, X	8	26Q,289	.24" I. D. -.64" long-used with C4AZ 9600-J on models without filtered choke air system	1	C4AZ 9C639-A
64/	B, X	8	26Q,289	.50" I. D. -.96" long	1	C4AZ 9C639-B
63/	A Special (with 8/B carb.)	8	427	.625" I. D. -.76" long	1	C5AZ 9C639-A
<b>9B650 THERMOSTAT ASSY. - CARBURETOR AIR CLEANER</b>						
60	S	8	430		1	B8SZ 9B650-A
63/64	A, B	8	All		1	
60	S	8	430	Nut (thermostat assy. to duct & valve assy.)-5/16"-24 hex.	1	33798-S8(M62)
<b>9654 GASKET - AIR CLEANER TO CARBURETOR - Also refer to Groups 9B608, 9B73</b>						
60/61	A, X	6	All	2.78" O. D. -.2.39" I. D.	1	7HT 9654
62	A (except Taxicab non-zero lash)	6	223		1	
62	X Special	6	170		1	
60/64	A, B, S, X	8	All	Gasket (air cleaner bottom)-5.21" I. D. -	1	C0AZ 9654-A
60/62	A Special (with 4/B carb.)	8	352,390 406	5.51" O. D. -.24" thick	1	
61/63	A Special (6/B carb.)	8	390,406		3	C1AE 9654-A
62/63	S Special (6/B carb.)	8	390		3	
63	A	8	390	5.12" I. D. -.5.62" O. D. -.188" thick	1	C3AZ 9654-C
63/64	B (with 4/B carb.) "Before 2/25/64"	8	289		1	
63/64	A Special (with 4/B carb.)	8	406,427		1	
63/64	X Sprint Special "Before 2/25/64"	8	260		1	
63/64	P/C "Before 2/25/64"	8	390		1	
63/	A Special (with 8/B carb.)	8	427		2	
62	B, X	6	144,170	1.635" I. D. -.1.96" O. D. -.06" thick	1	C2DZ 9654-A
63/	A, B, X	6	All	1.94" I. D. -.2.21" O. D. -.095" thick	1	C3AZ 9654-D
64	A, B, S, X	8	All	5.12" I. D. -.5.66" O. D. -.18" thick	1	C5ZZ 9654-B
<b>9C654 KIT - RAM AIR INTAKE</b>						
63/	A Special (with 8/B carb.)	8	427	High performance-drag strip	1	C3AZ 9C654-A
Consists of the following						
1-C3AA	9628-A	Clamp (ram air intake)		1-C3AA 9B687-A	Seal (ram air intake duct)	
1-C3AA	9C651-A	Box (ram air intake)		6-20345-S8	Bolt (1/4" - 28 x 3/4")	
1-C3AA	9C652-A	Connector (ram air tube to box)		6-44719-S8	Washer -1/4" flat	
1-C3AA	9B660-A	Duct assy. (ram air intake)				
<b>9663 BRACE - AIR CLEANER</b>						
60/62	A	6	223		1	C0AE 9663-A
62	B, X	6	144,170	Brace (air cleaner to carburetor)	1	C2DZ 9663-A
62	A (except Taxi non-zero lash)- "From 12/19/61"	6	223	Used with C2AZ 9600-A, B air cleaner	1	C2AZ 9663-A
62	Taxi (with non-zero lash) - "From 12/19/61"	6	223	Bracket (air cleaner support)-used with	1	C2AZ 9663-B
63/64	Taxi, A P/C	6	223	C2AZ 9600-C, C3TZ 9600-J cleaner	1	
63/64	A (except Taxi & P/C)	6	223	Bracket (air cleaner support)	1	C3AZ 9663-A
63	B (with A/C)	6	170	Bracket (air cleaner support)	1	C3OZ 9663-A
63/64	B, X	6	144,170 200		1	
60/64	A	6	223	Bolt (air cleaner brace to air cleaner)-	1	20326-S7(B49)
62	B, X	6	144,170	-5/16"-18 x 5/8"	1	
				Lockwasher-5/16"		34806-S7(X64)
				Washer-flat-5/16"		44722-S8(X19)
<b>9B672 RETAINER ASSY. - AIR CLEANER TO CARBURETOR</b>						
62	B, X	6	144,170		1	C2DZ 9B672-C
63	A, B, X	6	144,170 223		1	C3AZ 9B672-A

# FORD CAR PARTS

595

## SECTION 97

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
<b>9673 GASKET - AIR CLEANER - Also refer to Groups 9B608,9654</b>						
62	B	8	221,260	Internal-8.52" I.D. - 9.44" O.D. -.46" thick	1	C2OZ 9673-A
63/64	A, B, X (with 2/B carb.)	8	221,260, 289		1	
63/64	A, B, X	6	144,170, 200,223	Internal-11.78" I.D. -12.34" O.D. -.31" thick	1	C3AZ 9673-A
60/63	B, X	6	144,170	Used with C1KE 9600-A, C1DE 9600-B, C2DF 9600-B	1	
64	A, S	8	352,390	Internal-9.86" I.D. -10.78" O.D. -.46" thick	1	C4AZ 9673-A
64	Taxicab & P/C	6	240	Internal-3.76" I.D. -4.24" O.D. -.12" thick-used with C5AZ 9600-C cleaner	1	C1TE 9673-C
<b>9677 BRACKET - THROTTLE CONTROL MOUNTING</b>						
60	A, X	6&8	All	Used with 9775 throttle control (locking type)	1	C2AZ 9677-A
61	X	6	144,170		1	
61	A	8	All		1	
62	A (with A/C)	8	All		1	
63	A (with Selectaire Conditioning)	6&8	All		1	C3AZ 9677-A
60/63	A, X	6&8	All	Nut-1/4"-20 jam hex. Lockwasher-1/4"	1	33920-S8(M25) 34805-S8(X62)
<b>9681 - 9A684 - Refer to Carburetor Parts Lists Section 95</b>						
<b>9B684 SPRING - CARBURETOR AIR CLEANER AIR DUCT INTAKE VALVE PLATE</b>						
63/64	A, B, X (with 2/B carb.)	8	221,260, 289	1.62" long	1	C3AZ 9B684-A
<b>9700 CONTROL ASSY. - CARBURETOR CHOKE</b>						
60/61	X	6	144,170	52.50" long (from shoulder of knob to cable end)	1	C0DZ 9700-B
62	X Special	6	170		1	
63/64	B	6	170,200	42.00" long	1	C3OZ 9700-A
60/62	A	6	223		1	
64	B Special (with 4/B carb.)	8	289	Cut to 38.62" long	1	
62	B	6	170	42.00" long	1	C2OZ 9700-B
62/63	X	6	144,170	40.00" long	1	C3DZ 9700-A
63	A(with A/C)	6	223	Without knob-40.25" long from base of bezel-use with C3AZ 9B739-A knob	1	C3AZ 9700-B
63/64	A(except with A/C)	6	223	Cut to 36.31" long	1	
64	X	6	144,170, 200	49.66" long	1	C4DZ 9700-A
60/64	A	6	223	Grommet (choke control thru dash)-rubber	1	354972-S (KK18)
<b>9A700 BRACKET - CARBURETOR CHOKE CONTROL MOUNTING</b>						
63	A(with A/C)	6	223	Use with "Select Aire"	1	C3AZ 9A700-B
63/64	A(except with A/C)	6	223		1	C3AZ 9A700-A
63/64	A(with A/C)	6	223	Use with "Ford Aire"	1	C3AZ 9A700-C
60/63	X	6	144,170		1	C0DF 9A700-A
64	X	6	144,170, 200		1	C4DZ 9A700-B
<b>9A702 ROD ASSY. - ACCELERATOR SHAFT TO BELLCRANK - Refer to Group 9747</b>						
60/64	A(with S/T, O/D, F/M/2)	6	223	8.88" long from center of ball stud to rod end	1	C0AA 9A702-B
61/63	A Special (6/B carb.)	8	390,406		1	C1AE 9A702-A
63	A(with S/T & O/D)(with 2/B & 4/B carb.)	8	352,390, 406,427	Accelerator shaft to carburetor	1	C3AZ 9A702-A
63/64	A Special(with 8/B carburetor)	8	406,427	Accelerator shaft to carburetor	1	C3AZ 9A702-B
64	A	6	223	9.62" long from center of ball stud to rod end	1	C4AZ 9A702-A
64	A (with S/T & O/D)	8	352,390	Accelerator shaft to carburetor	1	C4AZ 9A702-B
64	A Special (with 4/B carb.)	8	427		1	
62/64	B	6	170,200	10.72" long from center of ball stud to center of trunnion-adjustable	1	C2OZ 9A702-A
61/	S	8	390	6.62" long from center of ball stud to end of rod-spring loaded ball stud one end only	1	C3SZ 9A702-A
60/61	X (with S/T) "Before 5/1/61"	6	144,170	10.34" long	1	C0DD 9A702-A
64	X (with F/M/2)	6	144,170, 200		1	C4DZ 9A702-B
61/64	X (with S/T) "From 5/1/61"	6	144,170	11.26" long from center of ball stud to end of rod	1	C1DZ 9A702-A
60/	A, B, S, X	6&8	All	Nut (rod to accelerator)-No. 10-32 Lockwasher-No. 10	1	34079-S7(M163) 34803-S7(X60)
61/	A Special (6/B, 8/B carb.)	8	390,406, 427	Clip (rod to accelerator shaft)	1	375780-S8(GG227)

# FORD CAR PARTS

## SECTION 97

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
<b>9C704 CONNECTOR - AIR CLEANER TO THERMOSTATIC CHOKE CONTROL INLET TUBE</b>						
63	A, S(except P/C)	8	352,390	1/4" I.D. -6.50" long-cut from A9A 17543-C tubing	1	*C2AE 9C704-B
63/64	B Special (with 4/B carburetor)	8	289	.219" I. D. -. 421" O. D. -5.89" long-cut from C1AZ 7B086-A	1	*C3OE 9C704-A
63/	A, B, S, P/C	8	352,390	Clamp(air cleaner to thermostatic choke control inlet tube hose)-.438" diam.	2	97325-S35(E1)
63/	B Special (with 4/B carb.)	8	289			
63/64	P/C	8	390	.219" I. D. -. 421" O. D. -5.90" long-cut from C1AZ 7B086-A	1	*C2AE 9C704-A
64	A, B, X (with 2/B carb.)	8	260,289	.219" I. D. -.10.20" long-cut from C1AZ 7B086-A hose	1	*C4OE 9C704-A
64	A, S (except P/C)	8	352,390	1/4" I. D. -.8.00" long-cut from A9A 17543-C tubing	1	*C4AE 9C704-A
<b>9A705 COVER - THERMOSTATIC CHOKE HEAT SUPPLY - Also refer to Groups 9A456</b>						
60	S	8	430	Use with COLE 9510-A carburetor, B5ME 9430-A manifold and COME 9903-A gasket only	1	*COME 9A705-A
60	S	8	430	Use with C1VE 9903-A and 20346-S bolt on COSZ 9430-A manifold	1	*C1VE 9A705-A
60/64	A, S, (except P/C)	8	352,390		1	B8AZ 9A705-B
60/64	A, S	8	352,390	Screw(cvr. to manifold)-5/16"-18 x 5/16" fill. hd.)	1	*31041-S
<b>9B705 ROD - ACCELERATOR SHAFT TO SPEED CONTROL SHAFT</b>						
64	A (with C/M)	8	289,352, 390		1	C4AZ 9B705-A
64	A (with C/M)	8	289,352, 390	Pin(rod to lever)-cotter-1/16"x3/8"	1	72000-S7(N37)
<b>9C708 LEVER - ACCELERATOR BELLCRANK TO SPEED CONTROL ROD</b>						
64	A (with C/M)	8	352,390		1	C4AZ 9C708-B
64	A (with C/M)	8	289		1	C4AZ 9C708-A
64	A (with C/4)	8	289		1	C4AZ 9C708-D
<b>9A713 STOP - THROTTLE CONTROL WIRE</b>						
60	A	6&8	All	Used with 9775 throttle control (locking type)	1	B9AA 9A713-A
60/61	X	6	144,170		1	
61/64	A(with Air Conditioning)	8	All		2	
60	A	6&8	All	Screw (throttle control stop)-No. 8-32 x 1/4"	1	26457-S8(U167)
60/61	X	6	144	round head	1	
61/64	A	8	All	Screw (throttle control wire stop)-No. 8-32 x 1/4" socket head set	2	375504-S8 (UU28A)
<b>9A714 INSERT - THERMOSTATIC CHOKE CONTROL AIR INTAKE</b>						
60/63	A Special(4/B or 6/B carburetor)- "Before 11/28/62"	8	352,390, 406		1	C2AZ 9A714-A
63/64	P/C	8	390		1	
62/64	A, B, X	8	221,260		1	C2OZ 9A714-A
63/64	A, B (with 2/B carb.)	8	289		1	
60/62	A	8	292		1	
<b>9A715 RETAINER - CARBURETOR THERMOSTATIC CHOKE CONTROL INSERT - Also refer to Group 9C786</b>						
60/62	A	8	292		1	B9AE 9A715-A
60/63	A Special(4/B or 6/B carburetor)- "Before 11/22/62"	8	352,390, 406		1	
62/63	A, B, X	8	221,260		1	
63	A, B (with 2/B carb.)	8	289		1	
60/63	P/C "Before 9/24/62"	8	352,390		1	
63/64	P/C "From 9/24/62"	8	390		1	C3AZ 9A715-A

# FORD CAR PARTS

## SECTION 97

597

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
<b>9A716 LINK ASSY. - ACCELERATOR BELLCRANK TO CARBURETOR - Also Refer to Groups 9747, 9772, 9784</b>						
60/62	A (with governor)	6	223	1.70" long between end centers	1	C1AA 9A716-A
60/62	A (except with governor)	6	223	.75" long between end centers	1	C1AA 9A716-B
64	Taxicab	6	223		1	
63	A(except 65B, 76B)	6	223		1	C3AZ 9A716-A
64	A(except 65B, 76B & Taxicab)	6	223		1	
60/64	A	6	223	Nut (link to trans. control shaft)-No. 10-32	1	34079-S7(M163)
				Lockwasher -No. 10	1	34803-S7(X60)
<b>9718 CLIP - CARBURETOR THROTTLE CONTROL SHAFT</b>						
63	A	6&8	All	Used with Selectaire air conditioner	1	C3AZ 9718-A
64	A	8	352,390		1	
<b>9B720 INSULATOR - ACCELERATOR SHAFT - Also refer to Group 9B862</b>						
62/63	B	6	170	Use with C2OZ 9725-A shaft assy. only	1	C2OZ 9B720-A
63	B	6	170,200		2	C3OZ 9B720-A
61/64	S	8	390	Accelerator shaft equalizer bracket	1	C5SZ 9B720-A
61/64	A	6	223		1	
61/63	X	6	144,170		1	C0DD 9B720-B
64	X	6	144,170, 200		1	C4DZ 9B720-A
					1	
<b>9B721 PIN - ACCELERATOR BELLCRANK</b>						
62/63	B	6	170,200		1	*C2OZ 9B721-A
64/	B, X (except Imco with C4)	6	144,170, 200		1	
61	X	6	144,170	Not replaced (1-69)	1	*C1DD 9B721-B
62/63	X	6	144,170		1	C2DZ 9B721-A
<b>9724 BELLCRANK - ACCELERATOR - Refer to Groups 9732, 7A185</b>						
61/63	A Special(6/B carb.)	8	390,406		1	C1AE 9724-A
<b>9725 ACCELERATOR ASSY.</b>						
60	A	6	223		1	*C0AA 9725-D
60	A (with S/T & O/D)	8	All		1	
60	A (with F/M/2, C/M)	8	292,352		1	*C0AA 9725-C
61/63	A	6	223		1	C1AA 9725-B
61/62	A (with F/M/2, C/M)	8	All		1	C1AA 9725-G
63	A (with F/M/2, C/M)	8	352,390		1	
61/63	A(with S/T, O/D)	8	292,352, 390,406, 427		1	C1AA 9725-H
63	A	8	250,289		1	C3AZ 9725-A
64	A	6	223		1	C4AZ 9725-C
64	A (with C/M)	8	289		1	C4AZ 9725-D
64	A (with C/M)	8	352,390		1	C4AZ 9725-A
64	A (with S/T, O/D, C/4)	8	289		1	C4AZ 9725-E
64	A (with S/T & O/D)	8	352,390		1	C4AZ 9725-B
64	A Special (with 4/B, 8/B carb.)	8	427		1	
62/63	B	6	170		1	C2OZ 9725-A
63/64	B	6	170,200		1	C3OZ 9725-A
62/63	B	8	221,260	Use with C2OZ 9761-A	1	C2OZ 9725-B
63	B	8	221,260		1	C3OZ 9725-B
64	B	8	260,289		1	
61/63	S	8	390		1	C2SZ 9725-A
64	S	8	390		1	C4SZ 9725-B
63	X	8	260		1	C3DZ 9725-A
64	X	8	260		1	C4DZ 9725-C
60/64	X (with S/T)	6	144,170, 200		1	C1DZ 9725-A
60/64	X (with F/M/2)	6	144,170, 200		1	C0DZ 9725-C

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
<b>9725 ACCELERATOR ASSY. - continued</b>						
60/	S (with F/M)	8	All	Bolt (accelerator to engine block)-5/16"-18 x 3/4"	1	20346-S8(B50)
				Lockwasher-5/16"		34806-S7(X64)
				Nut-5/16"-18 hex.		33797-S7(M50)
60/64	A, S, X	6&8	All	Screw (accelerator to dash panel)- No. 14-10 x 5/8"-self tapping-hex, washer head	AR	31498-S8(U253B)
62/	B	6&8	All	Screw (accelerator to dash panel)- No. 14-10 x 1.00" hex washer head tapping	4	42154-S7-8(U256)
62/	B	6&8	All	Washer-1/4" flat	4	370494-S(XX86)
64/	S	8	390	Screw (accelerator to dash panel)- No. 14-10 x 3/4" hex, washer head	3	42143-S8(U255)
<b>9A726 BRACKET ASSY. - ACCELERATOR BELLCRANK TO INTAKE MANIFOLD</b>						
60	X	6	144		1	★ C0DD 9A726-A
<b>9727 ROD - ACCELERATOR TO PEDAL</b>						
60/64	A, B, X	6&8	All	Not used with C0DZ 9735-A, C1MZ 9735-A or	1	B7A 9727-B
61/64	S	8	390	C4SZ 9735-A pedal	1	
63	B, X	6&8	All	1.44" long-use with C0DZ 9735-A moulded	1	C3AZ 9727-A
64	B	6&8	All	plastic design pedal	1	
64/	X	6&8	All	Retainer (accelerator shaft rod)-use with	1	C3AZ 9727-C
63/64	A(except 57C, 63C, 76B)	6&8	All	C0DZ 9735-A or C1MZ 9735-A moulded plastic	1	
64/	B	6&8	All	design pedal	1	
<b>9C727 VALVE ASSY. - SPEED CONTROL METERING</b>						
64	A (with C/M)	8	289,352, 390		1	C4SZ 9C727-A
64/	S	8	390		1	
<b>9C728 SOLENOID ASSY. - SPEED CONTROL</b>						
64	A (with C/M)	8	289,352, 390		1	C4SZ 9C728-A
64/	S	8	390		1	
64/	A, S	8	All	Nut (solenoid to bracket)-No. 10-32	1	34079-S7(M163)
				Lockwasher-No. 10	1	34803-S7(X60)
<b>9C729 BRACKET - SPEED CONTROL METERING VALVE</b>						
64/	S	8	390		1	C4SZ 9C729-A
64/	S	8	390	Screw & washer assy. (bracket to metering valve)-No. 10-32 x 11/16" fillister head	2	★370003-S8
<b>9C731 PUMP ASSY. - SPEED CONTROL</b>						
64	A (with C/M)	8	289,352, 390		1	C4SZ 9C731-A
64/	S	8	390		1	
64/	A, S	8	All	Screw (pump assy. to bracket)-No. 8-32 x 1/2" hex, washer head	2	40917-S8(U257)
<b>9732 BELLCRANK - ACCELERATOR - Also refer to Groups 9724 &amp; 7A188</b>						
60/61	A (with S/T & O/D)	6	223		1	C1AA 9732-A
61	A (with F/M, 2)	6	223	Used with vacuum throttle valve	1	
62	A	6	223		1	
63/64	A(except 65B, 76B)	6	223		1	C3AZ 9732-A
63/64	A Special (with 8/B carb.)	8	406,427	Use with C3AZ 9B842-B	1	C3AZ 9732-C
62/63	S Special (6/B carb.)	8	390	Bright finish	1	C2SZ 9732-A
60	X	6	144		1	★C0DD 9732-A
61	X	6	144,170		1	C1DD 9732-A
61/63	X	6	144,170, 200		1	C3DZ 9732-A
64	X	6	144,170, 200		1	C4DZ 9732-C
63/64	B	6	170,200		1	
60	A	6	223	Bolt (bellcrank to intake manifold)- 1/2"-13 x 2.56" hex, head shoulder	1	372740-S8(BB453)
60	X	6	144	Washer-3/8" flat	1	354861-S(XX137)
60	A, X	6	144,223	Washer-3/8" spring	1	356482-S2(XX370)
60	A, X	6	144,223	Cotter pin-1/16"x 5/8"	1	72015-S(N40)
61/	B, X	6	144,170, 200	Washer (accelerator bellcrank to pin-accel. bellcrank)-1/4" retaining "C"	1	359354-S(XX8C)
61/	X	6	144,170, 200	Washer-spring-5/16"	1	351341-S7(XX351)

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER	
<b>9C732 BRACKET - SPEED CONTROL PUMP</b>							
64	A (with C/M)	8	289,352 390		1	C4AZ 9C732-A	
64	S	8	390		1	C4SZ 9C732-A	
64	A, S	8	All	Screw (bracket to brake pedal support assy.) - 1/4"-20 x 1/2" hex. washer head	2	40927-S8(U262)	
				Lockwasher 1/4" external tooth		34940-S7-8(X88)	
<b>9C733 RELAY ASSY. - SPEED CONTROL</b>							
64	A (with C/M)	8	289,352 390		1	C4AZ 9C733-B	
64/	S	8	390		1	C4SZ 9C733-A	
64/	S	8	390	Screw (relay to mounting bracket)- No. 14-14 x 1/2" hex. washer head-tapping	2	31497-S8(U254)	
<b>9735 PEDAL ASSY. - ACCELERATOR</b>							
60/61	A	6&8	All	Use with B7A 9727-B-moulded rubber design	1	C1MM 9735-A	
61/62	S	8	390		1		
62/63	A (except 65B, 76B)	6&8	All		1		
64	A (except 57C, 63C, 76B)	6&8	All		1		
62/63	A (65B and 76B only)	6&8	All	Bright finish cover	1	C2AZ 9735-A	
63/64	S	8	390	"Before 9/20/63"	1		
64	A (57C, 63C, 76B only)	6&8	All		1		
60/	B, X	6&8	All	Moulded rubber design	1	CODD 9735-A	
64	S	8	390	Use with C4SZ 9725-A accelerator assy.	1	C4SZ 9735-A	
60/	S	8	All		1	MG 9735-A	
60/	X	6&8	All	Elevated	1	CODD 9735-B	
60/64	A, S, X	6&8	All	Screw (pedal to floor)-No. 14-10 x 3/4"-hex. washer head	2	42143-S8(U255)	
62/64	B	8	221,260		2		
62/	B	6	170,200	Screw (pedal to floor)-No. 14-14 x 1/2"-hex. washer head-tapping	2	31497-S8(U254)	
<b>9736 SPRING - ACCELERATOR BELLCRANK TO CARBURETOR LEVER TENSION</b>							
60/61	A (with F/M, C/M)	6	223	Spring (trans. control to accelerator bellcrank to lever)-. 50" O. D. -2. 80" long-27 coils	1	B7A 9736-A	
61/64	A	6	223	Spring (accelerator shaft to equalizer bracket)	1		
60	A(with C/M)	8	All	Spring(trans. control to accel. bellcrank to lever)	1	B8A 9736-A	
60	S(with F/M or C/M)	8	352	Spring (trans. -control to accelerator bellcrank to lever)-. 56" O. D. -2. 44" long-18 1/2 coils	1	COSZ 9736-A	
60	S	8	430				
<b>9C736 BRACKET - SPEED CONTROL SERVO</b>							
64	A(with C/M)	8	289,352 390		1	C4AZ 9C736-A	
64/	S	8	390		1	C4SZ 9C736-A	
<b>9737 SPRING - ACCELERATOR RETRACTING</b>							
				O.D.	LENGTH	COILS	REPLACED BY-
60	A (except with governor)	6	223	. 75"	6. 09"	68 3/4	C7AZ 9737-A
60/62	A (with governor)	6	223	1. 00"	3. 63"	27 3/4	C7AZ 9737-A
60/62	A (with F/M/2, C/M)	8	All	. 75"	9. 35"	36 1/4	C7AZ 9737-A
63/64	A(with F/M/2, C/M)	8	352,390				C7AZ 9737-A
60/62	A (with S/T & O/D)	8	All	. 76"	4. 24"	26	C7AZ 9737-C
63/64	A (with S/T & O/D)	8	352,390 406,427				C7AZ 9737-C
61/64	A (except with governor)	6	223	. 75"	10. 89"	87 1/4	C7AZ 9737-A
63	A	8	26Q289				C7AZ 9737-A
64	A (with C/M)	8	289				C7AZ 9737-A
64	A (with S/T & O/D)	8	289	. 75"	5. 52"	18	C7AZ 9737-A
62	B	6	170	. 75"	10. 72"	18	C7AZ 9737-C
62/64	B	8	221,260 289	. 75"	6. 46"	19. 75	C7AZ 9737-C
63/64	B	6	170,200	. 62"	8. 86"	48	C7AZ 9737-A
64	B	6	17Q200	. 62"	8. 86"	48	C7AZ 9737-A
64	B	8	26Q289	. 75"	5. 52"	18	C7AZ 9737-A
64	B	6	17Q200	. 64"	8. 86"	51 3/4	C7AZ 9737-A



## SECTION 97

## FORD CAR PARTS

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION			QTY.	PART NUMBER
<b>9737 SPRING - ACCELERATOR RETRACTING - continued</b>								
				O.D.	LENGTH	COILS	REPLACED BY -	
60	S	8	352,430				C7TZ 9737-H	1 ★B8S 9737-A
61/	S (with 4/B carb.)	8	390	.83"	3.78"	30	C7AZ 9737-B	1 ★C1SZ 9737-B
62/63	S (with 6/B carb.)	8	390	.69"	4.17"	26	C7AZ 9737-A	1 ★C2SZ 9737-A
62/63	S (with 6/B carb.)	8	390	.70"	4.43"	20	C7AZ 9737-A	1 ★C2SZ 9737-B
60/61	X (with F/M/2) "Before 5/1/61"	6	144,170	.80"	2.90"	22 1/4	C7AZ 9737-A	1 ★C0DD 9737-D
60/61	X (with S/T) "Before 5/1/61"	6	144,170	.94"	10.30"	20 1/2	C7AZ 9737-B	1 ★C0DD 9737-E
61/63	X (with F/M/2) "From 5/1/61"	6	144,170	.82"	6.26"	35 1/2	C7AZ 9737-B	1 ★C1DD 9737-A
61/63	X (with S/T) "From 5/1/61"	6	144,170	.54"	8.19"	25 1/2	C7AZ 9737-A	1 ★C1DD 9737-B
63	X	8	260	.75"	6.46"	19.75	C7AZ 9737-C	1 ★C2OZ 9737-C
64	X (with F/M/2)	6	144,170 200	Used as trans. kickdown control lever spring				1
63/64	X "Before 3/2/64"	6	144,170 200	.62"	8.86"	48	C7AZ 9737-A	1 ★C3DZ 9737-A
64	X "From 3/2/64"	6	144,170 200	.64"	8.86"	51 3/4	C7AZ 9737-A	1 ★C4DZ 9737-A
64	X	8	260	.75"	5.52"	18	C7AZ 9737-A	1 ★C4AZ 9737-A
<b>9737 ACCELERATOR RETURN SPRING and EXTENSION - Refer to above 9737 Group for Spring application</b>								
Consists of the following							AR	C7AZ 9737-A
5 - C7RA 9737-B		Spring (accel. shaft return)-.75" O.D. -2.84" long-36 1/2" coils						
10 - C7RA 9A843-A		Extension (accel. retracting spring)-6" long						
Consists of the following							AR	C7TZ 9737-H
5 - C7RA 9737-C		Spring (accel. shaft return)-.78" O.D. -2.82" long-27 1/2 coils						
10 - C7RA 9A843-A		Extension (accel. retracting spring)-6" long						
Consists of the following							AR	C7AZ 9737-C
5 - C7RA 9737-D		Spring (accel. shaft return)-.70" O.D. -3.01" long-35 1/2 coils						
10 - C7RA 9A843-A		Extension (accel. retracting spring)-6" long						
Consists of the following							AR	C7AZ 9737-B
5 - C7RA 9737-A		Spring (accel. shaft return)-.78" O.D. -2.38" long-25 1/2 coils						
10 - C7RA 9A843-A		Extension (accel. retracting spring)-6" long						
<b>9B739 KNOB ASSY. - CARBURETOR CHOKE CONTROL</b>								
63/64	A	6	223	Use with C3AZ 9700-B control assy. (choke)			1	C3AZ 9B739-A
64	X	6	144,170 200				1	C4DZ 9B739-A
<b>9C739 ROD - SPEED CONTROL PIVOT ARM TO SERVO</b>								
64/	S	8	390				1	C4SZ 9C739-A
64/	S	8	390	Nut (pivot arm rod to servo)-1/4"-20			2	33795-S7(M49)
<b>9C740 ROD - SPEED CONTROL PIVOT ARM TO CARBURETOR</b>								
64/	S	8	390				1	C4SZ 9C740-A
64/	S	8	390	Washer (speed control pivot arm rod to speed control rod pivot arm to servo)-"C"			1	353862-S8(XX10)
				Retainer-spring-.62" long				354569-S(RR1)
<b>9741 BRACKET - ACCELERATOR RETRACTING SPRING</b>								
60/62	A (with F/M/2, C/M)	8	292				1	C0AZ 9741-A
60/62	A (with S/T & O/D)	8	292				1	C0AZ 9741-C
60/64	A (with S/T & O/D)	8	352,390 406,427				1	C0AZ 9741-B
64	A	6	223				1	C4AZ 9741-A
63	A	8	260,289				1	C3AZ 9741-A
62/63	B	8	221,260	Use with C2OZ 9737-C spring			1	C2OZ 9741-B
63	X	8	260				1	
63/64	B (with 4/B carb.)	8	289				1	
64	B, X	8	260				1	
64	A, B (with 2/B carb.)	8	289				1	
61/	S	8	390				1	C1SZ 9741-A
62/63	S Special (with 6/B carb.)	8	390	Accelerator shaft retracting assist spring			1	C2SZ 9741-B
62/63	S Special (with 6/B carb.)	8	390	Throttle return spring			1	C2SZ 9741-C

# FORD CAR PARTS

## SECTION 97

601

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
<b>9C741 BUTTON ASSY. - SPEED CONTROL ACTUATOR PUSH</b>						
64	A (with C/M)	8	289,352 390		1	C4AZ 9C741-A
64	S		8 390	"Before 6/8/64"	1	C4SZ 9C741-A
64/	S		8 390,428	"From 6/8/64"	1	C4SZ 9C741-B
64	A(with C/M)	8	289,352 390	Screw(button to actuator shaft)-No. 6-32x1/8" hex. socket head set	1	354293-S8(UU27)
64/	S	8	390		1	
<b>9B742 KIT - THROTTLE CONTROL - Also Refer to Group 9775</b>						
60/64	A, X	6&8	All		1	C4AZ 9B742-A
62/64	B	6&8	All		1	
<b>9C743 CAP - SPEED CONTROL PUMP INTAKE</b>						
64	A (with C/M)	8	289,352 390		1	C4SZ 9C743-A
64/	S	8	390		1	
<b>9C744 TEE - SPEED CONTROL VACUUM HOSE</b>						
64	A (with C/M & w/o power brakes)	8	289,352 390		1	C1AZ 9C744-A
64	A (with C/M & with power brakes)	8	289,352 390		1	C4SZ 9C744-A
64/	S	8	390		1	
<b>9A745 SHIELD - THERMOSTATIC CHOKE HEAT TUBE INLET</b>						
63	B	6	200		1	C1KE 9A745-A
63/64	B (with 4/B carb.)-"Before 2/17/64"	8	289		1	C3OZ 9A745-A
<b>9C745 HOSE - SPEED CONTROL METERING VALVE TO PUMP</b>						
64/	S	8	390	.126" I.D. -, 264" O.D. -,31.56" long-cut to 15.12" long	1	C4SZ 9C745-C
64	A	8	289,352 390	Cut to 10.62" long	1	
<b>9C746 HOSE - SPEED CONTROL METERING VALVE TO SERVO</b>						
64	S	8	390	.235" I.D. -, 453" O.D. -,68.62" long-cut to 52.56" long	1	C4SZ 9C746-C
64	A	8	289,352 390	Cut to 12.25" long	1	
<b>9747 ROD ASSY. - ACCELERATOR - Refer to Group 9A702, 9772, 9784</b>						
60	S (with S/T)	8	352	Accelerator bellcrank to carburetor-10.29" long	1	B5A 9747-A
60/82	A (with S/T & O/D)	8	All	Accelerator shaft to carburetor-11.52" long from center of ball stud to rod end	1	C0AA 9747-B
<b>9C747 HOSE - SPEED CONTROL SOLENOID TO METERING VALVE</b>						
64	S	8	390	.296" I.D. -, 53" O.D. -,9.12" long-cut from C4SZ 9C748-B hose	1	*C4SA 9C747-A
64	A	8	289,352 390	.296" I.D. -, 53" O.D. -,8.50" long-cut from C4SZ 9C748-B hose	1	*C4AA 9C747-A
<b>9C748 HOSE - SPEED CONTROL SOLENOID TO METERING VALVE</b>						
64	S	8	390	.286" I.D. -, 53" O.D. -,69.06" long-cut to 41.12" long	1	C4SZ 9C748-B
64	A	8	289,352 390	Cut to 24.75" long		
<b>9C751 ARM - SPEED CONTROL SERVO TO THROTTLE PIVOT</b>						
64/	S	8	390		1	C4SZ 9C751-A
64/	S	8	390	Washer (throttle pivot arm to trans. control shaft)-3/8" flat	1	356403-S8(XX126)
<b>9A753 - Refer to Carburetor Parts List Section 95</b>						
<b>9A756 - Refer to Carburetor Parts Lists Section 95</b>						
<b>9B756 DIAPHRAGM &amp; TUBE ASSY. - CARBURETOR IDLE SPEED UP</b>						
61	S (with A/C)	8	390	Use CISZ 9B863-A repair kit	1	*C1SS 9B756-B

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
<b>9B756 VALVE ASSY. - IDLE SPEED UP</b>						
63	A (with Power Steering)	8	260,289		1	C3OZ 9B756-A
64	A (with Power Steering)	8	289		1	
62	B (with Power Steering)	6&8	170,221		1	
			260			
63	B (with Power Steering)	6&8	All		1	
63/64	X (with Power Steering)	6&8	All		1	
62	B (with Power Steering)	6&8	170,221	Nut-9/16"-18 hex. check	2	351075-S(MM27)
			260			
<b>9A757 - Refer to Carburetor Parts Lists Section 95</b>						
<b>9B758 TUBE ASSY.- POWER STEERING PUMP TO IDLE SPEED UP VALVE</b>						
63	A (with Power Steering)	8	260,289		1	C3AZ 9B758-A
64	A (with P/S & C/M)	8	289		1	
62/63	B (with Power Steering)	8	221,260		1	C3OZ 9B758-A
63	X (with Power Steering)	8	260		1	
64	A (with P/S & A/C except C/M)	8	289		1	
62/64	B (with Power Steering & F/M/2)	6	170,200		1	C3OZ 9B758-B
63/64	X (with Power Steering)	6	All		1	
<b>9B759 BRACKET - IDLE SPEED UP VALVE</b>						
62/63	B (with Power Steering)	6	170,200		1	C2OZ 9B759-A
63/64	X (with Power Steering)	6	All		1	
64	B (with Power Steering)	6	200		1	
62/63	B (with Power Steering)	8	221,260		1	C3OZ 9B759-A
63/64	X (with Power Steering)	8	260		1	
64	A (with Power Steering & S/T, O/D)	8	289		1	
63	A (with Power Steering)	8	260,289		1	C3AZ 9B759-A
64	A (with Power Steering & C/M)	8	289		1	
62/63	B (with Power Steering)	8	221,260	Bolt (bracket to accelerator shaft assy.) - 5/16"-24 x .75" shoulder	1	350756-S8(BB697)
				Washer-5/16" flat	1	44722-S8(X19)
				Lockwasher-5/16"	1	34806-S7(X64)
				Nut-5/16"-24-hex.	1	33798-S8(M62)
<b>9C760 TRUNNION - CARBURETOR THROTTLE LEVER</b>						
63/	A Special (with 8/B carb.)	8	406,427		1	C3AZ 9C760-A
<b>9761 LEVER ASSY. - ACCELERATOR SHAFT</b>						
62/63	B	8	221,260	Arm (accelerator shaft)-use with C2OZ 9725-B	1	C2OZ 9761-A
64	B (with 2/B carb.)	8	260,289		1	
63/64	B (with S/T & O/D & 4/B carb.)	8	289	Arm (accelerator shaft)	1	C3OZ 9761-A
60/61	X	6	144,170	Used with 9775 throttle control (locking type)	1	*C0DD 9761-A
63	X	8	260	Arm (accelerator shaft)	1	C3DZ 9761-A
64	X	8	260		1	C4DZ 9761-B
60	A	6&8	All	Bolt (accelerator shaft lever)-1/4"-20 x 1" hex. hd.	2	20384-S8(B43)
60/61	X	6	144,170		2	
63	X	8	260	Bolt (accel. shaft lever)-5/16"-18 x 1 1/4" hex. hd.	1	20426-S8(B55)
62/	B	8	221,260	Nut (accelerator shaft arm to accelerator	1	34443-S7-8(M79)
			289	assy.)-5/16"-24-lock		
63/	X	8	260,289	Nut (accelerator shaft lever to accelerator shaft)	1	
				Washer-5/16"-flat	1	44722-S8(X19)
<b>9B761 CONNECTOR - TRANSMISSION VACUUM TO FAST IDLE DIAPHRAGM</b>						
61	S (with A/C)	8	390	.22" I.D. x 4, 20" long-cut from C2AZ 9324-A	2	*C1SS 9B761-A
61	S (with A/C)	8	390	Connector (elbow for connector carburetor idle speed up diaphragm tube)-1/4" hose -tee	1	353376-A1-S (II-103)
<b>9B761 CONNECTOR - IDLE SPEED UP VALVE TUBE</b>						
62/63	B (with Power Steering)	6&8	All		1	C2OZ 9B761-A
64	B	6	200		1	
64	A (with Power Steering & A/C)	8	289		1	
63/64	X (with Power Steering)	6&8	All		1	
<b>9C761 HOUSING ASSY. - SPEED CONTROL ACTUATOR</b>						
64	A (with C/M)	8	289,352 390		1	C4AZ 9C761-B

# FORD CAR PARTS

SECTION 97

603

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
<b>9C762 LINK ASSY. - SPEED CONTROL</b>						
64	A (with C/M)	8	289,352 390		1	C4AZ 9C762-B
<b>9A763 BUSHING - ACCELERATOR SHAFT</b>						
64	X	8	260		2	C4DZ 9A763-A
<b>9C763 SPACER - SPEED CONTROL SERVO</b>						
64	A (with C/M)	8	289		1	C4AZ 9C763-A
<b>9C764 TUBE ASSY. - SPEED CONTROL VACUUM SUPPLY</b>						
64	A (with C/M & w/o power brakes)	8	289,352 390	5/16" O. D. - 3.48" developed length	1	C4AZ 9C764-A
<b>9767 END - CARBURETOR THROTTLE SYNCHRONIZER ROD</b>						
61/63	A, S Special (6/B carb.)	8	390,406		2	PB8M 9767-B
63/	A Special (8/B carb.)	8	406,427		2	
<b>9C767 DIAL ASSY. - SPEED CONTROL ACTUATOR</b>						
64	S	8	390	"Before 6/8/64"	1	C4SZ 9C767-B
64/	S	8	390	"From 6/8/64"	1	C4SZ 9C767-C
<b>9772 ROD ASSY. - ACCELERATOR BELLCRANK TO CARBURETOR - Refer to Groups 9A716, 9747, 9784</b>						
60/61	A (with C/M)	8	352	6.96" long-adjust to 6.46"-formed	1	B8A 9772-A
61/62	A (with C/M)	8	292,352	7.00" long from center of trunnion to center of rod end (formed rod)	1	C1AA 9772-A
61/62	A (with F/M/2) "From 3/15/61"	8	292,352		1	
61/62	A (with C/M)	8	390	7.88" long from center of trunnion to center of rod end (formed rod)	1	C1AA 9772-C
61/63	A Special (6/B carb.)	8	390,406		1	C1AE 9772-A
63	A (with C/M)	8	352		1	C3AZ 9772-C
63	A (with S/T & O/D)	8	260,289	7.88" long from center to center of ends	1	C3AZ 9772-B
63	A (with F/M/2, C/M)	8	260,289		1	C3AZ 9772-A
64	A (with C/M)	8	289		1	
63/64	A (with C/M)	8	390		1	C3AZ 9772-D
64	A (with C/M)	8	352		1	
62/64	B	6	170	2.28" long from center to center of socket ends	1	C2OZ 9772-B
64/	B, X	6	200		1	
64	X	6	144,170		1	
62/63	B (with F/M/2)	8	221,260	4.68" long from center of trunnion to center of rod end	1	C2OZ 9772-C
63	X (with F/M/2)	8	260		1	
64	B (with F/M/2, C/M & 2/B carb.)	8	260,289		1	
62/63	B (with S/T & O/D)	8	221,260	4.68" long from center to center of ends	1	G2OZ 9772-D
63	X (with S/T & O/D)	8	260		1	
64	B (with S/T & O/D & 2/B carb.)	8	260,289		1	
64	A (with S/T & O/D)	8	289		1	
63/	B (with S/T & O/D & 4/B carb.)	8	289	4.98" long from center to center of ends	1	C3OZ 9772-A
64	B Special (with 4/B carb. & C/4)	8	289	5.44" long from center to center of ends	1	C4OZ 9772-A
60	S (with F/M/2, F/M & C/M)	8	352		1	B8S 9772-C
60	S	8	430	9.16" long-adjust to 8.63"	1	B9SS 9772-A
61	S (with A/C)	8	390	13.36" long from center of trunnion to center of pin	1	C1SS 9772-C
62/63	S Special (with 6/B carb.)	8	390	7.75" long-bright finish	1	C2SZ 9772-B
62/63	S Special (with 6/B carb.)	8	390	20.52" long-bright finish	1	C2SZ 9772-A
61/64	S (except A/C & speed control)(with 4/B carb.)	8	390	13.36" long from center of trunnion to center of rod end	1	C1SZ 9772-A
64/	S (with speed control)	8	390		1	C4SZ 9772-A
60/61	X	6	144,170	2.76" long from center to center of ends	1	C0DD 9772-A
62	X Special	6	170		1	
60/63	X (with F/M/2)	6	144,170	5.65" long-accelerator shaft to transmission control shaft-cut to 4.20" long	1	B4A 9772-A
62/63	X	6	144,170	2.28" long from center to center of ends-right angle bend one end	1	C2DZ 9772-A
64	X	8	260	4.68" long from center to center of ends	1	C4DZ 9772-A

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
<b>9772 ROD ASSY. - ACCELERATOR BELLCRANK TO CARBURETOR - continued -</b>						
Also refer to Groups 9A716, 9747, 9784						
60/	A, B, S, X	6&8	All	Nut (rod to bellcrank or lever & carburetor)- No. 10-32	AR	34079-S7(M163)
				Lockwasher-No. 10	AR	34803-S7(X60)
61/	S	8	390	Retainer (rod assy. accel. bellcrank to carb. to bracket assy. accel. shaft)-"C" washer	1	353862-S8(XX10)
61/63	A, S Special (6/B carb.)	8	390,406	Nut (outboard carburetor throttle rods to accelerator bellcrank to carburetor rod)- No. 8-32 hex. locking	1	357179-S(MM134)
63/64	A, B, S, X	8	All	Clip (rod to carburetor)	1	375894-S7-8 (GG-215)
<b>9775 CONTROL ASSY. - CARBURETOR THROTTLE - LOCKING TYPE -Also Refer to Group 9B742</b>						
60, 61	A X	6&8 6	All 144,170	14.50" long from base of bezel	1 1	*C0AF 9775-A
63	A (with Selectaire air conditioning)	8	260,352, 390		1	C3AZ 9775-B
64	A (with Selectaire air conditioning)	8	352,390		1	
61/62	A (with air conditioner)	8	All		1	
60/61	A, X	6&8	All	Nut (jam)-9/16"-18	1	33945-S8(M37)
<b>9B776 CLIP - ACCELERATOR SHAFT TO TRANSMISSION CONTROL SHAFT ROD ASSY.</b>						
64	X	8	260	Used with C4DZ 9784-C rod	2	C4GY 9B776-A
<b>9C780 MOULDING - SPEED CONTROL SWITCH</b>						
64	S		8 390	"Before 6/8/64"	1	C4SZ 9C780-A
64/	S		8 390	"From 6/8/64"	1	C4SZ 9C780-B
<b>9782 BRACKET - CARBURETOR THROTTLE CONTROL SHAFT</b>						
63	A(with Selectaire air conditioning)	8	260,352, 390		1	C3AZ 9782-B
64	A (with Selectaire air conditioning)	8	352,390		1	
<b>9784 ROD ASSY. - ACCELERATOR TO TRANSMISSION CONTROL SHAFT - Also refer to Group 9747, 9772</b>						
60	A (with C/M)	6	223	6.32" between stud centers-adjustable	1	C0AA 9784-B
60/63	A (with F/M/2 & C/M)	8	All	5.14" between ball joint centers	1	B8A 9784-A
63	A(with S/T & O/D)	8	260,289		1	
64	A (with C/M)	8	289,352, 390		1	
62/63	B	8	221,260	3.68" between stud centers-adjustable	1	C2OA 9784-A
63	X	8	260		1	
64	A (with S/T, O/D)	8	289		1	
64	B	8	260,289		1	
64	X (with F/M/2)	6	170,200	4.56" long	1	C0DZ 9784-A
64	B Special(with 4/B carb. & C4)	8	289	3.30" long between stud centers	1	C4OZ 9784-A
64/	X	8	260,289	3.52" between stud centers-adjustable	1	C5ZZ 9784-A
60	S	8	352	8.68" between ball joint centers	1	B8S 9784-A
60	S	8	430	9.75" between stud centers-adjustable	1	*B8S 9784-B
60/64	A (with F/M/2, C/M), B, S, X	6&8	All	Cotter pin-1/16" x 3/4"		72015-S(N40)
				Nut (rod to transmission control shaft)-No.10-32	AR	34079-S7(M163)
				Lockwasher-No. 10	AR	34803-S7(X60)
<b>9C786 ADAPTOR - THERMOSTATIC CHOKE CONTROL - INLET TUBE - Also refer to Group 9A715</b>						
64	A, B, X	8	260,289		1	C4AZ 9C786-A
<b>9C788 BRACKET - SPEED CONTROL SOLENOID</b>						
64/	S (model 76 only)	8	390		1	C4SZ 9C788-A
<b>9C791 FILTER ASSY. - THERMOSTATIC CHOKE AIR</b>						
64/	P/C(with closed emission system)	8	390,428		1	C4DZ 9C791-A
64	X "Sprint Special" (with closed emission system)	8	260		1	
<b>9792 - Refer to Carburetor Parts Lists Section 95</b>						

# FORD CAR PARTS

## SECTION 97

605

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
<b>9793 SEAL - ACCELERATOR PEDAL ROD</b>						
60	A	6&8	All		1	*B7A 9793-A
61/63	A	6&8	All		1	C1AA 9793-A
64	A	6&8	All		1	C4AZ 9793-A
62/	B	6&8	All		1	C2OZ 9793-A
61/	S	8	390		1	C1SS 9793-A
64/	X	6	140,170 200		1	C4DZ 9793-A
64	X	8	260		1	C4DZ 9793-B
<b>9A796 - Refer to Carburetor Parts Lists Section 95</b>						
<b>9819 TUBE - THERMOSTATIC CHOKE CONTROL - OUTLET</b>						
60/62	A	8	292	1/4" O.D. steel tubing-10.10" long-used with Ford 2/B carburetor	1	B9AE 9819-B (CM-296)
60/63	A, S (with 4/B carb.)	8	352,390	3/16" O.D. steel tubing-18.10" long	1	B8A 9819-H
64	S	8	390		1	
64	A (with 4/B carb.)	8	352,390	"Before 3/17/64"	1	
64/	A, S	8	352,390	3/16" O.D. steel tubing-19.42" long	1	C4MY 9819-B
60/63	A (with 2/B carb.)	8	352	3/16" O.D. steel tubing-17.30" long	1	B8A 9819-L (CM-293)
60/63	A Special (4/B carb.)	8	352,390, 406	1/4" O.D. -21.30" long	1	C1AE 9819-B
61/63	A Special (6/B carb.)	8	390,406	1/4" O.D. steel tubing-25.45" long	1	C1AE 9819-C (CM-410)
61/64	P/C	8	390	1/4" O.D. steel tubing-23.38" developed length	1	▲*C1AE 9819-A
63	A Special (8/B carb.)	8	406,427	1/4" O.D. steel tubing-5.28" long-used from tee to carb.	2	▲*C3AE 9819-E
63/64	A Special (4/B carb.)	8	406,427	1/4" O.D. steel tubing-20.35" long	1	C3AZ 9819-A
				"From 11/22/62"		
63	A Special (6/B carb.)	8	406	1/4" O.D. steel tubing-24.80" long	1	C3AZ 9819-D
63/	A Special (with 8/B carb.)	8	406,427	Used from exhaust manifold to tee	1	
62/64	A, B, X	8	221,260	1/4" O.D. steel tubing-16.30" long	1	C2OZ 9819-A
63/64	A, B (with 2/B carb.)	8	289		1	(CM-411)
60	S	8	430	1/4" O.D. steel tubing-14.34" long	1	*B9ME 9819-A
62/63	S Special (with 6/B carb.)	8	390,406	3/16" O.D. steel tubing-33.50" long	1	C2SZ 9819-A
63/64	B (with 4/B carb.)	8	289	1/4" O.D. steel tubing-24.92" long	1	C3OZ 9819-B
63	B	6	200	1/4" O.D. steel tubing-9.21" long	1	C3GY 9819-A
	F	6	170		1	
60/	A, B, S, X	8	All	Nut (tube to carb.) -7/16"-24 hex, -brass	1	357980-S(MM111)
61/	A Special (4/B, 6/B, 8/B carb.)	8	390,406, 427		1	
63/	A Special (8/B carb.)	8	427	Tee assy. (thermostatic choke control outlet) - compression fitting	1	*378416-S
61/	A, B, X	6&8	All	Sleeve (tube to carburetor)-1/4" compression	1	357940-S(II-54X)
<b>9820 TUBE - THERMOSTATIC CHOKE CONTROL - INLET</b>						
60/62	A, S	8	352,390	1/4" O.D. steel tubing-used with B8A 9430-B or C0AE 9430-B manifold	1	B8A 9820-B
63/64	P/C	8	390	1/4" O.D. steel tubing-22.96" long	1	C3AZ 9820-B
63/64	A, S (except P/C)	8	352,390	"Before 5/1/64"	1	C3AZ 9820-A
64	A, B, X (with 2/B carb.)	8	260,289	1/4" O.D. steel tubing-12.92" long	1	
64/	A, S, P/C	8	352,390	"From 5/1/64"	1	C4AZ 9820-D
60/	A, S	8	352	Washer (tube & exhaust manifold to cyl. head)-3/8" lock	1	371665-S(CX324)
<b>9825-6 CLIP - ROD END</b>						
60/	A, B, S, X	6&8	All	R, H. L, H.	AR AR	B7A 9825-B B7A 9826-A

▲ Cut from 91A 2269 bulk tubing

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
<b>9A825 ACTUATOR ASSY. - SPEED CONTROL</b>						
64	A (with C/M)	8	289,352 390		1	C4AZ 9A825-B
64	S		"Before 6/8/64" 8 390		1	C4SZ 9A825-A
64/	S		"From 6/8/64" 8 390		1	C4SZ 9A825-B
64	A (with C/M)	8	289,352, Washer (actuator to housing)-1/2" flat 390		1	351453-S8(XX186)
<b>9A826 CABLE ASSY. - SPEED CONTROL ACTUATOR</b>						
64	A (with C/M)	8	289,352, 390		1	C4AZ 9A826-A
64	S		"Before 6/8/64" 8 390		1	C4SZ 9A826-B
64/	S		"From 6/8/64" 8 390		1	C4SZ 9A826-C
64	A, S	8	All	Grommet (actuator cable assy, thru dash panel)	1	354972-S(KK18)
<b>9827 - Refer to Carburetor Parts Lists Section 95</b>						
<b>9A832 KNOB ASSY. - SPEED CONTROL ACTUATOR</b>						
64	A (with C/M)	8	289,352, 390		1	C4AZ 9A832-A
<b>9835 - 9836 - Refer to Carburetor Parts Lists Section 95</b>						
<b>9A837 SWITCH ASSY. - SPEED CONTROL RELEASE ACTUATOR</b>						
64	A (with C/M)	8	289,352, Also serviced in 9A825 assy. 390		1	C4AZ 9A837-A
<b>9A837 SWITCH ASSY. - SPEED CONTROL RELEASE</b>						
64	A (with C/M)	8	289,352, 390		1	C1VV 9A837-A
64	S		"Before 6/8/64" 8 390	Console mounted	1	C4SZ 9A837-A
64/	S		"From 6/8/64" 8 390	Console mounted	1	C4SZ 9A837-C
64/	S		8 390	Dash mounted	1	C4SZ 9A837-D
<b>9A838 BRACKET - SPEED CONTROL RELEASE SWITCH MOUNTING</b>						
64	A (with C/M & power brakes)	8	289,352, 390		1	C4AZ 9A838-A
64	A (with C/M & w/o power brakes)	8	289,352, 390		1	C4AZ 9A838-B
64	S	8	390		1	C4SZ 9A838-B
64	S	8	390	Screw (release switch mtg. brkt. to brake pedal support assy.) - No.10-24 x 1/2" hex. washer hd.	1	40918-S8(U260)
<b>9A839 WIRE ASSY. - SPEED CONTROL FEED</b>						
64	S	8	390		1	C4SZ 9A839-B
64/	S	8	390	Clip (speed control feed wire)	AR	376219-S(GG151)
64/	S	8	390	Screw (speed control feed wire clip)- No.10-12 x 1/2" hex. washer head-self tapping	AR	42127-S8(U248C)
<b>9840 PISTON ASSY. - CARBURETOR AUTOMATIC CHOKE - Refer to Carburetor Parts Lists Section 95</b>						
<b>9A840 WIRE ASSY. - SPEED CONTROL</b>						
64	A (with C/M)	8	289,352, 390		1	C4AZ 9A840-A
64/	S	8	390		1	C4SZ 9A840-A
64/	S	8	390	Clip (speed control wire assy.)	AR	376219-S(GG151)
64/	S	8	390	Screw (speed control wire assy. clip)- No.10-12 x 1/2" hex. washer head-self tapping	AR	42127-S8(U248C)
<b>9B841 ROD - CARBURETOR THROTTLE - FRONT</b>						
61/63	A Special (6/B carb.)	8	390,406		1	C1AE 9B841-A
63/	A Special (with 8/B carb.)	8	406,427	Bright finish	1	C3AZ 9B841-B
62/63	S Special (6/B carb.)	8	390	Bright finish	1	C2SZ 9B841-A
61/63	A, S Special (6/B carb.)	8	390,406	Washer (throttle rod to outboard carb.)-3/16" flat	1	372396-S8(XX78)
				Retainer-spring-.44" long	1	353610-S8(NN126)

# FORD CAR PARTS

## SECTION 97

607

YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
<b>9842 CLAMP - CARBURETOR THERMOSTATIC CHOKE HOUSING - Refer to Carburetor Parts Lists Section 95A</b>						
<b>9B842 ROD - CARBURETOR THROTTLE - REAR</b>						
61/63	A Special (6/B carb.)	8	390,406		1	C1AE 9B842-A
62/63	S Special (6/B carb.)	8	390	Bright finish	1	C2SZ 9B842-A
63/	A Special (with 8/B carb.)	8	406,427	Use with C3AZ 9732-C	1	C3AZ 9B842-B
61/63	A, S Special (6/B carb.)	8	390,406	Washer (throttle rod to carburetor)-3/16" flat	1	372396-S8(XX78)
				Retainer-spring-.44" long	1	353610-S8(NN126)
<b>9B843 KIT - ACCELERATOR CONTROL - COBRA</b>						
63/	B	8	260,289	For (3) 2 barrel carburetor installation-use with C4OZ 6B068-A, B, C4DZ 6B068-A, B High Performance Kit	1	C4OZ 9B843-A
Consists of the following						
	1-C3RA 9A701-A			Rod (accel. shaft to bellcrank) 1-AB 99753-A		Trunnion (accel. shaft to bellcrank)
	1-C3RA 9A800-A			Arm (accelerator shaft) 1-375780-S81		Clip (rod to bellcrank arm)
	1-B7A 9825-B			Clip (rod to bellcrank)		
62/	All High Performance Vehicles (with 8V manifold)	8	All	For (2) 4 barrel carb. installation-use with C6AZ 6B068-B, C7AZ 6B068-A High Performance Kit	1	C6OZ 9B843-G
Consists of the following						
	1-C7OZ 9A702-L			Rod assy. (accel. shaft to bellcrank) 1-44712-S8		Flatwasher
	1-C5AZ 9737-K			Spring (accelerator return) 1-72003-S8		Cotter pin
	1-C5AZ 9741-B			Bracket (return spring)		
63	X	8	260	For (3) 2 barrel carburetor installation-use with C4OZ 6B068-A, C4DZ 6B068-A High Performance Kit	1	C3DZ 9B843-A
Consists of the following						
	1-C3AE 9A701-A			Rod (accel. shaft to bellcrank) 1-AB 99753-A		Trunnion (accel. shaft to bellcrank)
	1-C3AE 9A800-A			Arm (accelerator shaft) 1-375780-S81		Clip (rod to bellcrank arm)
	1-B7A 9825-B			Clip (rod to bellcrank)		
64	X	8	260	For(3) 2 barrel carburetor installation - use with C4OZ 6B068-A, C4DZ 6B068-A, B High Performance Kit	1	C4DZ 9B843-A
Consists of the following						
	1-C3AE 9A701-A			Rod (accel. shaft to bellcrank) 1-AB 99753-A		Trunnion (accel. shaft to bellcrank)
	1-C3RA 9A800-A			Arm (accelerator shaft) 1-375780-S81		Clip (rod to bellcrank arm)
	1-B7A 9825-B			Clip (rod to bellcrank)		
<b>9A847 BEZEL - SPEED CONTROL ACTUATOR</b>						
64	A	8	289,352 390		1	C4AZ 9A847-A
64	A	8	289,352 390	Washer(actuator bezel)-.020"nylon-11/16"flat	1	376529-S(XX221D)
<b>9848 THRU 9853 - Refer to Carburetor Parts Lists Section 95</b>						
<b>9A853 PLATE - ACCELERATOR SHAFT EQUALIZER BRACKET</b>						
61/63	A (with S/T & O/D)	6	223		1	C1AZ 9A853-C
64	A (with S/T & O/D)	6	223		1	C4AZ 9A853-A
61/64	S	8	390		1	C1SZ 9A853-A
61/64	A (with S/T & O/D)	6	223	Bolt (plate to dash)-5/16"-18 x 5/8" hex. head	1	20326-S7(B49)
				Lockwasher-5/16"		34806-S7(X64)
<b>9A856 BUSHING - ACCELERATOR SHAFT TO BELLCRANK ROD</b>						
61/	S	8	390		1	C1SS 9A856-A
62/63	B (with F/M/2)	6	170,200		1	
64	B (with F/M/2)	6	200		1	
64	A (with speed control)	8	289,352 390		2	



YEAR	MODEL	CYL.	C.I.D.	DESCRIPTION	QTY.	PART NUMBER
<b>9A857 NUT - ACCELERATOR SHAFT TO BELLCRANK ROD</b>						
62/63	B (with F/M/2)	6	170,200	Used with C3OZ 7A373-A rod	1	C3OZ 9A857-A
64	B (with F/M/2) "Before 3/31/64"	6	200		1	
64	A (with speed control)	8	289,352, 390		1	
61/	S	8	390		1	
64	B (with F/M/2) "From 3/31/64"	6	200	Nut (accel. shaft to bellcrank rod)-No.10-16 spring	1	379547-S2 (MM206C)
<b>9861 SHIELD - CARBURETOR CHOKE THERMOSTAT - Also Refer to Carb. Parts List Section 95</b>						
<b>9862 INSULATOR - ACCELERATOR SHAFT TO DASH - Also refer to Group 9E720</b>						
62/63	B	8	221,260	Use with C2OZ 9725-B shaft assy. only	1	C2OZ 9B862-A
62/63	B	6	170	Use with C2OZ 9725-A shaft assy. only	2	C2OZ 9B862-B
<b>9863 REPAIR KIT - IDLE SPEED UP DIAPHRAGM</b>						
61	S (with Air Conditioner)	8	390	Used with C1SS 9B756-B	1	C1SZ 9B863-A
Consists of the following						
1-FDL 19572 Spring (diaphragm return) 1-C1SS 19680-A Diaphragm & shaft assy.						
1-C1VV 19B992-A Pin (diaphragm air bleed)						
<b>9864 LEVER - IDLE SPEED UP VALVE</b>						
62/64	B (with Power Steering)	6	170,200		1	C2OZ 9B864-A
63	X (with P/S)	6&8	All		1	C3DZ 9B864-A
64	X (with P/S)	6	144,170, 200		1	
				Nut-No. 10-32		34079-S7(M163)
				Lockwasher-No. 10		34803-S7(X60)
<b>9865 INSULATOR - THERMOSTATIC CHOKE CONTROL OUTLET TUBE</b>						
60	S	8	430	.26" I.D. -14.30" long-used with Carter 4/B carb.	1	B9ME 9865-A
60/62	A	8	292	.26" I.D. -10.23" long-used with Ford 2/B carb.	1	B9AE 9865-A
60/62	A Special (with 4/B carb.)	8	352,390, 406	.26" I.D. -21.00" long-used with Holley 4/B carb.	1	C0AE 9865-A
60/63	A (with 2/B carb.)	8	352	.26" I.D. -16 7/32" long-use with Ford 2/B	1	B8A 9865-A
62/64	A, B, X	8	221,260	carburetor	1	
62/63	S Special (with 6/B carb.)	8	390		2	
62/	A Special (with 4/B carb.)	8	390,406, 427		1	
63/64	A, B (with 2/B carb.)	8	289		1	
61/	P/C	8	390	.26" I.D. - 23.13" long	1	C1AE 9865-A
60/	A, S (with 4/B carb.) (except P/C)	8	352,390	Cut to 18.50" long	1	
61/63	A Special (6/B carb.)	8	390,406	Cut to 20.22" long	1	
63/	B Special (with 4/B carb.)	8	289	Cut to 20.22" long	1	
63/	A Special (with 8/B carb.)	8	406,427	.26" I.D. -4.22" long-cut from B9AE 9865-A	2	*C3AE 9865-A
63	B	6	200	.26" I.D. - .40" O.D. -8.65" long-cut from B9AE 9865-A	1	*C3GE 9865-A
63/64	A Special (with 8/B carb.)	8	406,427	.26" I.D. -14.76" long-cut from C1AE 9865-A	1	*C8DE 9865-A
<b>9890 CHAMBER ASSY. - THERMOSTATIC CHOKE HEAT</b>						
63/	A Special (4/B, 6/B or 8/B carb.) - "From 11/22/62"	8	406,427		1	C3AZ 9890-A
63/64	B Special (4/B carb.) - "Before 2/17/64"	8	289		1	
<b>9A892 BRACKET - SPEED CONTROL ACTUATOR MOUNTING</b>						
64	S	8	390		1	C4SZ 9A892-B
<b>9903 GASKET - THERMOSTATIC CHOKE HEAT SUPPLY COVER</b>						
60	S	8	430	Used with B9ME 9430-A manifold and B9S 9891-A cover only	1	*B8S 9903-A
60	S	8	430	Used with B9ME 9430-A manifold and C0ME 9A705-A cover assy.	1	*C0ME 9903-A
60/	A, S (except P/C)	8	352,390		1	B8A 9903-B
<b>9919 - 9998 - Refer to Carburetor Parts Lists Section 95</b>						